

**HARDWARE.....SOFTWARE.....AT HOME.....IN BUSINESS**

# **computing today**

**APRIL 1982**

ISSN 0142-7210

**70p**

**FOR A PERSONAL  
APPROACH TO MICROCOMPUTING**

## **FEELING ADVENTUROUS?**

**Step into programming  
with our multi-system  
modular game**



**Our reviewers go colour crazy with  
micros from Texas and Tandy  
Printing on Centronics's 739  
Make the right connections with  
our series on interfacing**



# PERSONAL COM

**LONELY** Genie I Microcomputer, early eighties, with large peripheral family but currently unattached, would like to meet interesting, attractively packaged software, Genie or Tandy specification, for programming, problem solving, entertainment and long-lasting friendship. Reply in confidence. Box No RS232.

ANSWERING MACHINES  
Office certified

LON  
intel  
vated  
ATT  
wish  
may  
mar  
SC  
me  
(m  
tion.  
hum  
MAI  
to  
war  
wis



## ingenious ...but lonely!

Buying your first Genie I microcomputer is just the start of a long and enthralling adventure, for it won't be long before you will want to expand your system with some of the wide range of peripherals which make up the complete Genie System.



Firstly there is the **Expansion Box**, which immediately expands your Genie's capacity to 32K RAM, and up to 48K RAM if required. It can be connected to 4 disk drives, a printer, RS232 interface or S100 cards.

Then there is the **Printer**,

a compact unit with 80 column, 5 x 7 matrix print-out, which connects to your Genie through the Expander, or via the Parallel Printer Interface.



The **Disk Drive** gives you greater storage capacity and full random access file handling, with the option of double-density through a special adapter. New Dual Disk Drive now available!

Finally, there is Genie's very own **12" Monitor**, a must if you want to let the rest of the family watch their T.V. in peace! Available in B & W or green tube.



The supreme advantage of the Genie I system is its compatibility with the TRS 80, which means that literally 1000's of pre-recorded programs are already available, just waiting to be plugged into your Genie!

The recent improvements in the Genie system, including Extended Basic, sound unit and machine language monitor, make it the ideal system for the committed hobbyist, and an excellent and easy-to-use educational tool.



**SPECIAL TECHNICAL GENIE  
HOT - LINE ON 0629 4995**

for all your technical advice and service back-up on any aspect of the Genie system direct from the experts!

Please send me FREE, 16 page colour brochure on the Genie Computer System. I enclose 25p postage.

Name

Address

Telephone  CT-82

**LOWE  
electronics**

Chesterfield Road,  
Matlock,  
Derbyshire DE4 5LE.  
Telephone: 0629 4995.  
Telex: 377482 Lowlec G.



**Editor :**  
Henry Budgett  
**Group Art Editor :**  
Paul Wilson-Patterson BA  
**Advertisement Manager :**  
Bill Delaney



**Editorial Assistants :**  
Tina Boylan, Roger Munford  
**Assistant Art Editor :**  
Kieran Wade  
**Advertisement Copy Control :**  
Sandie Neville, Sonia Hunt  
**Managing Editor :**  
Ron Harris BSc  
**Managing Director :**  
T J Connell

**ABC Member of the Audit Bureau of Circulation**

Computing Today is normally published on the second Friday in the month preceding cover date. Distributed by: Argus Press Sales & Distribution Ltd, 12-18 Paul Street, London EC2A 4JS. 01-247 8233. Printed by: Alabaster Passmore & Sons Ltd, Maidstone, Kent.

©ARGUS SPECIALIST PUBLICATIONS LTD 1982: All material is subject to worldwide copyright protection. All reasonable care is taken in the preparation of the magazine's contents, but the publishers cannot be held legally responsible for errors. Where mistakes do occur, a correction will normally be published as soon as possible afterwards. All prices and data contained in advertisements are accepted by us in good faith as correct at time of going to press. Neither the advertisers nor the publishers can be held responsible, however, for any variations affecting price or availability which may occur after the publication has closed for press.

Subscription Rates : UK £11.50 including postage. Airmail and other rates upon application to Computing Today Subscriptions Department, 513 London Rd, Thornton Heath, Surrey CR4 6AR.

Computing Today is constantly on the look-out for well written articles and programs. If you think that your efforts meet our standards please feel free to submit your work to us for consideration.

All material should be typed. Any programs submitted must be listed (cassette tapes and discs alone will not be accepted) and should be accompanied by sufficient documentation to enable their implementation. Please enclose an SAE if you want your manuscript returned; all submissions will be acknowledged. Any published work will be paid for.

All work for consideration should be sent to the Editor at our Charing Cross Road address.

# CONTENTS

## VOL 4 NO 2 APRIL 1982

**EDITORIAL & ADVERTISEMENT OFFICE**  
145 Charing Cross Road, London WC2H 0EE.  
Telephone 01-437 1002-7. Telex 8811896.

### CONSUMER NEWS .....8

Our monthly collection of new products joined by our regular report from America.

### BUSINESS NEWS .....12

Upmarket products for the professional computer user.

### VIEWPOINT .....17

If you've an opinion to air or an axe to grind then our new feature may be the opening you seek.

### INTERPRETERS .....22

Just what does happen to your BASIC program when you type RUN? All the answers are here in our programmer's guide.

### CONNECTIONS .....28

Attaching your own devices to a personal computer is always a challenge. This month we start a new series explaining the various techniques in simple terms.



### 16-BIT STAKEOUT .....33

The original Texas TI 99/4 was probably the first home computer to use a 16-bit processor. Now, after an update for the UK market, we examine the system to see how domesticated technology has become.

### FIRST BYTES .....41

Our beginners series in BASIC continues on its course with the subject of decision making.

### A NEW FAD? .....46

Inventing new computer languages seems to be all the rage nowadays. In an exclusive feature we examine one of the latest to make its way across the Atlantic.

### THE VALLEY .....51

A game of truly epic proportions, The Valley is a totally modular, real-time adventure that has been programmed with conversion in mind. Expand or adapt it to suit your own requirements, it is fully documented throughout. An education in BASIC programming and fun to play too!



### TANDY COLOR REVIEWED 71

The latest personal computer from the people who brought you the TRS-80, breaks away from their existing tradition of using the Z80 processor. We take the lid off this interesting system and report on our findings.

### PRINTOUT .....80

In the beginning was the word and lots of them are sent to us each month!



### SPECIAL REPORT .....86

With a background in the professional matrix printer market you'd expect Centronics to produce something special when they went 'micro'. The result is the 730 series and they certainly seem to have a lot to offer.

### GOING FORTH .....91

We finish off our series on FORTH with an example program demonstrating the speed and flexibility of this amazing language.

### CT Software .....11

Our new software service

Submissions .....15

How to write for CT

Next Month's Issue .....18

Coming attractions

London Computer Fair .....21

Come and see us exhibit

Subscriptions .....77

Make sure of your monthly copy

Binders .....95

Keeping things safe

Back Issues .....99

Fill those gaps in your collection

Computamart .....106

Your local shopping guide


Owing to production difficulties the second part of The ARGUS will now appear next month.



AT BYTESHOP MANCHESTER

# We're keen on SHARP

SHARP MZ-80K  
A Complete  
Computer for less  
than £400  
inc VAT!



**Order by post, or visit our Showroom**


- ★ A Full 48 K. Microcomputer with built in cassette drive and video screen.
- ★ A full range of modular expansions including printers, floppy disk drives are also available. Please phone, call or send for fuller details.
- ★ To Order by post, complete the attached Order Form, and send with personal cheque. Allow one week for the cheque to clear.

\*VAT has been calculated at the current rate of 15%. Please make any adjustment for any changes since publication date.

**Byte Shop Computerland**

11 Gateway House, Piccadilly Station  
Approach, Manchester M1 2GH.  
Tel: 061 236 4737.



A member of the  Comart Group of  
Companies  
A member of the Computer Retailers Association



Please supply Sharp MZ-80K Microcomputers at £395.00 inclusive of VAT\*  
My personal cheque No is \_\_\_\_\_ for £ \_\_\_\_\_ Please charge my  
Access Barclaycard Account (delete as applicable) Yes \_\_\_\_\_ No \_\_\_\_\_  
on Sharp expansions products and software Yes \_\_\_\_\_ No \_\_\_\_\_ Please send me fuller details

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
TEL \_\_\_\_\_

Access Card No \_\_\_\_\_  
Barclay Card No \_\_\_\_\_



# For all your Micro needs and more...

Data Efficiency dealers offer printers from Centronics, Olivetti, Anadex and Integral Data (Paper Tiger) including the new Prism Colour Printer, monitors from Philips and Kaga (former manufacturers of BMC) with black/white, green, amber and full colour displays. Apple accessories including the



Mountain Hardware range and more – you'll find that a DE dealer has a lot more to offer.

Price is important, so is service, and with access to




over £1 million worth of stock, your DE dealer will get you what you want, when you want – with prices to match.

Data Efficiency Ltd  
Computer Division,  
Finway Road,  
Hemel Hempstead,  
Hertfordshire, HP2 7PS

Tel: (0442) 40571/2  
Telex: 825554 DATEFF G

## SPECIAL OFFER



For a limited period whilst stocks remain we're offering Paper Tiger Printers at low, low prices.

T 445 92 cps.  
Serial/Parallel Interface.  
Graphics

ONLY **£450**

PT 460 152 cps.  
Serial/Parallel Interface.  
Graphics.

ONLY **£550**

**Ring for  
details of your  
nearest  
stockist  
(0442) 40571/2**

**DE**  
Data Efficiency Ltd

*Dealer enquiries welcome*



# NEW books from Prentice-Hall International

## BASIC Programming on the BBC Microcomputer

Neil Cryer and Pat Cryer

For beginners with no experience of computers, this comprehensive book has been written with particular reference to the BBC Microcomputer, the amazingly versatile home computer which has been causing so much interest and enthusiasm in the computing world. **BASIC Programming on the BBC Microcomputer** provides a step-by-step course on BASIC and teaches you how to write programs using the BBC's enhanced version of BASIC. It shows you how to make the best use of the machine and explains special features for which the BBC Microcomputer is renowned—including colour graphics, animation and sound.

Designed for use while you are sitting at the machine, this book actively involves you through frequent and clearly labelled activities on the computer and by providing points to think about and discussions of the material covered.

Every program has been tested on a production model of the BBC Microcomputer.



£5.95 Paperback 224 pages 13-066407-3 April 1982

### **BASIC Programmer's Notebook**

Earl R. Savage

Techniques and subroutines for efficient, accurate programming in BASIC for games, instruction and record keeping, written in Level II BASIC.

£10.45 Paperback 110 pages 672-21841-0

### **Explore Computing with the TRS-80 (and Common Sense):**

With Programming in BASIC

Richard V. Andree and Josephine P. Andree

£11.95 Hardback 230 pages 13-296145-8

£8.95 Paperback 13-296137-7

### **Starting FORTH: An Introduction to the FORTH Language and Operating System for Beginners and Professionals**

Leo Brodie, FORTH Inc.

£14.95 Hardback 360 pages 13-842930-8

£11.95 Paperback 13-842922-7

### **The UCSD Pascal Handbook: A Reference and Guidebook for Programmers**

Randy Clark and Stephen Koehler

£11.95 Paperback 356 pages 13-935536-7

Prices are correct at the time of going to press but may be subject to change.

### Book Orders

These books can be ordered from your usual bookseller. In case of difficulty contact:

Prentice-Hall International,

66 Wood Lane End, Hemel Hempstead, Hertfordshire HP2 4RG, England.

Telephone: 0442 58531.



# GIVE YOUR APPLE U-Z80 POWER



for  
only  
**£95.00**

The U-Z80 interfaces a Z80A microprocessor to your Apple II. The card just plugs into any slot except 0 and allows you to run CP/M applications packages such as Wordstar. U-Z80 is fully compatible with latest Apples. Available from Apple Dealers worldwide or direct from U-Microcomputers.

Prices do not include VAT or p. & p. (£1.00 per board)  
U-Microcomputers Limited,  
Winstanley Industrial Estate,  
Long Lane, Warrington,  
Cheshire, WA2 8PR, England.  
Telephone: 0925 54117/8  
Telex: 668920 U-ONE



## U-MICROCOMPUTERS

a range of quality peripheral cards to enhance your Apple

**We now make  
more Apple cards than Apple!**



# ZX81 ATOM VIC

*Make the most of your microcomputer with our popular range of proven books:—*

- [ ] **GETTING ACQUAINTED WITH YOUR VIC 20**, by Tim Hartnell, with over 60 programs to get your VIC up and running from day one. **£5.95**
- [ ] **GETTING ACQUAINTED WITH YOUR ACORN ATOM**, by Trevor Sharples and Tim Hartnell. 184 pages, 80 programs, including draughts. **£7.95**
- [ ] **GETTING ACQUAINTED WITH YOUR ZX81**, by Tim Hartnell. Eighty plus programs in this 120-page book, including draughts. **£4.95**
- [ ] **MASTERING MACHINE CODE ON YOUR ZX81 OR ZX80**, by Tony Baker. 180 pages, teaches machine code from first principles. **£5.95**
- [ ] **THE GATEWAY GUIDE TO THE ZX81 AND ZX80**, by Mark Charlton. Over 60 programs and routines, ZX BASIC explained in detail. **£5.95**
- [ ] **49 EXPLOSIVE GAMES FOR THE ZX81**, edited by Tim Hartnell. **£5.25**
- [ ] **INTERFACE**, the monthly magazine published by the National ZX80 and ZX81 Users' Club, in conjunction with the Independent Atom Users' Group, is just £9.50 (UK), £12.50 (Europe) for 12 issues. **Sample copy**, with many programs for each machine, book, software and hardware reviews, education, contact addresses, **just £1.**

Please send me the items marked. I enclose £ .....

Name: .....

Address: .....

.....

.....

Postcode .....

Please make cheques payable to **INTERFACE** and send the above form, or a copy, to: **INTERFACE, Dept. CT, 44-46 Earls Court Road, London W8 6EJ**





# STATE SIDE



**Y**ou have to have a sense of humour in this business. One of the best ideas in home video to arrive in recent years, we feel, is the Laser system developed by Philips and marketed in the USA by Magnavox. Recently US Pioneer was granted the rights to produce their own version of the unit they call the VP-1000 Videodisc Player, more informally called Laservision.

This month, an interface for the Apple II computer was announced by Aurora Systems Inc of Madison Wisconsin. Called Omniscan, it is designed to mate the VP-1000 to the Apple in such a way that software control of all videodisc functions are obtained. This allows the system to display information on the video screen (either a regular television or a monitor) with colour, STEREO sound and motion while allowing the computer user to interact with the material shown. This enables the computer and the video disc to be used as an interactive teaching system whose applications are limited only by the imagination.

The Associate Editor of Creative Computing Magazine, David Lubar, devised an interactive video/computer game using the new interface. And that's where the fun began! Creative Computing contacted Pioneer to borrow a player for demonstration at the upcoming Fall computer and home entertainment shows — but Pioneer refused to become involved. And if that wasn't enough, attorneys for the owners of the particular movie used on the video disc feel that the American Screen Actors Guild's contract prohibits the use of the movie; the assumption being made is that the movie disc is to be shown as a regular movie and nothing else. Remember that bit about the system being only restricted by the imagination, well, apparently these people have very limited imaginations. It is too bad that a potentially useful learning system is being hampered by people of little imagination and vision. Still, as I said earlier, it pays to keep your sense of humour in this business.

## Crisis, What Crisis?

Last year Advanced Micro Devices, located in Sunnyvale (the

Bud Izen Davis, California

heart of Silicon Valley), threw a gigantic Christmas party for their 6000 employees and guests. They spent \$350,000 on that party celebrating the coming year of record profits. The anticipated profits not only failed to be realised but their last quarter's earnings (September — December) were down to \$1.0 million compared with \$7.0 million for the same period in 1980. This year, instead of a party, only employees hired within the last year and a half were invited to attend a company breakfast. The party is certainly over!

This situation is becoming typical in the Valley amongst virtually all of the major semiconductor manufacturers. Profits are off by as much as 65% and no one seems able to predict when things will turn around either. The Chairman of Intel Corporation (Santa Clara), Gordon Moore, said recently: "We're 18 months into a recession we thought might last six months — just as we have predicted every month for the past 12 — we should be out of it." The President of Varian Associates semiconductor division, Bill Bottoms, agrees: "The most consistent thing about our industry is that people are still saying the upturn is six months away."

Although recessions in the semiconductor industry are not uncommon, this time the situation is more serious than it ever has been. For example, when sales fell off 23% in 1975, company earnings fell 37%. This past year as sales decreased only 10%, earnings fell an average of 65%. The reason for this big difference is attributable to the falling prices of chips.

The automobile industry may have a significant effect upon the semiconductor market conditions, but probably not until 1983. It is predicted that semiconductor sales related to automobile production may be as great as \$500 million by 1985. So some recovery is expected — but not too much and not too soon. Most of the prognosticators feel that there may be no increase in profits until the final quarter of this year. Even though the marketplace may expand tremendously in the next ten years, at the present time, the outlook is very painful indeed.


## EPROMs TO PROGRAM?

A Universal EPROM Programmer has been purpose-built for 6800/6809 software/hardware development systems.

Among its many features, the device programs and verifies 2708, 2516/2716, 2532, 2732, 2732A, 2564, 2764 and the 128K TMS2528. There are also two zero insertion force sockets with mode selector switches provided, thus eliminating the requirement for additional 'personality' modules.

An extensive software menu allows the device to move a one byte to 16K block of memory to any point within a 64K memory map; to read EPROM into the buffer; to program the EPROM from the buffer; to program a selected area of EPROM; to verify the EPROM against the buffer; to examine and change the buffer; to carry out a formatted dump of the buffer; and to fill a selected area of buffer with a specified fill character.

Further data can be obtained from Windrush Micro Designs Ltd, Gaymer's Way Industrial Estate, North Walsham, Norfolk NR28 0AN or telephone 0692-405189.



## COMPUTER CHAT

Is your computer engaging you in rather limited conversations? Celdis have the answer, a new ROM chip set now available priced at £35.42 which, with two 64K ROMs, adds a further 136 words to the standard 138 words already provided by the DIGITALTALKER speech synthesis system.

If you've never heard of the DIGITALTALKER (and if you read CT you should have), it is essentially a speech processor chip and speech ROMs which, when combined with an external filter amplifier and speaker, form a system that will generate high-quality speech. But then you knew that already, didn't you.

If you need more information get in touch with Celdis, 37, Loverock Road, Reading, Berkshire RG3 1ED.





# CONSUMER NEWS

## EXPANSION REDUCTIONS

For those of you completely fed up with inflation, here's news of Timedata who have recently reduced the price of their MZ163 range of Acorn ATOM compatible RAM expansion boards.

All single Eurocard size (100 x 160mm), these boards come in 16K and 32K versions allowing the ATOM's RAM space to be extended to 28K or 38K. The new prices, inclusive of VAT and UK p&p, for the 16K and 32K boards are, respectively, £59.50 and £74.00 for boards fitted with connectors allowing them to be fitted inside the ATOM's case, and £62.00 and £76.00 for boards equipped with the Eurocard standard DIN 41612 connector.

Full details can be obtained from Timedata Ltd, 57 Swallowdale, Basildon, Essex SS15 5BZ or on 0268-23234.

## CAMBRIDGE COURSES

If you haven't been noting the course offered by Cambridge Micro Computers this year, now might be a good time to start!

This month there are two courses on offer: Structured Programming in BASIC, a three day course taking place from 5-7 April and Advanced systems design in Pascal, a five day course starting on the 26 April. Prices for the three day courses are £189 plus VAT and £349 plus VAT for the five day course. All courses are held at the company headquarters at the address given below.

Cambridge Micro Computers Ltd usually provide two different courses each month so even if the events above don't strike a chord, write to them at the Cambridge Science Park, Milton Road, Cambridge CB4 4BN or ring them on 0223-314666 for further details.

## SORRY...

If any of you have had the problems one of our readers has experienced trying to get hold of a book we recommended, *The Apple II Monitor Peeled* by William E Dougherty, we do apologise.


Although assured to the contrary, we are now informed this book is unavailable in this country. However, you can get it direct from the author for \$9.95 at the following address — 14349, San Jose Street, Mission Hills, California 91345, USA. If you have a VISA card it's even easier, just

phone the code for America followed by the number 213-896 6553 and quote your VISA number.

Sorry...

## EXTRA APPLE CARDS

A set of four new peripheral cards have been introduced for the Apple II and Apple III microcomputers.



The range includes MicroClock — a real-time clock with registers from tenths of seconds to leap years; MicroTalker — a speech synthesis card using the National Semiconductor DigiTalker chip set; MicroPort — a dual eight-bit parallel input/output card; and MicroSynth — a sound and music synthesiser card employing the AY-3-8912 device.

The MarchCard range is priced at £49.95 for all except the MicroTalker available at £84.95. Full details of this range and the further products they promise us are in the pipeline, so get in touch with March Communications Ltd, 14/16, Manchester Street, Liverpool L1 6ER or telephone 051-236 2000.

## PRINTER INTERFACE

A serial interface is now available

for the Roxburgh DP-822 and DP-824, 21 and 40 column printer mechanisms. Designated part number 822-824/RS, the board offers RS232C and 20 mA current loop facilities as well as baud rate (110-4800), parity and stop bit selection.

A single line buffer and a full 96 ASCII character set are also included, the character set being stored in a 2716 EPROM to enable alteration if required.

The interface board, measuring 160 x 100mm, comes in 12 and 24 V versions, both priced at £76.80 one-off.


For more information on the 822-824/RS contact Roxburgh Printers Ltd, 22, Winchelsea Road, Rye, E Sussex TN31 7BR.

## TOGETHERNESS!▼

Ever have trouble keeping all your ZX81 bits and pieces tidy? If you do then take a close look at the desk console now available from Traffic Technology priced at £33.33 including p&p.

Moulded in heavy gauge black grained ABS plastic with detachable base cover and non-slip feet, the console can accommodate the ZX81 computer, a 16K RAM pack, a Sinclair printer, a power unit, a cassette recorder and a space for cassettes, pencils, etc. The console also includes a switch panel with a three-position slide control for SAVE/RUN-LIST/LOAD and a switch for 9 V power unit OFF/ON.


For more information on the desk console contact Traffic Technology Ltd, PO Box 2, Warminster, Wiltshire BA12 7QZ.





# SALES-RENTAL

and other services



64K  
A  
P  
P  
L  
E  
C  
P  
M  
Z  
8  
0  
S  
U  
P  
E  
R  
B  
R  
A  
I  
N



**SUPERBRAIN 64K**  
£1600 SUPERBRAIN STANDARD MODEL  
(350KB DOUBLE DENSITY DISK DRIVE)  
£2000 SUPERBRAIN QUAD MODEL  
(700KB QUAD DENSITY DISK DRIVE)

**APPLE 48K £600**  
320 DISC DRIVE  
WITH  
CONTROLLER

**HARDWARE**  
600 APPLE 48K VIDEO OUTPUT ONLY  
290 DISC DRIVE WITHOUT CONTROLLER  
320 DISC DRIVE WITH CONTROLLER  
15 16K ADD ON  
100 280 SOFTCARD

**CARDS & ACCESSORIES**  
120 ALF MUSIC SYNTHESIZER CARD  
10 TIMING MODE INPUT BOARD  
7 ALF MUSIC ALBUM 1  
7 ALF MUSIC ALBUM 2  
7 ALF MUSIC ALBUM 0 (CHRISTMAS)  
180 ANALOG OUTPUT BOARD 4 CHANNEL  
280 ANALOG OUTPUT BOARD 8 CHANNEL  
200 A1-02 DATA ACQUISITION CARD  
200 AD-DA 16 CH 12 BITS  
11 PROTOTYPE/HOBBY CARD  
40 PARALLEL PRINTER INTERFACE CARD  
100 COMMUNICATIONS CARD  
80 HIGH SPEED SERIAL INTERFACE CARD  
90 LANGUAGE CARD  
50 CENTRONICS CARD  
80 RAM CARD 16K  
150 280 CARD CRM OP  
75 EUROCOLOUR CARD  
120 SPEECH LAB  
120 GRAPHICS TABLET  
90 CONTROLLER CARD  
APPLET SYSTEM  
160 80-COL DISPLAY CARD FOR BASICS  
10 DISC TO CONVERT DV80 TO PASCAL  
180 APPLE JUICE POWER SUPPLY  
5 APPLE BLACK & WHITE MODULATOR  
58 HEURISTICS CONTROLLER 70  
168 HEURISTICS SPEECHLINK 200  
219 IEEE INTERFACE  
160 CLOCK/CALENDAR CARD  
180 SUPERTALKER  
110 ROM-PLUS CARD  
100 ROMWRITER  
30 COPYPLUS ROM  
MUSIC SYSTEM COMPLETE

**LANGUAGES**  
PASCAL  
FORTRAN  
CIS-COBOL  
COBOL 80  
FORTRAN 80  
MBASIC  
CBASIC  
APL  
MPM  
PLI

**STANDARD**  
WORDSTAR  
MAGIC WAND  
SPELLBINDER  
MAILMERGE  
DATASTAR  
SUPERSORT 1  
IBM 3780 EMU  
STATIONERIES

**ACCOUNTANCY**  
INCOMPLETE RECORDS  
INTEGR. ACCOUNTS  
SALES LEDGER  
PURCHASE LEDGER  
NOMINAL LEDGER  
INVOICING  
PAYROLL  
STOCK CONTROL  
DBMS

**VIDEO MONITORS**  
100 9" HIGH RESOLUTION B/W MONITOR  
100 9" BLACK & WHITE VIDEO MONITOR  
165 12" BLACK & WHITE VIDEO MONITOR  
CABLE FOR VIDEO MONITOR  
120 12" VIDEO MONITOR GREEN DISPLAY  
MONITOR CABLE FOR VM12G  
250 12" COLOR MONITOR

**SOFTWARE**  
95 APPLE DESK TOP PLAN  
60 CCA DATA MANAGEMENT SYSTEM  
10 DISC UTILITY PACK  
300 APPLE BUSINESS CONTROLLER  
PROGRAM  
25 APPLE POST PROGRAM  
35 3.3 DISK OPERATING SYSTEM  
100 APPLE FORTRAN PACKAGE  
100 VISIPLLOT VISI-TREND  
70 VISITERM  
110 DB MASTER  
100 VISICAL DISK & BOOK COMPLETE 3.3  
50 MICROBASE MAILING LSIT  
100 MICROCHASE STOCK CONTROL  
20 3D SUPER GRAPHICS  
8 CIRCUIT ANALYSIS

**ADVENTURE GAMES**  
14 ODDSSEY  
16 ZORK  
16 SANDS OF MARS  
8 STELLAR INVADERS  
17 TEMPLES OF ARSHAI  
10 MISSION ASTEROID  
12 MYSTERY HOUSE  
15 WIZARD AND THE PRINCESS

**BOARD GAMES**  
18 SARGON II  
12 FAST GAMMON  
12 BRIDGE PARTNER  
12 CHECKER KING  
10 WINDFALL  
6 TANK COMMAND  
12 FRACAS

**DOCUMENTATION**  
12 FORTRAN  
9 APPLE II REFERENCE MANUAL  
10 6602 HARDWARE MANUAL  
8 6502 SOFTWARE MANUAL  
3 APPLE II BASIC PROGRAM MANUAL  
4 APPLESOFT II REFERENCE MANUAL  
4 DOS 3.2 MANUAL 3.3  
4 APPLE II BASIC TUTORIAL MANUAL  
4 AUTOSTART ROM MANUAL  
11 PASCAL MANUALS  
14 BENEATH APPLE DOS

**WAR GAMES**  
17 WARP FACTOR  
10 LORDS OF KARMA  
25 BISMARCK  
25 AMBUSH  
16 CONFLICT  
25 AIR COMBAT  
25 NAPOLEONICS  
17 BASEBALL

**PRINTERS**  
SILENTYPE 80-COL GRAPHICS PRINTER  
25 10 ROLLS THERMAL PAPER FOR  
A2M0034  
9 DUST COVER FOR SILENTYPE  
PRINTER  
CENTRONICS 737 PRINTER  
C/W ADAPTOR  
20 11x9.5" PAPER FOR CENT. 737  
32 1/2 ZIPPACK RIBBONS FOR CENT. 737  
9 DUST COVER FOR CENT. 737 PRINTER  
8 SERIAL CABLE FOR TIGER PRINTER  
18 GRAPHICS SOFTWARE FOR TIGER/G  
18 2000 SHEETS 11x9.5 PAPER 1 PART  
RE-INKING RIBBON & ROLLER SET  
135C JUME 5/45 RX  
110 QUME FORM TRACTOR  
400 CENTRONIC 739  
460 PAPER TIGER 445  
70X PAPER TIGER 460  
650 PAPER 560  
750 ANADEX DP9000  
780 ANADEX DP9500  
810 ANADEX DP9001  
845 ANADEX DP9501

**EPSON** Unbelievable quality from  
the world's largest print head manufacturer.



Qume  
£1350



**MX80F/T<sub>1</sub> = £340**  
**MX80F/T<sub>2</sub> = £380**

MAIL ORDER TO CENTRAL OFFICE

SEND FOR FURTHER DETAILS ON REST OF OUR EXCELLENT RANGE OF SOFTWARE HARDWARE

\*All prices ex. V.A.T. \*Our own low cost maintenance 24 hrs. service \*Please ask for other brands of software and hardware

## MICROCOMPUTER HIRE SERVICE

A TRIAL PERIOD FOR YOUR COMPUTERISATION  
A COMPREHENSIVE SERVICE FOR RENTALS

Superbrain with application packages · Apple System · PET Tandy Sorcerer Horizon Printers

CENTRAL OFFICE: Microcomputer Spacedrome, 3 Westholm, London NW11. 01-458 5845  
Promglow Ltd., 12 Dene Road, New Southgate.



# THE VALLEY



© Computing Today 1982

## What are you . . . Barbarian or Wizard?

Choose your character type carefully . . . Barbarians recover quickly but their magic doesn't come easily. A Wizard? Slow on the draw and slow to mature . . . but live long enough and grow wise enough and your lightning bolts are almost unstoppable . . .

The Valley is a real-time game of adventure and survival. You may choose one of five character types to be your personal 'extension of self' to battle and pit your wits against a number of monsters. Find treasure, fight a Thunder-Lizard in the arid deserts of the Valley, conquer a Kraken in the lakes surrounding the dread Temples of Y'Nagioth or cauterise a Wraith in the Black Tower. In fact live out the fantasies you've only dared dream about. BUT BEWARE . . . more die than live to tell the tale!

You've read the program (Computing Today — April '82)  
Now buy the tape . . . PET and TRS-80 tapes are available NOW.  
(16K minimum . . . Commodore PET (New ROMs) and TRS-80 Model 1, Level 2)  
Fill in the coupon below and return it to ASP Ltd., 145 Charing Cross Road, London WC2H 0EE and become one of the first to play . . . The Valley . . .

Please send me . . . tape(s) of The Valley ☐ PET ☐ TRS-80 at £9.95 per tape plus 50p postage and packing.  
I enclose my Cheque/Postal Order/ International Money Order for: (delete as necessary)

£ . . . . . (Made payable to ASP Ltd)

OR Debit my Access/Barclaycard  
(delete as necessary)



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Please use BLOCK CAPITALS

Name (Mr/Mrs/Miss) .....


Address .....

..... Postcode .....

Signature..... Date.....

## Computing Today Software





## FLOPPY DUO — HALF THE SIZE ▲

Two half-height, 8" floppy disc drives allowing users to double existing storage capacity by placing two units in the space of one standard model has been announced by Shugart Associates.

The single-sided SA810 and the double-sided SA860 drives offer unformatted storage capacity of up to 1.6M and track-to-track access times of only three milliseconds.

How have they done it? They replaced the AC motor used in most standard drive units with a fast-start brushless DC motor. Other key features include a programmable door lock for data security and optional metal shields on the side of the drive as protection against electromagnetic interference.

Current American prices are \$385 and \$450 respectively for the SA810 and SA860; production models are expected in this country soon. For more up to date information get in touch with Shugart Associates, 475 Oakmead Parkway, Sunnyvale, California 94086, USA or telephone (not forgetting the USA code) 408-733 0100.

## EMPEROR MICRO

First time users may be interested in the smallest single-station microcomputer in the EMPEROR range, the EMPEROR 10.

Based on a Z80A processor, EMPEROR 10 offers 64K of RAM memory and 4K of EPROM. Using

the CP/M operating system, the device supports COBOL, FORTRAN, BASIC, Pascal and PL/1 among others.

There is a wide range of software packages for the EMPEROR 10 from financial analysis to stock control, legal systems, etc. The system is also able to support word processing packages such as Wordstar and Easywriter.

The EMPEROR range is fully compatible and the EMPEROR 10 can be easily expanded to a multi-user, multi-tasking system just by adding a MicroVideo EMPEROR 20 or EMPEROR 30, both of which are supported by MVOST (MicroVideo's Multi Operating System) in the service processor.

The EMPEROR 10 is available for around £2000 for the basic unit, for further information get in touch with MicroVideo Ltd, 5/6, Yarmouth Place, Mayfair, London W1Y 7DW or 'phone them on 01-408 2017.

## THE ESKIMO'S FRIEND

Weighing less than two kilograms and only a little larger than a book, the Husky 144 is a practical hand-held computer especially suited to outdoor environments and robust applications.

The Husky incorporates up to 144K of memory and can display up to 128 characters in four lines. It has also been designed so that the user can easily access information from the office main computer over a telephone line speeding up the processing of data.

Memory is maintained by three sets of batteries providing a good guarantee that no storage is lost.

The Husky 144 is priced at just over £1400 for the basic system providing computer technology to those outside the typical 'computer environment'. Further information can be obtained from DVW Microelectronics, 10, The Quadrant, Coventry CV1 2EL.

## DURANGO — PLUS DISCS!

The DURANGO portable (?) business micro, incorporating one typewriter-size unit VDU, input keyboard, processor, memory and printer, is now available with built-in seven or 14M Winchester disc drives alongside standard floppy disc capability.

Already able to be expanded up to 196K, the DURANGO also offers the facility to link additional VDUs alongside.

The basic 64K DURANGO system including floppy disc drives and dual mode printer now costs from £5495 while a version including a seven megabyte Winchester disc alongside one



floppy is available from £7750.

For more information on the DURANGO system get in touch with Computer Ancillaries Ltd, 64, High Street, Egham, Surrey or 'phone them on 87 36455. And while you're speaking to them, ask them about their desktop business computer, the 800 XR, which offers data processing, communications and word processing all within a single integrated unit.



## THE INSCRUTABLE EXPERT

Direct from Sord Computer Systems of Tokyo, Japan, comes a new 128K microcomputer called the Expert.

Based on the Z80A microprocessor, the Expert has a monitor with full ASCII keyboard, two 320K disc drives, two RS232 ports and a parallel printer port. At a standard package price of £1950, the Expert includes not only the CBASIC language but also a new high level language custom-designed in Japan called Pan Information Processing System or PIPS for short. PIPS, ideal for the non-programmer, consists of around 100 commands for formatting and entering the user's own data to suit specialised requirements.

A colour monitor, priced at £515, can be added to the system allowing PIPS to be displayed in specific colours with varying backgrounds. For more Expert information contact Exleigh Business Machines Ltd, 11, Market Place, Penzance, Cornwall TR18 2JB or telephone 0736-66577.

## ALPHA BETTA?

Based on the Motorola MC68000, a new single chip 16 bit processor designated AM-100/1 is now available across the full range of Alpha Micro systems including the new Winchester-based systems, AM 1020 and AM 1041. The AM-100/L is also fully compatible with all software available for existing systems.

Processing data internally in either eight-bit bytes, 16-bit words or 32-bit longwords, the AM-100/L features 15 32-bit registers plus a stack register and directly addresses up to 16M of memory. Other features of the processor include a programmable real-time clock, two serial I/O ports with programmable baud rates, clock/calender with battery back-up, and diagnostic display interface.

The price of the AM-100/L is very dependent on the system it is added to, however, given the example of a medium-sized system with three VDUs and a printer plus the AM-100/L, the price would be around £15,000. For more information, get in touch with Alpha Micro Systems UK Ltd, Alpha House, 13-27, Brunswick Place, London N1 6ED or call them on 01-250 1616.



## THE EXPANDABLE ONE ▲

Aimed at both business and professional users, the ITT3030 microcomputer system is available in a basic version comprising a central processing unit, keyboard and software for around £2500.

The central processing unit is based on the Zilog Z80A microprocessor with 64K of memory and incorporates two 5¼" floppy disc drive units, each with a capacity of 280K. There is also a separate, extended word-processing keyboard, the CP/M operating system and MPSP's BOS operating system with the AUTOWRITER and the AUTOINDEX packages. The ITT3030 also has an RS232 port and by adding a multiple RS232 interface card can be transformed into a multi-user installation.

In much the same way, simply by taking out one PCB and inserting another, the ITT3030 processor can be upgraded from the eight-bit Z80A to the 16-bit Intel 8086. Similarly, the internal memory can be expanded from the basic 64K to 256K.

Further details of the ITT3030 can be obtained from ITT Consumer Products (UK) Ltd, Chester Hall Lane, Basildon, Essex or by 'phoning 0268-3040.

## QUITE A HANDFUL ►


Hewlett-Packard have introduced an interface, HP-IL, that allows HP-41C and HP-41V hand-held computers to control instruments and peripherals.

The HP-IL interface, priced at

£79.79, enables the computers to control and read data from a new HP digital multimeter, and to interact with a new digital tape cassette drive and a new thermal printer/plotter. The new peripheral range is available at £453 for the digital multimeter, £354.92 for the digital cassette drive and £319.42 for the thermal printer/plotter.

Also announced is the HP-IL converter, priced at £806.63, designed to be built into third-party devices such as measurement instruments. The converter connects the internal electronics of the instrument to the HP-IL loop allowing the HP-41 to control it.

The HP-41C and HP-41V are available from Hewlett-Packard at £159.58 + VAT and £207.45 + VAT respectively. For further information contact HP at 308-314, Kings Road, Reading, Berkshire RG1 4ES or phone them on 0734-61022.





# IF ANY OF THE FOLLOWING WORDS GIVE YOU A BUZZ . . . ANALYSIS STATISTICS DESIGN PLOTTING GRAPHICS REPORT WRITING SPECIFICATIONS SCHEDULES COSTING PLANT MAINTENANCE PRODUCTION CONTROL SIMULATIONS IEEE INTERFACING INSTRUMENT CONTROL MONITORING TERMINAL COMMUNICATIONS PAPERTAPE READING PUNCHING & EDITING SELF PROGRAMMING BASIC ASSEMBLER LANGUAGE MACHINECODE... **GIVE US A BUZZ (OR SEND BACK THE COUPON)**

**The micro comes of age.** The PET has come a long way since micros were regarded as toys. It's designed and built for demanding work and this shows in the 32K memory and 80 column screen as well as in its impressive disk capacity. When it comes to languages, you'll find the PET fluent in BASIC, PASCAL, FORTH, COMAL, LISP, PILOT, FORTRAN, APL and ASSEMBLER.

It can be used as a complete system in itself, or can be linked to other PETs or a mainframe.

**Who needs PET? And why?** The list above speaks for itself, but that's only part of the story as the PET now has over 600 applications. It's good news for any engineer who's tried to get even a modest budget approved – the PET is very acceptable to the most sceptical of money people.

It's an attractive proposition, too, to DP professionals who need their fingers on the pulse and are fed up with waiting for their turn on the company computer.

In fact, it's the nearest thing to the all-purpose computer for everyone. An extravagant claim? A demonstration can prove it to be true.

**The PET has track record.** We've been involved with electronics for over 20 years and there are now over 30,000 PET installations in the UK. We manufacture our own microchip which is happily accepted and used by makers of other well-known microcomputers.

You get nationwide dealer back-up with Commodore. What's more, many of our dealers have specific expertise – which means they can advise on anything from business systems to specialist technical applications. So, if your particular problem is of a highly specialised nature, it may be best to contact our Information Department direct. They will then recommend the dealers who understand – and who speak your kind of language.

**What does all this cost?** Not a lot. In fact, our computers start at £200 and go through to £8,000 – which will buy you a business system. That's just one more reason why any professional worth his salt would be interested in a microcomputer that's made its name in the business world . . . but is far more than just an efficient business brain.



Send to: Commodore Information Services, 675 Ajax Avenue, Slough, Berks. Tel: Slough 79292  
I'd like to know how Commodore could make choosing a computer simple for me.

Name \_\_\_\_\_ Position \_\_\_\_\_  
Nature of Business \_\_\_\_\_  
Company \_\_\_\_\_  
Address \_\_\_\_\_  
Tel \_\_\_\_\_

CT/4/82

## COMMODORE PET

Quite simply, you benefit from our experience



## Commodore Official Dealer List

### LONDON

Adda W 13  
01-579 5845  
Capital Computer Systems W 1  
01-636 3863  
Logic Computer Systems SW 1  
01-222 1122/5492  
Merchant Systems Ltd EC 4  
01-583 6774  
Micro Computer N 14  
01-882 5104  
Microcomputer Centre SW 14  
01-878 7044/7  
Sumlock Bondain Ltd EC 1  
01-250 0505  
Informex-London Ltd SE 13  
01-318 4213/7  
CSS (Systems) Ltd E 8  
01-254 9293  
Meares Consultants Ltd NW 3  
01-431 3410  
Data Base NW 2  
01-450 1388

### SURREY & MIDDLESEX

Douglas Moore Ltd Kingston-Upon-Thames  
01-549 2121  
Micro Facilities Ltd Hampton Hill  
01-979 4546/941 1197  
PPM Ltd Woking  
04867-8011  
Datalect Computers Ltd Croydon  
01-680 3581  
Datalect Computers Ltd Woking  
04862-25995  
Johnson Microcomputers Camberley  
0176-20446  
Vingo Computers Ltd Caterham  
0883-49235  
Cream Computer Shop Harrow  
01-863 0833  
Da Vinci Computer Shop Edgware  
01-952 0526  
L & J Computers Stanmore  
01-204 7525/206 0440

### KENT, SUSSEX & HAMPSHIRE

Ampicon Micro Systems Brighton  
0273-562163/608331  
Business Electronics Southampton  
0703-738248  
H-SV (Microcomputers) Ltd Hants  
0256-62444/0703-331422  
Millhouse Designs Ltd Alton  
042-084517  
The Computer Room Tonbridge  
0732-355962  
Scan Computers Storrington  
09066-5432

### ESSEX

Dataview Colchester  
0206-865835  
CSSC Ltd Ilford  
01-554 3344  
DOM Brentwood  
0277-229379  
Stuart R Dean Ltd Southend-on-Sea  
0702-62707

### BERKSHIRE, BUCKINGHAMSHIRE, OXFORDSHIRE & WILTSHIRE

Commsense Business Systems Ltd High Wycombe  
0494-40116  
Orchard Computer Services Wallingford  
0491-35529  
Wymark Micro-Computer Centre Salisbury  
04254-77012  
Alphascan Ltd Banbury  
02975-8202  
J/R Ward Computers Ltd Milton Keynes  
0908-562850  
The Computer Shop Oxford  
0865-722872  
Kingsley Computers High Wycombe  
0494-449749

### HERTFORDSHIRE & BEDFORDSHIRE

Alpha Business Systems Ware  
0920-68926  
Bromwall Data Systems Old Hatfield  
07072-60980/63295  
Computer Plus Watford  
0923-33927  
HB Computers (Luton) Ltd Luton  
0582-454466  
Photo Acoustics Watford  
0923-40698/32006  
MMS Ltd Bedford  
0234-40601  
Brent Computer Systems Rickmansworth  
87-71 306/70329

### EAST MIDLANDS, SOUTH HUMBERSIDE & DERBYSHIRE

Davidson Richards Ltd Derby  
0332-366803/4  
Roger Clark (Business Systems) Ltd Leicester  
0533-20455  
Arden Data Processing Leicester  
0533-22255  
Betas Systems Ltd Nottingham  
0602-48108  
Caddis Computer Systems Ltd Hinckley  
0455-613544  
AJR Ltd Arnold Nottingham  
0602-206647

### EAST ANGLIA, LINCOLNSHIRE & NORTHAMPTONSHIRE

Arden Data Processing Peterborough  
0733-47767  
HB Computers Ltd Kettering  
0536-520910  
Sumlin Bondain Ltd Norwich  
0603-26259/614302  
Dataview Norwich  
0603-616221

### WEST MIDLANDS, STAFFORDSHIRE & WARWICKSHIRE

Joseph Ware Associates Birmingham  
021-643 9033  
Glamden Electronics Ltd Birmingham  
021-773 8240  
Micro Associates Birmingham  
021-328 4574  
Taylor Wilson Systems Dorridge, Solihull  
05645-6192

### WALTERS COMPUTER SYSTEMS LTD STOURBRIDGE

03843-7081  
CBS Consultants Ltd Birmingham  
021-772 8181  
Peach Data Services Burton-on-Trent  
0283-44968  
Computer Services Midlands Ltd Birmingham  
021-382 4171  
Business Equipment Rentals Ltd Rugby  
0788-65756  
Business Equipment Rentals Ltd Coventry  
0203-20246

### NORTH WALES, CHESHIRE & MERSEYSIDE

Rockliff Micro Computers Mold  
0352-59629  
North Wales Computer Services Colwyn Bay  
0492-33151  
Office & Business Equipment (Chester) Ltd Queensferry  
0244-816803  
Catlands Information Systems Wilslow  
0625-527166  
Rockliff Micro Computers Liverpool  
051-521 5830

### MANCHESTER

Cyteck (UK) Ltd Old Trafford  
061-872 4682  
Executive Reprographic Manchester  
061-228 1637  
Sumlock (Manchester) Ltd Manchester  
061-834 4233  
D Kipping Salford  
061-834 6367/9  
Computastore Ltd Manchester  
061-832 4761

### LANCASHIRE

Preston Computer Centre Preston  
0772-57684  
Tharston Ltd Burnley  
0282-813299

### YORKSHIRE & HUMBERSIDE

Ackroyd Typewriter Co Ltd Bradford  
0274-31835  
Alcor Computer Systems Ltd Huddersfield  
0484-512352  
Deans Computer Services Leeds  
0532-452966  
Holbrook Business Systems Sheffield  
0742-484666  
Holdene Ltd Leeds  
0532-459459  
Microwave Computers Hull  
0482-562107  
Mitre Finch Fishergate  
0904-52995  
Yorkshire Electronics Morley  
0532-522181  
Computer Centre (Sheffield) Ltd Sheffield  
0742-53519/588731  
Microprocessor Systems Hull  
0482-23146  
Ram Computer Services Ltd Bradford  
0274-391166

### NORTH EAST

Currie & Plaughan Gateshead  
0632-774540  
Dyson Instruments Houghton-Le-Spring  
0783-260452  
Inter Data Log Ltd Eaglescliffe  
0642-781193  
Key Computer Services Ltd Jesmond  
0632-815157

### AVON, WALES & WEST COUNTRY

Calculator Services & Sales (Bristol) Ltd Bristol  
0272-779452/3  
Computer Supplies (Swansea) Sketty  
0792-290047  
McDowell Knaggs & Associates Worcester  
0905-28460  
Somerset Business Computers Taunton  
0823-52149  
Milequip Ltd Gloucester  
0452-411010  
Reeves Computers Ltd Carmarthen  
0267-32441/2  
Welsh Computer Centre Bridgend  
0656-2757  
Sigma Systems Ltd Cardiff  
0222-21515/34869  
Reeves Computers Newport  
0633-212331/2  
Computer Shack Ltd Cheltenham  
0242-584343  
Midland Micro Stourport-on-Severn  
02993-77098/6706  
Sumlock Tabdown Ltd Bristol  
0272-276685/6  
Radan Computational Ltd Bath  
0225-318483

### DEVON & CORNWALL

AC Systems Exeter  
0392-71718  
Devon Computers Paignton  
0803-526303  
Jeffrey Martin Computer Services Ltd Truro  
0872-71626  
AC Systems Plymouth  
0752-260861  
JAD Integrated Services (Plymouth) Ltd Plymouth  
0752-662616/29038

### SCOTLAND

Ayrshire Office Services Ltd Kilmarnock  
0563-24255/20551  
Holdene Microsystems Ltd Edinburgh  
031-557 4060  
Robax Office Equipment Ltd Glasgow  
041-221 8413/4  
Gate Microsystems Ltd Dundee  
0382-28194  
Gate Microsystems Ltd Glasgow  
041-221 9372  
Mac Micro Ltd Inverness  
0463-712774

### EIRE & NORTHERN IRELAND

Northern Ireland Computer Centre Co. Down  
02317-6548/9  
Crowley Computers Ltd Dublin 2  
0001-600681

### ISLE OF MAN

Resource Planning Ltd Douglas  
0624-42478

# SUBMISSIONS

**A**re you interested in writing for our magazine? Or, to put it another way, are you interested in writing for your own magazine? Computing Today is always on the look-out for interesting articles, innovative programs and useful projects and we are sure there are many readers who have the capability to pass on their hard won knowledge to others. Not only will this make the magazine a better one, it will also put some money in *your* pocket to further finance your computing.

## Featuring You

The main bulk of the magazine is usually taken up with feature articles, reviews, projects and general topics. Each of these articles attempts to convey the necessary information as clearly and concisely as possible, at the same time remaining easily readable. Articles of this nature can be thought of as similar to a school 'essay' in that they must have a beginning, a middle and an end. Diagrams and photographs are an enormous help to any article, the old adage of a picture being worth a thousand words certainly holds true in this case.

If you are a regular reader of the magazine you will know the 'style' in which we write. Generally each section of the article dealing with a new topic is given its own heading and, while not essential, headings do help to increase the readability of the final text. We prefer all copy to be typewritten on one side only of a page, using double line spacing and with large margins on each side of the text.

All associated diagrams and photographs should be clearly labelled both as to their intended use and as to where they relate in the text. Circuit diagrams should follow the standard style of component designation and layout that is used throughout Computing Today. All components used in a given circuit must also be listed in a single table or Parts List to avoid any possibility of confusion.

## Programming For All

In general, the format for computer programs follows that of articles. We *cannot* accept any program which is not accompanied by a full listing and tapes on their own are totally unacceptable. While it is desirable to have a printed listing, it is not at all reasonable to expect everyone to have access to a printer so typewritten copy will be considered.

Remember to include sufficient detail to enable people who don't own an identical piece of hardware to be able to follow your program. You must also include descriptions of any part of the software unique to your machine; SYS calls, POKEs, etc. All graphics characters must be detailed with their associated codes and cursor controls presented in the CT standard format. The use of printers which give graphical output is acceptable provided all the graphics are fully explained. It is often worth including a photograph or drawing of the display produced or an actual sample run if possible.

Remember that the frustration you feel when you can't run a program (due to lack of documentation) will be felt by everyone else if YOU send in a program in the same state!

## Soft Spots?

The Softspot features are really programming ideas submitted by readers. Because of this they do tend to be for specific systems. They must be submitted in the same format as other programs, ie printed or typewritten, but will probably contain less general detail and more specific machine instruction. The more detailed a program submitted for a Softspot the more chance of it being considered as a feature in its own right!

## Paying For It

It takes up to four working weeks for any submitted material to get through the system. At the end of this period a decision is made as to whether it is acceptable or not and, if it is, a letter will be sent informing you of its acceptance and the rate offered. If it is found unsuitable we will return the program or article at this stage.

All payments are made upon publication, that is you will receive your cheque in the same month as the magazine appears on the streets.

## The Right To Copy

Once it has been published, copyright of the material passes to us. Under special circumstances this copyright may be retained by the author but this *must* be negotiated at the submission stage. Because we own the copyright it is a breach of publishing law to reproduce the material anywhere else without the express written consent of the Editor. Under no circumstances may a program be re-published for profit: the penalties are high.

## Benefit To All

Writing for a magazine like CT not only gives you the pleasure of knowing that some 75,000 people read what you have written, but also goes some way to paying for that new piece of equipment you have set your sights on.



# CHROMASONIC electronics

48 JUNCTION ROAD, ARCHWAY LONDON N19 5RD 100 yds FROM ARCHWAY STATION & 9 BUS ROUTES  
TELEPHONE: 01-263 9493/01-263 9495 TELEX: 22568.



## YOUR SOUNDEST CONNECTION IN THE WORLD OF COMPUTERS

### VIC 20

- \* 24 Colours, 8 for Characters, 8 for Border, 16 for screen mixed as you wish.
  - \* 3 tone Generator for sound.
  - \* Uses Pet Basic \*Plugs into T.V.
  - \* Memory expandable to 32K
  - \* VIC complete with T.V. Modulator and Power Supply
- ONLY £165.00**

VIC Cassette Deck  
**ONLY £38.00**

Available soon  
VIC Dot Matrix Printer  
80 Column, 30 CPS,  
Tractor Feed  
**ONLY £199.95**



ALL  
VIC 20  
PERIPHERALS  
AVAILABLE  
SEND FOR  
LIST

### UK101

DOWN  
IN PRICE

- UK101 Kit inc 8K memory **£125**
- Ready Built inc 8K memory **£175**
- 4K Expansion 8x2114 **£10**
- Parallel Printer Interface **£24.50**
- Chromasonics Sound Kit **£24.50**
- Colour Kit **£69.95**

### NEW — NEW — NEW

- 32K Dynamic Memory Board only **£89.95**
- P.I.O. and Eprom Programmer Kit only **£24.50**
- JI Expander only **£12.50**


### APPLE II PLUS

AUTOSTART "EUROPLUS"  
48K Apple Computer **649.00**  
Disc Drive with Controller **349.00**

Disc Drive without Controller **299.00**

- Colour Card **69.00**
- Silentye Printer **199.00**
- Graphics Tablet **425.00**
- TV Modulator **14.00**

A range of APPLE  
accessories and  
Software are  
available.



### PET

- 4016 16K RAM **445.00**
- 4032 32K RAM **560.00**
- 8032 32K RAM **755.00**
- 8096 96K RAM **1040.00**
- 4040 Disk Drive **560.00**
- 8050 Disk Drive **755.00**
- 4022 Printer 80 Col **350.00**
- 8023 NEW printer **785.00**
- 8026 Printer/Typewriter **835.00**

2031 Single Drive **349.00**

A range of PET  
accessories and  
Software are available.



### PRINTERS

INTERFACES AND CABLES  
FOR APPLE II, PET, TRS80,  
RS232, UK101, SHARP  
SUPERBOARD ALL  
AVAILABLE.

EPSON MX80 FT/1 **£399**

Dual single sheet friction and  
tractor feed, 9 wire head, true  
descenders.

EPSON-MX80 FT/2 **£440**

An FT/1 with high resolution  
graphics.

SEIKOSHA GP80A **£195**

Dot matrix 5 x 7, 80 columns, 30  
cps graphics, double width  
characters.

EPSON MX80 **£359**

Dot-matrix printer with Pet  
graphics interface. Centronics  
parallel and serial. Pet and  
Apple compatible. True bidirectional, 80 cps.

EPSON MX82 **£389**

As MX80 plus high Resolution  
Graphics

EPSON MX100 ONLY **£575.**



### VIDEO GENIE

Utilises Z80, 12K level II basic, Integral Cassette Deck, UHF O/P, 16K RAM, all TRS80 features. Simply plugs into monitor or UHF TV. With V.U. Meter. Now with lower case and Sound.

GENIE 1 **£299.**

- PARALLEL PRINTER INTERFACE INC CABLE **£38.00**
- CHROMASONICS PROGRAMMABLE SOUND KIT **£24.50**
- SOUND KIT (FITTING EXTRA) **£8.20**
- LOWER CASE KIT (FITTING EXTRA) **£29.80**
- COLOUR KIT (FITTING EXTRA) **£36.00**
- EXPANSION BOX INC 16K RAM **£199**
- 16K/32K RAM BOARD **£94/£129**
- NEW GENIE II NOW AVAILABLE ..... **£310**



### MONITORS

HITACHI PROFESSIONAL

- 9" Green Screen **£99.00**
- 12" Green Screen **£125.00**
- 12" BMC Green Screen **£159.00**
- 9" **£99.95**
- 12" **£149.00**

### TANTEL

PRESTEL BY TANTEL  
COMMUNICATIONS AT YOUR FINGERTIPS  
FOR BUSINESS & HOME. UP TO DATE INFO

180,000 pages of information on Travel, News,  
Investment, Holidays, Hotels Etc., Etc.

**£159**

TANTEL IS POST OFFICE APPROVED. SEND FOR DETAILS.  
DEMONSTRATION AVAILABLE AT OUR SHOWROOM.

ALL ITEMS CARRY 1 YEAR GUARANTEE



Please add VAT 15% to all prices. Postage on computers, printers and cassette decks charged at cost, all other items P&P 30p. Place your order using your Access or Barclaycard (Min. tel. order £10). Export enquiries welcome. Official orders welcome.





## Opening our new page of comments on the micro industry is a piece on the problems of producing programs for the educational market.

**A**ny teacher employed by an Local Education Authority far-sighted enough to set aside cash for a three-year programme to thoroughly equip each secondary school with microcomputers, printers and disc units, must count themselves very fortunate in these days of more and more demands made on less and less cash. When cash is made available to schools to spend in the way *they* require with a minimum of strings attached then indeed one is very fortunate. In fact, almost the only condition about how the cash should be spent is that all equipment should be of the same manufacture throughout the Authority: a condition imposed to ensure maximum software compatibility between different schools. Yet it seems to me that it is in the area of software provision that many well-meaning schemes may flounder.

### The Root Problem

The April editorial of Educational Computing, commenting upon what was evidently felt to be widespread pirating of educational software, said 'Most of the best educational software being written is from those whose main job is to write programs. A considerable amount of software from full time educationalists (I think they mean teachers) cannot stand comparison'. As the software I have seen is overpriced and rather poor, I assume I have not seen the 'best'. In any event, can one really expect any teacher to buy a program he or she knows nothing of except the advertiser's information? Suppliers would rightly reply that an inspection copy service, common enough in the book business, would not work because teachers could simply pirate the programs rather than buy them.

Hidden within these two sentences there is however something much deeper. I read them to say 'teachers cannot do the job of programmers but programmers can do the job of teachers'. How a programmer can acquire overnight the skills of three or four years' training and many years' job experience is not explained. That teachers cannot do the job of pro-

grammers is on the whole true in my opinion. We can all cobble together a program to administer maths drill but it seems hardly likely that most teachers can acquire the skills of a professional programmer.

### An Easy Answer?

If teachers cannot afford to purchase the programs that are available or they are unsuitable, what can be done? An easy answer is for a course in BASIC to be organised at the local teacher's centre. Why this has not been done before, I really do not know. Nor I suspect do the organisers. Another answer has been to organise working parties based on a town or city with a view to writing software 'packages'. Given the potential demand for software I cannot see even the most dedicated teachers satisfying it. If you doubt this, ask a programmer how many lines of good quality, thoroughly debugged software can be written in an hour.

In reality, these are simply stopgap measures which go no way to solving this problem. Before we can solve the problem we have to know where educational computing is going and at the risk of oversimplifying, there seem to be three areas where microcomputers have a role.

First, there is Computer Studies. Lack of software hardly seems a problem here! Second, and to my mind the most undervalued, is the use of computers in control applications. Once again the software problem is very small. Perhaps the real problem is to find the right high-level language because

BASIC, for all its virtues, is not the most suitable. FORTH is deserving of a least a passing glance in this application.

The crux of the software problem lies in the third area, that of Computer Assisted Learning (CAL) under one of its many guises. It is in CAL that the demand for software is almost unlimited.

### A Real Alternative

It will be apparent that I have little enthusiasm for some commercial software and little faith in a slight acquaintance with BASIC being a qualification for teachers to write good software. There are, however, two observations I would like to make. First, from the point of view of the teacher, it makes little difference what language the software is written in provided only that once loaded, the computer can use the program. Second, that what we call computer programming is in fact two quite separate processes. Before the educational program can be written, the objectives have to be set, the individual steps by which the final objectives are to be achieved have to be decided, the appropriate remedial action to be taken when any particular step is not understood has to be decided and the criteria must be established to assess whether a pupil has fully understood the topic. The other and quite distinct process is the coding of all these criteria into a form the computer can run as a program. The former is precisely the process a teacher will follow in preparing a lesson and involves no computer at all!

On the other hand, the programmer's predominant skill is in the latter, though no doubt the systems analyst could give some useful advice to teachers about lesson planning. In writing educational software the two skills complement each other but exist independently.

We still have not reached the stage of having a micro in every school, yet if the software logjam can be removed, there is a potential market for a least one micro in every — well almost every — classroom. Someone must grasp the nettle. Who will it be?

Following the reaction to a feature we recently published called 'The Teacher's Tale', we are throwing open a page a month for comment and opinion on the micro industry in general. Submissions for this feature should be between 1500 and 2000 words in length and a flat fee will be paid on publication for any material we use.

Opinions expressed on this page are those of the author and are not necessarily endorsed by the Editor.



# NEXT MONTH

## TIPPING THE BALANCE

In the professional computer market one of the most common reasons given for buying a personal computer is that it will provide the same sort of functions as the company mainframe. If it provides the same facilities however, there seems to be no reason for buying it! Wrong. The company computer is often so overworked that the staff who need time for data processing or report writing can't get onto the system. So, in an effort to solve their own problems and, incidentally, relieve some of the pressure on the company computer they buy the same sort of system as you have at home, a personal computer.

The real shock comes when they start to use it. Almost without exception they find that they can get the results quicker, they can modify and adapt the programs to suit their personal requirements and, before long, the system becomes just what they always wanted from the mainframe but could never have.

In order to test out this theory and see just how close a personal computer could come to a mainframe in terms of performance, we gave a £7000 graphics system to a £1 million mainframe user. The results of the test are revealing, to say the least!

## COMPILERS

More and more companies are now offering BASIC compilers to go with their personal computers. They can certainly speed up your programs but are they as easy to use as the old-fashioned interpreters that we've grown to know and love?

In order to find out, we've taken a commercial package intended to give you the best of both worlds — development by interpreter and running by compiler.

## A SOFT SOLUTION

One of the major stumbling blocks with 6502-based computers is that they are unable to access the vast library of CP/M software. The reason for this is because CP/M was written to run on 8080 and Z80-based systems; a classic case of system incompatibility. The solution for one top selling system, the Apple, was to go soft. By adding a special card with a Z80 processor and some specially written software to the Apple, it thinks it's a 6502-based computer running CP/M.

The product is called the Softcard and in next month's issue we'll be taking a look at how it can transform your computer.

## AFTERMATH

The BBC has just started the second showing of its ten-part series on micros, The Computer Programme. With the micro itself already selling in large quantities and the Computer Book riding high in the bestseller lists, the question of 'what happens next?' rears its ugly head.

We have been talking to the series makers and the computer manufacturers to see just what is coming next. The one thing that's certain is that you are not going to be left staring at a blank screen wondering what to do next — at least not if they have their way!

## REFLECTIONS

Producing complicated graphics patterns on screen often seems to be an endless task. However, many of the patterns we make are really repetitions of a single, simple structure. In a new series starting next month we show you how to take the drudgery out of programming complex patterns by letting the micro do all the hard work for you.

Articles described here are in an advanced state of preparation but circumstances may dictate changes to the final contents.

NAME .....  
ADDRESS .....  
Please reserve me a regular copy of Computing Today

May Issue On Sale  
Friday April 9th

HARDWARE.....SOFTWARE.....AT HOME.....IN BUSINESS

# Computing Today

APRIL 1982  
ISSN 0142-7210  
70p

PERSONAL  
TO MICROCOMPUTING





# ZX80/1 16K RAMPACKS

**MASSIVE ADD  
ON MEMORY**

**£32.95  
INC VAT**

# FULL SIZE KEY-BOARDS WITH REPEAT KEY

**£27.95  
INC VAT**

**FAST DELIVERY WHY WAIT TO PAY MORE**

Post to:-  
Dept CT1  
Kayde Electronic Systems  
48/49 Exmouth Road,  
Great Yarmouth,  
Norfolk  
NR30 3DP  
Tel: (0493) 55253.

Please send me ..... RAM Pack/s  
At £32.95 each  
Please send me ..... Keyboard/s  
I Enclose £.....  
Name .....  
Address .....  
.....  
Please add £1.00 P/P and make cheques payable to  
Kayde Electronic Systems.

All products inc. VAT are fully built and tested and come complete with money back guarantee.



TTLs			COMPUTER COMPONENTS			EUROCONNECTORS		
74 SERIES						(INDIRECTOR EDGE CONNECTORS)		
7400	11p	74195	60p	74LS242	80p	PLUG SOCKET		
7401	11p	74196	60p	74LS243	80p	DIN41617 31Way	200p	200p
7402	12p	74197	60p	74LS244	65p	DIN41612 2x32Way	300p	350p
7403	12p	74198	100p	74LS245	90p	Angled Pins 2x32way	350p	400p
7404	14p	74199	100p	74LS251	40p	DIN41612 3x32way	370p	420p
7405	18p	74200	100p	74LS252	45p	Angled Pins 3x32way	—	450p
7406	27p	74201	100p	74LS253	40p	DIN41612 2x32way	1DC	
7407	27p	74202	100p	74LS254	40p		Type	475p
7408	16p	74203	100p	74LS255	90p	(for 2x32 way specify a + b or a + c)		
7409	15p	74204	100p	74LS256	24p	DIL HEADER PLUGS		
7410	12p	74205	100p	74LS257	25p	Solder IDC	Solder IDC	
7411	20p	74206	100p	74LS258	25p	14 pin	40p	100p
7412	20p	74207	100p	74LS259	25p	24 pin	100p	150p
7413	22p	74208	100p	74LS260	25p	16 pin	50p	110p
7414	32p	74209	100p	74LS261	25p			
7415	25p	74210	100p	74LS262	25p	I.D. CONNECTORS		
7416	25p	74211	100p	74LS263	25p	HEADER RECEPTACLE		
7417	25p	74212	100p	74LS264	25p	PLUG TACLE CONN		
7418	25p	74213	100p	74LS265	25p	10 Way	90p	90p
7419	25p	74214	100p	74LS266	25p	20 Way	165p	165p
7420	16p	74215	100p	74LS267	25p	26 Way	200p	200p
7421	20p	74216	100p	74LS268	25p	34 Way	240p	240p
7422	22p	74217	100p	74LS269	25p	40 Way	270p	270p
7423	22p	74218	100p	74LS270	25p	50 Way	310p	310p
7424	22p	74219	100p	74LS271	25p	MIN. D. CONNECTORS		
7425	30p	74220	100p	74LS272	25p	9 way	15 way	25 way
7426	30p	74221	100p	74LS273	25p			
7427	25p	74222	100p	74LS274	25p	MALE		
7428	28p	74223	100p	74LS275	25p	St. Pins	95p	135p
7429	15p	74224	100p	74LS276	25p	Angled "	160p	230p
7430	15p	74225	100p	74LS277	25p	FEMALE		
7431	25p	74226	100p	74LS278	25p	St. Pins	125p	190p
7432	25p	74227	100p	74LS279	25p	Angled "	175p	240p
7433	27p	74228	100p	74LS280	25p	Hood	100p	100p
7434	27p	74229	100p	74LS281	25p	(Top/Side Entry)		
7435	27p	74230	100p	74LS282	25p	JUMPER LEADS		
7436	27p	74231	100p	74LS283	25p	24" Ribbon Cable with DIP Headers		
7437	27p	74232	100p	74LS284	25p	14pin	16pin	24pin
7438	27p	74233	100p	74LS285	25p	1 end	145p	165p
7439	17p	74234	100p	74LS286	25p	2 ends	210p	230p
7440	17p	74235	100p	74LS287	25p	Ribbon Cable with sockets		
7441	70p	74236	100p	74LS288	25p	20pin	26pin	34pin
7442A	50p	74237	100p	74LS289	25p	1 end	160p	210p
7443	50p	74238	100p	74LS290	25p	2 ends	290p	385p
7444	50p	74239	100p	74LS291	25p	34way edge conn with 24" cable		
7445	60p	74240	100p	74LS292	25p	D-con with 24" cable m:£5 f:£5.50		
7446A	93p	74241	100p	74LS293	25p	ACORN ATOM		
7447A	45p	74242	100p	74LS294	25p	BASIC 8K + 2K Kit £120 Built £150		
7448	45p	74243	100p	74LS295	25p	Fully expanded 12K + 12K £185		
7449	45p	74244	100p	74LS296	25p	(p&p £2.50/unit)		
7450	17p	74245	100p	74LS297	25p	Power Supply 1.8A 8V £7.50 3A 5V £22		
7451	17p	74246	100p	74LS298	25p	(p&p £1.25)		
7452	17p	74247	100p	74LS299	25p	EPROM £20 1K RAM (2x214L) £1.90 Toolbox ROM £25		
7453	17p	74248	100p	74LS300	25p	6522 via £5 DP8304 £4.50 81LS95 90p 74LS244 70p		
7454	17p	74249	100p	74LS301	25p	CONNECTORS		
7455	17p	74250	100p	74LS302	25p	BUS: PL6/PL7 £3.50 SK6/SK7 £4		
7456	17p	74251	100p	74LS303	25p	Printer PL5 £2 SK5 £2		
7457	17p	74252	100p	74LS304	25p	Centronix Type 37way connector £6.50		
7458	17p	74253	100p	74LS305	25p	SOFTWARE		
7459	17p	74254	100p	74LS306	25p	All Atomsoft cassettes £10 ea.		
7460	17p	74255	100p	74LS307	25p	747 Fit: Simulator, Chess, Invaders, Galaxian £7.00		
7461	36p	74256	100p	74LS308	25p	Pinball, Fruit Machine, UFO Bomber £3.50		
7462	36p	74257	100p	74LS309	25p	Disassembler £3.50 Startrek £4.30		
7463	36p	74258	100p	74LS310	25p	Books (no VAT)		
7464	36p	74259	100p	74LS311	25p	Getting Acquainted with Atom £7.95 Atom Business £6.95		
7465	36p	74260	100p	74LS312	25p	Atom Magic Book £5.95		
7466	36p	74261	100p	74LS313	25p	(p&p 50p/book)		
7467	36p	74262	100p	74LS314	25p	See April PE for Atom Vision.		
7468	36p	74263	100p	74LS315	25p	MEMORY EXPANSION PCB		
7469	36p	74264	100p	74LS316	25p	Low Price versatile system for ATOM, UK101 or Super-board. 8K RAM (2114) + four 24 pin sockets for EPROMs or 2K Static RAMs (6116) giving (a) 8K RAM + 16K EPROM or (b) 16K Static RAM. Fully buffered and decoded layout. Interfacing instructions supplied. PCB £11.50. (For Atom 5K + up to 13K EPROM or 13K RAM.)		
7470	140p	74265	100p	74LS317	25p	ALSO AVAILABLE.		
7471	65p	74266	100p	74LS318	25p	Linear ICs, CMOS, Opto Devices, Transistors, Protoboards, Logic Probes, Test Instruments, PCBs, Soldering Irons, Wire Wrapping Access, Relays Books on Semiconductor Devices, Microprocessors Applications etc.		
7472	65p	74267	100p	74LS319	25p			
7473	65p	74268	100p	74LS320	25p			
7474	65p	74269	100p	74LS321	25p			
7475	65p	74270	100p	74LS322	25p			
7476	65p	74271	100p	74LS323	25p			
7477	65p	74272	100p	74LS324	25p			
7478	100p	74273	100p	74LS325	25p			
7479	100p	74274	100p	74LS326	25p			
7480	100p	74275	100p	74LS327	25p			
7481	100p	74276	100p	74LS328	25p			
7482	100p	74277	100p	74LS329	25p			
7483	100p	74278	100p	74LS330	25p			
7484	100p	74279	100p	74LS331	25p			
7485	100p	74280	100p	74LS332	25p			
7486	100p	74281	100p	74LS333	25p			
7487	100p	74282	100p	74LS334	25p			
7488	100p	74283	100p	74LS335	25p			
7489	100p	74284	100p	74LS336	25p			
7490	100p	74285	100p	74LS337	25p			
7491	100p	74286	100p	74LS338	25p			
7492	100p	74287	100p	74LS339	25p			
7493	100p	74288	100p	74LS340	25p			
7494	100p	74289	100p	74LS341	25p			
7495	100p	74290	100p	74LS342	25p			
7496	100p	74291	100p	74LS343	25p			
7497	100p	74292	100p	74LS344	25p			
7498	100p	74293	100p	74LS345	25p			
7499	100p	74294	100p	74LS346	25p			
7500	100p	74295	100p	74LS347	25p			
7501	100p	74296	100p	74LS348	25p			
7502	100p	74297	100p	74LS349	25p			
7503	100p	74298	100p	74LS350	25p			
7504	100p	74299	100p	74LS351	25p			
7505	100p	74300	100p	74LS352	25p			
7506	100p	74301	100p	74LS353	25p			
7507	100p	74302	100p	74LS354	25p			
7508	100p	74303	100p	74LS355	25p			
7509	100p	74304	100p	74LS356	25p			
7510	100p	74305	100p	74LS357	25p			
7511	100p	74306	100p	74LS358	25p			
7512	100p	74307	100p	74LS359	25p			
7513	100p	74308	100p	74LS360	25p			
7514	100p	74309	100p	74LS361	25p			
7515	100p	74310	100p	74LS362	25p			
7516	100p	74311	100p	74LS363	25p			
7517	100p	74312	100p	74LS364	25p			
7518	100p	74313	100p	74LS365	25p			
7519	100p	74314	100p	74LS366	25p			
7520	100p	74315	100p	74LS367	25p			
7521	100p	74316	100p	74LS368	25p			
7522	100p	74317	100p	74LS369	25p			
7523	100p	74318	100p	74LS370	25p			
7524	100p	74319	100p	74LS371	25p			
7525	100p	74320	100p	74LS372	25p			
7526	100p	74321	100p	74LS373	25p			
7527	100p	74322	100p	74LS374	25p			
7528	100p	74323	100p	74LS375	25p			
7529	100p	74324	100p	74LS376	25p			
7530	100p	74325	100p	74LS377	25p			



ASSOCIATION OF LONDON COMPUTER CLUBS

Proudly presents

# THE 3rd LONDON COMPUTER FAIR

APRIL 15th 16th & 17th 1982 10am - 6pm  
[7pm 16th]

Including: Retail Exhibitors • Hobbyists  
Club Stands • Seminars • Workshops  
Bring and Buy Sale [17th only]

Admission £1.00

POLYTECHNIC OF NORTH LONDON  
THEATRE

⊖ Opposite Holloway Rd. tube station ⊖

SPONSORED BY EDUCATIONAL COMPUTING,  
COMPUTING TODAY and

The Polytechnic  
of North London





## Just what does turn all that BASIC code into something the computer can run? The answer is a special program called an Interpreter.

**A**lmost without exception the current range of personal computers use an 'interpreted' BASIC as their main language. This means that when you enter a normal BASIC program you are not loading the computer memory with the machine code instructions your processor will execute when you type RUN. Instead you are loading a stream of symbols which describe what you want to do to a large machine code program called the 'interpreter', this then executes many thousands of instructions trying to work out what you want to do. An interpreter looks at a set of 'rough notes' (rather like shorthand) and then uses a kind of programmed initiative to work out what the symbols mean and to carry out the appropriate operations.

This process is fundamental to an understanding of how a micro-based system works: this article will explain (in general terms) how your interpreter executes a BASIC program. We'll also compare the common interpreters with 'compilers', explaining the difference between the two and next month we'll take a detailed look at a commercial micro-compiler. Whether your computer is an Apple, PET, TRS 80, Sharp, NASCOM or whatever, the principles used are much the same.

### Interpretations

Take this simple program line as an example:

```
1000 A=B+1:GOTO 2000
```

We'll assume that it is a single line from a larger program, and that a while ago you typed RUN and the computer has just reached the line above. It looks at the first part of the line, after the line number, and scans through it until it finds a character that is not alphanumeric — in this case, the equals sign. It then looks at the character it has read so far (the letter A) and checks that it is not a reserved word (LET, IF, GOTO, etc). In this case it decides that 'A' is not reserved. Consequently the computer assumes that the statement is an assignment. If your BASIC requires you to use 'LET' statements then it would give an error message at this

point, but most popular interpreters permit LET to be optional.

The interpreter assumes that 'A' is a variable name. A routine is called to search a table of current variables. This is set up as the program runs and comprises a list of variable names and their values. The routine will search through for the name 'A'. When it finds the entry it will store its memory address in an area of RAM reserved for the use of the interpreter (either on the stack or in a fixed place). The main section reads further and finds the name 'B'. It calls up the variable-search routine again which tries to find 'B' in its table. If it can't find it, the routine creates a new entry at the end of the table enabling it to find that variable the next time it is needed. Most versions of BASIC (but not that on an Acorn ATOM) will set the value of the variable to zero when it is created.

The search routine is finally able to return the address of the variable B to the main interpreter. The main program can now look at the fourth character on the program line! It finds the plus sign (which also marked the end of the name B) and makes a note that it will have to do some adding — but first it must work out what to add. It reads further and locates the figure '1' then the colon which signifies the end of the statement. Other types of BASIC might use a different character to mark the end of a statement — on a Sinclair computer, for example, the end of the line signifies the end of a statement since only single-statement lines are allowed.

Now the computer calls a routine to convert the figure '1' from its format in the BASIC program (an ASCII character with code 49) into the binary format used by the microprocessor. When you type in your program, you enter the numbers in base ten using one character for each figure. When your computer does arithmetic in base two it uses one character for every eight figures! Consequently the interpreter has to use a quite complicated routine to convert numbers from decimal to binary. Even though in this case we are only converting a single-digit number (in either base!), the routine used must work for all lengths of number allow-

Location	Contents	Meaning
10F9	00	Header
10FA	02	Pointer to next line
10FB	11	
10FC	0A	Line number
10FD	00	(10 in Hex)
10FE	41	A
10FF	B4	=
1100	35	5
1101	00	Newline
1102	0A	Pointer to next line
1103	11	
1104	14	Line number
1105	00	(20 in Hex)
1106	42	B
1107	B4	=
1108	38	8
1109	00	Newline
110A	13	Pointer to next line
110B	11	
110C	1E	Line number
110D	00	(30 in Hex)
110E	9E	PRINT
110F	41	A
1110	2C	
1111	42	B
1112	00	Newline
1113	00	End of program marker
1114	00	

Fig. 1. How a short section of BASIC is stored in the memory. The program reads from top to bottom and the BASIC has been tokenised.

ed by the system and make the appropriate changes if it finds a minus sign or a decimal point. Once it has discovered the correct value, it can call a relatively short subroutine to actually add what it has worked out to the number in the workspace area. Once the calculation is complete, it retrieves the location of variable A (remember variable A?) and stores the result there.

Hardly pausing to catch its breath, the interpreter now has a look at the next statement. It checks that GOTO is a valid word — this is where your WHAT...IF and IF...NECESSARY statements get thrown out. In the case of this line, the GOTO part tells the interpreter to get ready to change line numbers. It reads the next part of the statement — the line number — and converts it into a binary number. Then it will merrily search all through the program lines in the memory trying to find a line with a number that matches the one in its buffer. If it finds one, it stops searching and gets ready to work out or 'parse' the first statement on the new line. If it fails to find a match



# INTERPRETERS

anywhere in the program, it gives up and prints an error message; unlike the case of variables, it is not considered good form for an interpreter to create a new line of program if it can't find the one requested! The only computer which comes close to doing this is the ZX 81 which jumps to the line with a number closely following the one chosen if you try to GOTO a line which isn't there.

## Too Slow?

That was a simple example of the execution of a program line but is summarises the workings of virtually all BASIC interpreters. Various programming tricks are sometimes used by their authors to make the program text easier for the interpreter to parse or to convert; reserved words may be compressed into special character-codes, or pointers may be used to help the interpreter find its way from one line to another. Whatever methods are used, a relatively small proportion of the time during the running of an interpreted programme is taken up in searching through tables in memory or in converting information from one format to another.

All this may not worry you much as a personal computer user. So long as the machine can do it faster than you can work it out on your fingers or at the typewriter, all is well. Sooner or later, however, you will find that your program isn't running quite as fast as you would like. Maybe it is the unnerving way the Space Intruders judder to a halt when you try to move your laser and shoot them at the same time — maybe it's the long wait while your computer sorts your massive list of suggestions into order of protocol. Either way the fact that the computer is executing a few thousand machine instructions every second doesn't seem to help much. You will probably have come across a variety of suggestions to be used to speed up programs — peculiar things like using as few variables as possible, putting your subroutines at the start of the program, using variables instead of constants, etc. Maybe this article will explain how some of these tips are of use in reducing the overheads imposed by the interpreter.

Another chronic problem when a computer uses an interpreter is the way it never learns by its mistakes. You would expect any sensible machine, surely, to know where line 200 is after it has been sent there a

few times? Unfortunately this is not the case; each time the interpreter executes a line it has to start working out what the contents mean from scratch.

Hopefully you have now guessed what a compiler does. It translates a program written in 'source' form — the PRINT and INPUT statements you are used to writing — into a program which the processor can execute more or less directly, without all that searching and conversion. A compiler usually makes two or more 'passes' or repeated searches through the program text from start to finish. Usually the computer must be told by a special command to compile the program before it can be RUN at all. There is a vital difference here between compiled and interpreted programs: when you type RUN under an interpreter, you are telling the 'editor' (a part of the BASIC which allows you to type in lines) to start executing the interpreter; when you type RUN under a compiler, you are telling the computer to actually execute the machine-code generated when the source was compiled. A few compilers will operate automatically when you type RUN — they compile and execute as one step, as far as the user can tell. Some will compile each line as it is typed in although these are not usually as efficient as the ones which treat compilation as a separate process.


Generally a compiler will first pass through the program text working out where each line will be in the final code and reserving space for the variables used. Once that analytical pass is complete, the compiler is able to go back through the BASIC program, converting

GOTOs and similar instructions into direct machine code jumps to the lines concerned, having worked out the appropriate addresses earlier.

All the variable references are converted into simple instructions which tell the processor to transfer information to and from memory. Constants (eg 32767, 0.778, 1.6775E-6, "TOAD") are converted from the text typed by the programmer into binary that can be easily used by the micro. It is usually still necessary to provide some routines outside the actual program code — for example, most microprocessors cannot handle floating-point calculations internally — so these functions are set up as subroutines and either built into a 'library' at one end of the compiled program or inserted into the code when they are first used. Unless the subroutine is a very simple one, it will only be built in once. Other parts of the program that need it will just call it when necessary by loading memory or registers with the parameters (the data to be processed and a note on where to put the result). Then it calls up the required routine. The final result is a machine code program which will do everything that the equivalent BASIC would have done — but maybe ten times faster!

## The Reasons Why

At this point it is worth considering the advantages of using an interpreter. The most important advantage becomes apparent when you try to modify a compiled program... you will usually have to reload and recompile the entire source listing before you can test even a one-line change. Once a program has been compiled the original text is no longer in the





# INTERPRETERS

computer memory and the machine code that replaces it is almost impossible to modify.

In the compiled program you cannot simply insert a few extra instructions; the rest of the program relies upon the fact that the instructions (variables and so forth) are in fixed places, worked out when you first compiled. After you have changed a compiled program those addresses will probably be wrong. A jump which used to send you to line 100 of the original program might now drop you into the middle of the previous line. The source program must be translated again before it will work. An interpreter makes a search for each item of data whenever it is referred to, so the problem doesn't arise.

This problem becomes even more annoying when you are trying to track down an elusive bug in a compiled program. An interpreter will let you insert STOP and PRINT statements at crucial places in the program; you can even patch in a GOTO to skip over a given section of the listing. It is easy to start a program from a point in the middle,

perhaps using variables set up earlier but as most compilers generate pure machine code (without line numbers or comments), they rarely permit interruptions of this kind and each and every temporary change must be compiled with the whole program. As a compilation usually takes minutes rather than seconds, the speed improvement offered by a compiler begins to look slightly less attractive to the programmer.

## Which To Choose?


So far we have made no mention of the relative sizes of compiled and interpreted programs. The main advantage of a compiler is that once it has done its job, it can be removed from memory as the compiled program is self-supporting machine code. An interpreter must be resident with your program when you type RUN (really the *interpreter* does the RUNNING!). In practice quite a few routines used by an interpreter must be duplicated inside a compiled program — for example, code to handle arithmetic, read from the keyboard or write to the

screen. Generally a compiled program will take up slightly less space than an interpreted one with its interpreter but the difference is not great. Many micros have their interpreters in ROM so that the space occupied cannot be used by a compiler anyway.

There are currently BASIC compilers available for many popular micros; at least five for TRS 80 and Video Genie, four for the PET and a couple for the Apple II. Most of these products have been released quite recently and compilers certainly seem to be 'the shape of things to come' in the future micro market. Next month we will look at one of the commercially-available programs — the ACCEL compiler for TRS80 and Video Genie. That investigation will illustrate many of the points to be considered by a user setting out to write a compiler (by no means an impossible task!) as well as some details of the operation of the program. If you'd like to speed up your computer's BASIC by a factor of ten times or more, check us out next month.

## This memory is made for your Atom

OR OTHER 1MHz 6502/6800/6809 SYSTEM



16 or 32K  
BYTE VERSIONS

Expand your ATOM to 28 or 38K RAM

Ideal for Word Processing, Chess programs and Business Software.

Fully Compatible with other Acorn ATOM software and hardware

Versions available to fit inside the ATOM while still leaving room for other extensions such as the Acorn ATOM colour encoder board. Eurocard rack mounting types also available

PRICES: INCLUDING U.K. P&P & 15% VAT

MZ163A 16K Built & tested to fit inside ATOM'S case	£59.50
MZ163B 32K .. .. .	£74.00
MZ163C 16K Built & tested, Eurocard rack mounting	£62.00
MZ163D 32K .. .. .	£76.50
MZ163E Bare PCB to build any of above with data	£23.00
MP100 DC/DC converter; powers any MZ163 board from unregulated 8V supply such as the ATOM mains adaptor	£8.50

S.A.E. for further details.



ALL PRICES INCLUDE U.K. P&P  
+15% VAT WHERE APPLICABLE.  
PAYMENT WITH ORDER PLEASE.

TIMEDATA LTD 57 Swallowdale, Basildon.  
Essex. SS16 5JG Tel: (0268) 411125 (MON-FRI)

## Books and bits for ZX, Atom

### The Explorer's Guide to the ZX81

IF YOU'VE GOT A ZX81 THEN YOU NEED THIS BOOK!

Programs for 1K RAM, and programs for 16K RAM.  
Games, Business and Engineering Applications.  
RAM & I/O Circuits. Useful ROM Routines. Hints  
and Tips. And Much Much More, for only

**NEW!**

£4.95

### The ZX80 Magic Book

\*With 8K ROM/ZX81 Supplement\*

Games programs, computer music, converting programs  
written in other BASICS, improving the picture  
RAM & I/O circuits, and much more

£4.75

### Getting Acquainted with your ZX81

75 + programs including Draughts; by Tim Hartnell

£4.95

### Mastering Machine Code on your ZX81

180 pages of immense value to beginner and expert alike.

£5.95

### The Atom Magic Book

A wealth of games and other programs: storing speech in your ATOM,  
converting programs written in other BASICS: tape recording hints,  
and many more useful hardware tips.

£5.50

### Getting Acquainted with your Acorn Atom

By Tim Hartnell and Trevor Sharples. 80 programs including  
Draughts!

£7.95

### ZX & Atom IC's & Connectors

S.a.e. for list.

# TIMEDATA

COMPUTING TODAY APRIL 1982



# Data supplies? What's in it for you...



The full range of supplies and accessories for your computer or word processor—including LISTING PAPER and COMPUTER FORMS. All in our new easy-to-use DATA-SHEETS. Send for your free set NOW

Name \_\_\_\_\_ CT  
Company \_\_\_\_\_  
Tel. No. \_\_\_\_\_

Or ring your local Datastore for further details—

**wilkes-pca**  
Data Supplies Limited

Oxford Street Bilston West Midlands WV14 7DW  
Midlands (HEAD OFFICE) The North London  
Telephone: 0902-42961 Telephone: 0925-823 802 Telephone: 01-900 0471  
Telex: 335938 Telex: 629297 Telex: 27247

**DIRECT TO YOUR DOORSTEP...FAST**

## COMPUTER PLUS WATFORD

A smart new computer store with a very wide range of products. Staff experienced in computers and in business systems are available to discuss your requirements — for a stock-control system, a word-processor, a file-retrieval system, a home computer — or just a book. Among the systems on display:

- COMMODORE** — as full commercial systems dealers for CBM, we handle the 4000 and 8000 series machines — with a vast range of business, scientific & engineering software. We have the VIC-20, too.
- SHARP** — MZ-80K (at a special low price) and the super new MZ-80B, with CP/M, high res. graphics, etc. The PC1211 pocket computer is also in stock.
- ACORN** — the amazing Atom — over 20,000 installed — the ideal first computer for the home. Ring to hear about our low prices.
- TEXAS** — the new TI-99/4A home computer, faster, new keyboard, 16 colours, 5 octaves music, over 400 software modules.

We also have a wide range of software, computer books and supplies. We're situated in the Queen's Road, opposite Trewins department store — and we're near the car-parks!

**COMPUTER PLUS**  
47 Queens Rd., Watford, Herts WD1 2LH  
Telephone 0923 33927

## FROM THE PUBLISHERS OF THE BEST SELLING BOOKS FOR THE SINCLAIR COMES:

**Not Only  
But Also..**  
PROGRAMS FOR THE  
SINCLAIR ZX81...IK

**Not Only**...does this book contain over 30 fully debugged and exciting programs, every one of which will fit into the basic 1K memory of your Sinclair ZX81 — including programs such as STAR WARS, LUNAR LANDER, BLACK JACK, MINI ADVENTURE, DRAUGHTS, BREAKOUT.

**But Also**

- \* Detailed explanation of how these programs were written.
- \* Lots of hints on how you can write exciting programs for your ZX81.
- \* Numerous space saving techniques — obviously invaluable to the ZX81 owner.
- \* PEEKS and POKES and all the other 'complicated' functions are clearly explained.
- \* **MUCH, MUCH MORE...**

Probably the **LARGEST** range of ZX 81 Software in the **WORLD**

**UNDERSTANDING  
YOUR  
ZX81 ROM**

by  
DR. IAN LOGAN

**PLUS SPECIAL SECTION:  
HOW TO USE MACHINE CODE  
ROUTINES IN YOUR  
BASIC PROGRAMS**

**£6.95**

**£8.95**



## Understanding Your ZX81 ROM

**Plus special section:** How to use machine code routines in your BASIC programs. by DR. I. LOGAN.

Dr Logan was the first person to disassemble the Sinclair ZX80 Monitor and was the co-author of the ZX80 COMPANION.

In UNDERSTANDING YOUR ZX81 ROM Dr. Logan illustrates all the facilities of the ZX81 Monitor, how it works and how you can use it in your own programs. A special section shows you how you can squeeze more power into your ZX81, by using machine language and machine language subroutines.

An essential book for those who really want to understand the full working of the SINCLAIR ZX81.

Published by MELBOURNE HOUSE PUBLISHERS LTD.  
Send Stamped, self-addressed envelope for FREE catalogue.

THE ESSENTIAL SOFTWARE COMPANY (Visconti Ltd)  
47 Brunswick Centre, London WC1N 1AF (01-837 3154)



- ☐ Please rush me **NOT ONLY 30 PROGRAMS FOR THE SINCLAIR ZX81 1K**: at £6.95 each
- ☐ Please also rush **UNDERSTANDING YOUR ZX81 ROM** by Dr. I. Logan at £8.95

I enclose a cheque/postal order for £..... +50p post and pack.

Name .....

Address ..... CT/4/82



## CHRISTMAS SALE for Software & Hardware

Alien	£12.95	* International Grand	
Alien Typhoon	£13.95	Prix	£16.95
American Football	£19.95	Kubic	£9.95
* Apple Panic	£14.95	Mission Asteroid	£9.95
Autobahn	£14.95	Mystery House	£12.95
Bridge	£16.95	Missile Defence	£17.95
Craps	£9.95	Oldorf's Revenge	£11.95
Cribbage	£12.95	* Pegasus II	£17.95
Cranston Manor	£17.95	Pool 1.5	£18.95
Creature Venture	£14.95	Raster Blaster	£16.95
Demon Derby	£12.95	Sargon II Chess	£16.95
Draw Poker	£14.95	Sneakers	£16.95
* Epoch	£19.95	Soft Porn Adventure	£17.95
* Falcons	£16.95	Space Eggs	£14.95
Fast Gammon	£14.95	* Space Quarks	£16.95
Galactic Empire I	£12.95	Star Cruiser	£12.95
Galactic Trader II	£12.95	Star Thief	£16.95
Galactic Revolution III	£12.95	Star Mines	£14.95
Galaxy Wars	£12.95	Tawala's Last Redout	£14.95
* Genetic Drift	£16.95	Tarturian	£14.95
German Whist	£9.95	The Wizard & Princess	£17.95
Golden Mountain	£9.95	* Threshold	£19.95
Gobbler	£12.95	The Warp Factor	£24.95
* Gorgon	£24.95	* Ulysees & the	
Hi-Res Soccer	£22.95	Golden Fleece	£17.95
	* Wizardry		£29.45
	Zork		£24.95

**\*New Program**  
**Special offer Buy 3 deduct 10%.**  
**All prices + V.A.T., Postage & packing free.**

### BUSINESS

#### SPECIAL INTRODUCTORY OFFER

Magic Window & Basic Mailer & Lower Case Adaptor	£145.00
---	---------

D. B. Master	£130.00
Typing Tutor	£13.95
Visicalc 3.3	£99.00
Visiplot/Visitrend	£115.00
Wordstar	£175.00

### UTILITIES

Apple Protector III	£60.00
AOPT	£19.95
CRAE-EDITOR	£19.95
BACK-IT-UP	£50.00
EXPEDITOR II	£75.00
LOCKSMITH VER 4.0	£75.00

### BOOKS

BENEATH APPLE DOS	£11.95
Assembly Language	£11.95

#### APPLE COMPUTER SPECIAL 5 PIECE PACKAGE DEAL

- 1 APPLE II EUROPLUS 48K
- 1 DISK DRIVE WITH CONTROLLER
- 1 B&W TV MODULATOR
- 2 FREE GAMES

ALL FOR ONLY £999.00 + V.A.T. + P&P.

**S.B.D. SOFTWARE,**  
**15 JOCELYN ROAD,**  
**RICHMOND, SURREY, TW9 2TJ.**

## Home Computer Retailers

### BEDS

Computopia, Leighton Buzzard (376600)  
Comserve, Bedford (216749)  
Electron Systems (Sandy) Ltd. Sandy (81195)

### BUCKS

Texas Instruments Ltd. Supply Division  
Slough (75868)

### CAMBRIDGESHIRE

Intelligent Artefacts  
Cambridge (Orwell 0223 207689)

### DERBY

Datron Micro Centre, Duckworth Square,  
Derby DE1 1JZ, (0332 380085)

### DEVON

JAD Ltd, Plymouth (29038)  
Peter Scott (Exeter) Ltd, Exeter (9076842)

### ESSEX

Boots, 177/185 High Road, Ilford,  
Maplin Electronic Suppliers,  
Westcliff-on-Sea (554000)

### HANTS

The Maths Box, Southampton (22958)  
RDS, Portsmouth (812478)

### HEREFORDSHIRE

Accutape Sound, Bromyard (3284)

### HERTS

Computer Centre (Watford) Ltd, Watford (401)  
Computer Plus, Watford (020449)

### HUMBERSIDE

Radius Computers Ltd, Hull (227181)  
Peter Tutty & Co, Hull (41458)

### LEICS

Boots Company Ltd, Leicester (21641)

### LONDON

Adda Computers Ltd, W8 (579-5845)  
Eurocalc Ltd, EC2 (729-4555)  
Land Electronics Ltd, W1 (642-5986)

McDonald Stores, W1 (636-2877)  
Mountandene Ltd, NW11 (455-9823)  
Selfridges, W1 (629-1234)  
Sumlock Boundain Ltd, EC1 (250-0505)

### NORFOLK

Anglia Computers, Norwich (29652)

### NORTHANTS

Computer Contact, Rushden (56894)  
Computer Supermarket, Corby (61587)

### NOTTS

Bestmoor Ltd, Nottingham (415315)

### OXON

Science Studio, Oxford (54022)

### S. GLAM

Computer Business Systems Ltd.  
Ely, Cardiff (562255)

### W. GLAM

Boots, 17 St. Mary's Arcade,  
Quadrant Shopping Centre, Swansea.

### S. YORKS

Datron Interform, Sheffield (585490)

### W. MIDLANDS

Taylor Wilson Systems Ltd,  
Dorridge, Solihull (79404)

### W. SUSSEX

Gamer, Brighton (698424)

### W. YORKS

Ackroyd Typewriters Ltd, Bradford (31835)  
Bits and PCs, Wetherby (63744)

### SCOTLAND

Esco, Glasgow (427-5497)  
Robox Ltd, Glasgow (221-5401)  
Texas Instruments Ltd, Supply Division,  
Edinburgh 225-5132

### IRELAND

Texas Instruments Ltd,  
Supply Division, Dublin (609222)

## Rumbelows Stores stocking Home Computer

### BEDS

Bedford (59339)  
Dunstable (602618)  
Arndale Centre, Luton (414480)

### BUCKS

Bletchley (73505)  
Central Milton Keynes (662120)

### HERTS

Boreham Wood (935-1744)  
Hatfield (64211)

Hemel Hempstead (53223)

Hitchin (59203)  
Hoddesdon (66486)  
Letchworth (71231)  
Potters Bar (58804)  
St Albans (532290)  
Stevenage (54303)  
Waltham Cross (22100)

Ware (2316)  
Welwyn Garden City (27125)  
Enfield, Middx. (363-7384)





# The TI-99/4A The Home Computer worthy of the name.

Even if you're new to computers, you'll be using the TI-99/4A within minutes of plugging it into any standard TV set. Because the TI-99/4A is a true computer for the home. Immediately accessible to the whole family. All for around £299.

Just snap in one of our wide selection of Solid State Software\* Command Modules, touch a few keys, and you're ready to go. The 40 modules can sharpen your children's maths, teach you to win at chess or even help you with household financial decisions. And much more besides. In all, over 400 programs are available.

All enhanced by full music capability and 16-colour graphics.

Another development which sets the TI-99/4A apart from the rest, is our optional Solid State Speech\* Synthesiser. Actually reproducing the human voice. With our new Emulator Command Module\*, its vocabulary is unlimited.

For data input/output you can use an ordinary audio cassette recorder. And a full-size professional keyboard makes it easy to use.

The TI-99/4A comes with TIBASIC built in. Ideal for when you want to learn programming – and to get you started there's our "Beginner's Basic" course, free with each machine – yet powerful enough for even the most experienced programmer.

To help you get the most from the TI-99/4A you can join the independent users' club. And there's a special magazine ("99'er") available through dealers, or on subscription.

So, if you're looking for a home computer, you can't afford to miss the TI-99/4A for versatility, power and value for money.

- \* 16K RAM. Expandable to 48K.
- \* 26K ROM including 14K BASIC.
- \* Command Modules add up to 36K ROM.
- \* 13 digit floating point.
- \* Other languages soon – LOGO, UCSD PASCAL, TMS 9900 Assembler.
- \* Options – Speech Synthesiser, Thermal Printer, RS 232 Peripheral Adaptor, Disk Memory System.

To find your local dealer check the list on the left, or for more information write to Texas Instruments Ltd., (MS.24), Manton Lane, Bedford MK41 7PA.



**TEXAS INSTRUMENTS  
LIMITED**

\*Trademarks of Texas Instruments.



## If you've always fancied connecting things to your micro but never known where to start then this new series should help you understand the Ins and Outs of interfacing.

**A** digital computer enjoys a calm, stable and predictable environment, its only excitement being the occasional flip of a circuit from a logic '1' state (about 5 V) to a logic '0' (about 0V). Any currents flowing are equally modest, seldom exceeding a milliamp and in most areas, only a few hundred nanoamps. This system is a simple 'two-state' variable, in other words, a DIGITAL system.

The outside world is very different. Physical values vary smoothly over a frightening range — from the barely detectable minimum to a devastating maximum. Sound, for example, can change from a mere whisper to the thunder of a full symphony orchestra; voltages range from picovolts to thousands of megavolts; pressures vary from the touch of an ant's foot to the fury of a hydrogen bomb at ground zero. In short, the world is full of variations... it is ANALOGUE in nature.

### Matching To The Real World

Two problems present themselves. Firstly the real world must be matched to the computer input and secondly, the computer output must be matched to the real world. The 'real world' in practice turns out to be a small external system that must be SENSED in some way by the computer input and CONTROLLED in some way by the computer output. Figure 1 gives a simplified overview of the interface components.

**The input transducer** transforms non-electrical energy into electrical energy in much the same way that a photo-cell transforms the quantum energy of a light source into a voltage proportional to that light; a microphone transforms sound pressures into voltage; thermocouples transform heat energy into voltage and strain gauges transform the effects of stress into voltages.

**Level adjusters** are necessary to boost the output of the transducer if it is too small or, in some cases, reduce the output if it is too large to energise the Analogue to Digital converter. It behaves in general as a 'scaling' device and in practice could take the form of a simple voltage divider network (if the pur-

pose is to *reduce* voltage) or some kind of amplifier (to *increase* the voltage level). Although the term 'voltage' has been used to describe the input transducer's output, it should not be taken too literally. The transducer output may not always deliver electrical energy as a 'voltage'. Some might exhibit a mere change of resistance across a pair of terminals or perhaps a minute change in current. It is the responsibility of the level adjuster to adjust the transducer 'output' into a voltage that is within the acceptable range demanded by the A/D converter input.

Another responsibility of the level adjuster (the term 'signal-conditioner' can be used as an alternative), is the question of the actual voltage *level* as distinct from the voltage *range*. For example, a voltage range can be between 0 V to 5 V or from -1 V to +4 V... they both have the same range but have different average levels. The level adjuster would often contain the calibration circuitry to compensate for production line variations in the transducing device and also the errors introduced by the level adjuster itself!

In the present state-of-art, the accuracy of the entire system rests almost entirely on the technical merits of the level adjuster; the

transducer and A/D converters are established and proven 'black-boxes'... we just take them and the supplied data sheets for granted.

**The A/D converter** has the responsibility of converting the analogue voltage from the level adjuster into a set of binary output voltages. Prior to their integration, these were constructed in discrete circuit form and full of weird gimmicks which went some way towards justifying their enormous expense. Fortunately for the system designer, all of the circuit complexity and interference worries associated with the numerous type variations have been replaced by the simple task of deciding which chip is the best (or cheapest!) for the particular project. Figure 2 shows a typical A/D converter.




Fig. 2. Typical pin functions of an A/D converter

A single pulse on the pin 'Sample' causes an internal counter to start up. When the count has reached a value equivalent to the analogue voltage input, the 'valid' pin changes state signalling to the computer that the digital output is now stable and may be entered into the computer's memory. The counter requires a clock input which can be a separate entity or pinched from the computer's private clock. The intestines of the contraption will be explained later although the information is, to some extent, only of curiosity value satisfying those who have been brought up in the belief that nothing should be used unless you fully understand it!

### Terminology Explained

It is important to understand the significance of the terms used to describe the merits of an A/D converter chip. Unfortunately, a glance




Fig. 1. Matching components



at most data sheets issued by manufacturers causes a mixture of awe and gloom. There seems to be too much information, obscuring the item you want behind a forest of data you don't want (or don't understand). Here are some terms:

**Number of digital outputs:** The example of Fig. 2 is that of an eight-bit converter, a device that allows the analogue input voltage to be converted to an eight-bit binary 'word'. The number of combinations of  $n$  bits is  $2^n$  so in this case we have  $2^8$  or 256 combinations ranging from 00000000 to 11111111 which is decimal zero to 255 inclusive. The **resolution** of the conversion is one part in 256 which in percentage terms is approximately 0.4%. Some actual figures may help to appreciate the scaling although it is unfortunate that round binary numbers don't seem to mix with round decimal numbers.

Assume analogue input voltage varies over the range 0 to 2.55 V. Since 2.55 V is the 'full-scale-deflection' and 255 is the maximum digital number, it follows that each binary bit count is worth  $2.55/255 = 0.01$  V (10 mV).

We can thus express the **scaling** of the A/D converter as **10 millivolts per bit**.

It is important to realise that the number of bits sets the limit on the smallest recognisable 'quantum jump' at the analogue input. When the input voltage slides smoothly say from zero to 4 mV, the digital output would probably still record zero (00000000). Somewhere on the voltage climb between 5 and 10 mV, the digital output would suddenly jerk to 00000001. Thus the **digital** conversion accuracy is on average,  $\pm$  half a bit, which in the example above equates to  $\pm$  5 mV.

It should be evident that the number of bits in the ultimate parameter which decides the delicacy of conversion. For example, suppose we had a 12-bit converter. The digital range is then 000000000000 to 111111111111 or zero to 4095 decimal. Using 2.55 V as before to represent full scale this would yield a scaling of 0.6 mV per bit (approximately).

The cost of A/D converters goes up with the numbers of bits because of the increasing accuracy required from the internal circuitry. For the vast majority of work, eight-bits are ample, 12 are nice but 14 bits (which is approaching the present state of art) would in most cases be a

disgraceful extravagance. Remember that the old adage regarding the 'weakest link in the chain' applies here as well.

**The input voltage range:** An input voltage too high or of the wrong polarity can cause damage so it is vital to observe this figure on the data sheets. However, unless otherwise stated, most chips are designed to be TTL compatible which fixes the highest voltage at 5 V on any pin. This precaution is the responsibility of the preceding level adjuster.

**Conversion time:** This is the time it takes for the digital output to count up to the correct analogue voltage equivalent. Apart from negligible delays within the converter, this is dependant on the frequency of the internal clock shown in Fig. 2. For simplicity we will assume the clock is exactly 1 MHz, one pulse per  $\mu$ s. Thus it will take an eight-bit converter 255 microseconds to count up from zero to maximum. Put another way, the worst case delay between the emission of the 'sample' and the detection of the 'valid' signal would be 255 microseconds.

## The Other Way Round

This is functionally and internally simple in comparison with the D/A converter, see Fig. 3. For one thing, it doesn't require a clock. Previous remarks regarding resolution still apply but the conversion

examples of output transducers are loudspeakers, electric motors and cathode ray tubes.

## Summary

An input transducer **senses** a change in a physical quantity. The input level adjuster accepts the electrical output of the transducer and, according to the demands of the A/D converter, **amplifies** or **attenuates** the voltage. It may also change the actual DC **level** or polarity.

The A/D converter accepts the analogue voltage from the level adjuster and converts it to a **proportional** set of binary bits.

The **resolution** of conversion is a function of the number of binary bits, the smallest detectable analogue change being equal to  $\frac{1}{2^n}$ , where  $n$  is the number of bits.

The **conversion time** of an A/D converter depends on the input clock frequency and should always be interpreted on the worst-case change.

A D/A converter accepts digital inputs and converts them to a proportional analogue voltage. It does this almost instantaneously and requires no clock.

Most converters available are TTL compatible. They either expect TTL digital inputs or deliver digital TTL outputs. The details of the 'TTL' protocol are as follows.

Logic '1' (called a HIGH level) is between +2.4 and +5 V.

Logic '0' (called a LOW level) is between 0.0 and +0.4 V.

(Any voltage resting between the above limits would give undefinable results)

It takes 40  $\mu$ A to correctly energise a standard TTL input to the HIGH stage and 1.6 mA to energise it to the LOW state (called 'source' and 'sink' currents respectively).




Fig. 3.  
Typical pin functions of a D/A converter

time is irrelevant because the analogue output follows the digital input (almost) instantaneously.

**The output transducer:** (Refer to Fig. 1 again.) This is the reverse function. It accepts an analogue signal and converts it to a proportional physical quantity. It would not always be required since in some cases, the system would be content with the voltage as it stands. Some

## Next Month

So far we've only investigated how we can get **one** signal into the computer and **one** signal out. Obviously for control applications we will need to deal with a large number of input and output transducers. In order to deal with all these connections without having to have an A to D and a D to A for each we can use a sophisticated electronic switching system and this is what I'll be taking a look at next month.



# Superior Systems Ltd. Sheffield

178 West Street, S1 4ET. Tel. (0742) 755005.



APPLE II 48K.....£670.00  
DISK DRIVE  
WITH CONTROLLER.....£370.00  
DISK DRIVE  
WITHOUT CONTROLLER...£290.00  
BMC 12" GREEN MONITOR  
12" GREEN MONITOR....£145.00

## SHARP



PC 1211 POCKET COMPUTER.69.50 c  
MZ 80K (48K) COMPUTER...P.O.A.  
MZ 80B (64K) COMPUTER.. P.O.A.  
DUAL DISK DRIVE.....550.00  
P3 PRINTER.....360.00  
P4 PRINTER.....745.00  
P6 PRINTER.....420.00  
SPEED BASIC.....10.00  
MACHINE CODE.....17.40 b  
EDITOR/ASSEMBLER.....35.00 b  
PASCAL INTERPRETER.....40.00 b  
MZ 80K DUST COVER.....5.00 a  
APOLLO WORD PROCESSOR...24.95 b  
CALC II.....34.50 b  
DATA BASE.....29.50 b  
ZEN EDITOR ASSEMBLER...19.50 a  
MACHINE LANGUAGE.....17.74 b  
MZ 80K DUST COVER.....5.00 a  
POSIEDON.....5.00 a  
ADDRESS BOOK.....5.00 a  
MOONLANDER.....5.00 a  
COMBAT.....5.00 a

## Mail Order Accessories

### Postage Rates

a.75p b.1.00 c.1.50 d.2.50 e.5.00

### BOOKS

(SEND SAE FOR FULL LIST)

BASIC HANDBOOK.....13.95 c  
SOFTWARE SECRETS(MZ80K)...7.95 b  
APPLE II USER GUIDE.....11.10 c  
BASIC BASIC.....8.95 b  
PROGRAMMING Z80.....11.95 c  
PROGRAMMING 6502.....10.75 c  
PROGRAMMING VIDEO GENIE...5.00 b  
ZX 81 COMPANION.....7.95 b  
ZX 81 POCKET BOOK.....5.95 b  
GETTING AQUAINTED ZX81...4.95 b  
GETTING AQUAINTED ACORN...7.95 b  
HINTS & TIPS ZX81.....4.25 b  
CP/M HANDBOOK.....11.50 c  
6502 GAMES.....10.25 c  
MICROSOFT BASIC.....8.75 b  
ATOM BUSINESS.....6.95 a  
APPLE PASCAL GAMES.....11.45 b  
WORD STAR MADE EASY.....7.60 b

### APPLE

VISICALC.....97.50 b  
VISIPILOT.....95.00 b  
VISITREND/VISIPILOT.....135.00 b  
VISIDEX.....105.00 b  
CIS COBOL.....475.00 b  
MICROMODELLER.....420.00 b  
APM.....119.00 b  
APPLEWRITER.....39.00 b  
MAGIC WINDOW.....79.00 b

### VIDEO GENIE

SOUND MOD.....7.50 a  
COLOUR MOD.....39.46 b  
SYNTHESISER.....45.00 b  
DUST COVER.....5.00 a

ALL PRICES EXCLUDE VAT



## VIC 20

VIC 20 COMPUTER.....173.90 e  
VIC CASSETTE DECK....39.09 d  
VIC PRINTER.....200.00  
3K RAM CARTRIDGE.....26.04 b  
8K RAM CARTRIDGE.....39.09 b  
16K RAM CARTRIDGE....65.17 b  
JOYSTICK.....6.52 b  
PADDLES.....11.74 b  
INTRODUCTION TO BASIC  
PART I.....13.00 b  
VIC GAMES ROM CARTRIDGES  
VARIOUS FROM.....17.35 b



## VIDEO GENIE

MKI with sound &  
lower case.....109.00  
MKII  
BUSINESS COMPUTER.....309.00  
EXPANSION UNIT  
WITH 16K ROM.....199.00

## ACORN ATOM

ACORN ATOM 8+5  
with colour+PSU.....199.00 d  
ACORN DISK PACK.....299.00 d  
FLOATING POINT ROM...20.00 a  
GAMES PACKS 1-10.....10.00each  
WORD PACK ROM.....26.00 a  
COLOUR ENCODER.....39.00 b  
B.B.C. ROM PACK.....PHONE b  
MAGIC BOOK.....5.50 c  
MATHS PACK.....10.00 a  
ATOM CHESS.....10.00 a  
ATOM ADVENTURES.....10.00 a

### MAIL ORDER FORM

PLEASE SUPPLY.....£.....  
.....£.....  
.....£.....  
.....£.....

ACCESS/BARCLAYCARD/CHEQUE



CARD No.....

P&P+V.A.T. £.....

TOTAL ENCL.£.....

NAME.....

ADDRESS.....

POST CODE.....TEL.....



# ZX81 SOFTWARE FROM VIDEO SOFTWARE LTD 1K & 16K

These programs have been written and produced to the highest professional standards. They have been given glowing reviews in the trade press and our customers confirm that we achieve the quality we aim for by ordering more and more.

## 16K SOFTWARE (Business & Serious).

**VIDEO-PLAN** (ZX81 only). Performs the functions of an analysis book. Arithmetic functions include addition, subtraction, multiplication. Printer optional. (Lux. £9.95. Std. £7.95).

**VIDEO-AD**. Rotating display of 16 pages of advertising material. Set-up your own pages and change them as and when required. (Lux. £9.95. Std. £7.95).

**VIDEO-GRAPH**. Planning and design aid. Create pictures/charts/graphs and store within the program. Save on cassette. Combine pictures like an 'identikit'. (Lux. £7.95. Std. £5.95).

**VIDEO-VIEW**. Do it yourself teletext. Create pages of data. Store them within the program. Save on cassette. View on demand. (Lux. £7.95 Std. £5.95).

**VIDEO-MAP**. (ZX81 only). Educational game based on maps. Navigate your plane to its destination. Bomb the target and return to base (Lux. £7.95. Std. £5.95).

**VIDEO-SKETCH**. (ZX81 only). Move the cursor to any part of the screen. Draw or rub-out as you move it. Mix in text or graphics. Save picture in memory. Save picture sequence on cassette. (Lux. £9.95. Std. £7.95).

## Combination Packs

Pack 1. VIDEO-PLAN + VIDEO-AD (Lux only £17.95).

Pack 2. VIDEO-VIEW + VIDEO-GRAPH (Lux only £13.95).

Gameset VIDEO-MAP + 5 16K GAMES (Lux only £19.95).

De luxe version is packed in beautiful presentation box and includes spare blank cassette.

Standard version includes cassette and manual.

## 16K GAMES (Lux. £5.95. Std. £3.95)

**FORCE-FIELD**. (ZX81 only). Animated bombardment game. You control the force-field which protects your city against hostile UFOs.

**SPACE-RACE**. (ZX81 only). Party game for eight players. Rockets race to build stations in space. Winners gradually take over losers until only one winner remains.

**FOOTBALL-LEAGUE**. Realistic simulation of an entire season. Every match played and results shown with progressive league table. You give teams ratings for skill, effort, etc.

**TEST-MATCH**. Realistic simulation of a test match series. Dynamic scoreboard. Give each player your own ratings for skill, technique, etc.

**STOCK-MARKET**. (ZX81 only). An exciting game of skill and judgement. Buy and sell stocks and shares as prices change in response to world events.

## 1K GAMES (Lux. £6.95 Std. £4.95).

**1K PARTY TRICKS NO.1** includes:-

**SHOOT** — Take the penalty and watch the goalie try to save.

**SKETCH** — Draw an almost full screen picture and save on cassette.

**NAME THE DAY** — Give the date, the ZX81 names the day of the week.

**TRAIN** — For the very young who would like to drive a train.

**ONGER-WONGER** — Watch the ZX81 draw its own pictures and yours.

**WEATHER** — An endless variety of completely inaccurate weather forecasts.

**UFO** — Shoot down the UFO before he gets you.

**WHO SHOT JR** — An intriguing test of your powers of detection.

**FIELD-GUN** — Can you hit the target.

**FOLLOW THAT** — Follow the patch traced by the ZX81.

Prices include VAT. Add £1.00 post & packing to each order.

Send cash with order to:  
**VIDEO SOFTWARE LTD. (CT),**  
Stone Lane, Kinver,  
Stourbridge, West Midlands.

Allow 28 days for delivery.

# Have you bought a ZX81? Now here's a cassette recorder to match it!

The ECR81 Enhanced Certified Recorder from MONOLITH is a major advancement in cassette recorder technology which minimises the problems associated with standard audio recorders. This is a high quality proven cassette mechanism, enhanced to provide just the right signal levels to ensure reliable read and write data transfer between the magnetic tape and your ZX81.

- Each ECR81 comes complete with its own individual certification tape, tested and serial numbered to prove your machine reliability.
- Signal enhancement circuit board with phase - locked - loop control and signal shaping for peak performance.



- A long life head is fitted, matched to TDK CrO2 high bias, super avilynacassette tapes.

- Mains & DIN connector leads provided.
- Certification of tape head alignment - height and azimuth.
- Certified tape tension, torque and speed.
- Fast forward and rewind tape search controls.

The ECR81 is also suitable for Sinclair ZX80

- Please allow up to 28 days delivery.
- The ECR81 is backed by our 14 day money-back option.
- The ECR81 is not suitable for audio reproduction.

**MONOLITH**  
electronic products  
Telephone: Crewkerne 0460 74321

To: MONOLITH ELECTRONICS CO. LTD., 5/7 CHURCH STREET, CREWKERNE, SOMERSET		
Please supply me with:	Price	Total
----- (Qty.) Monolith ECR 81 Enhanced Certified Recorder(s)	£47.50 (Each)	
to be used with my ZX81		
I also enclose postage & packing per recorder	£2.50	
Please print		Prices include VAT £
Name: Mr/Mrs/Miss.		
Address		



# VoxBox

*the product that speaks for itself!*

Speech adds a new dimension to computing and the Mutek VoxBox, unlike most other systems, gives the capability to generate unlimited vocabulary speech from your computer. The unit is easily programmed via a parallel or serial port and a version is available for most popular computers. The principle of phoneme synthesis is used and, because phonemes are the "building blocks of speech", all English words and a large number of foreign language components may be easily constructed.

An increasing range of software is available to enable quick and easy sentence construction. The hardware is supplied complete and tested with inbuilt power supply and connectors for your computer.

Versions range from £65 for connection to PET, Apple, TRS-80, Video Genie, OSI, UK101, VIC and Acorn with no hidden extras for connecting leads, free demonstration software and excellent documentation.

**Listen before you buy**

We can honestly say the quality is nearly as good as human speech, so why not call us after 6pm and listen to our computer talking through VoxBox. You may place a credit card order or a request for further information after the message.

**Mutek**


Quarry Hill, Box, Wilts  
Tel: Bath (0225) 743289



— the  
South East England  
Specialists  
in Everything for the  
New Computer Age.

## video genie system

GENIE I



New model with extended BASIC

- AUTO RENUMBER
- UPPER AND LOWER CASE
- BUILT-IN SOUND BOX
- UHF MODULATOR
- INTERNAL CASSETTE
- 2nd CASSETTE INTERFACE

PRICE **£295** + VAT

- ★ EXPANSION BOX
- ★ PRINTER
- ★ DISK DRIVE

AS  
EXTRA  
OPTIONS

- ★ 100's OF PROGRAMS
- ★ TRS-80 LEVEL II
- ★ SOFTWARE COMPATIBLE

If you cannot call, write for FREE illustrated leaflet

## SPECIAL COMPUTER-RTTY PACKAGE for TRS-80 and VIDEO GENIE

Catronics wonderful new CT600 RTTY package enables a TRS-80 (16K, level 11) or Video Genie computer to send and receive Radio Teletype Messages. The package includes a pcb module and program cassette. The pcb carries the terminal unit which includes a PLL discriminator for reception and can handle wide shift as well as narrow. Also on the pcb is an audio oscillator which plugs into the microphone socket of your SSB or FM transmitter to produce FSK or AFSK transmission. The Transmit/receive relay on the pcb is keyboard controlled, as are all other functions. The software allows operation on 4 speeds — 45, 50, 75 and 110 bauds. Text transmission is simplified with automatic letters/figures shift and there is provision for 10 memories, which can be stored on cassette. Transmit text (including memories) is displayed and entered into buffer, even whilst receiving.

Send now for complete details!

C.T. 600 complete package: £106. + VAT + £1.50 p&p (£123.40)

SPECIAL PACKAGE DEAL Video Genie Computer + CT 600 for only £470 incl. VAT

CREDIT TERMS available. Pay by Access, Barclaycard or Catronics Creditcharge Card

Goods may also be ordered by 'PRESTEL' use mailbox AC, 01-669 6701  
Personal Shoppers Welcome. 3 Big Car Parks within 100 yds.




**CATRONICS LTD (Dept. 291),**  
COMMUNICATIONS HOUSE,  
(Dept. 294) 20 WALLINGTON SQUARE,  
WALLINGTON, SURREY SM6 8RG.

Tel. 01-669 6700 (9am to 5.30pm, Sat 12.45pm) Closed lunch 12.45-1.45.

/// 'make it easy on yourself' ///

# EIGHT SERIAL INTERFACES FOR YOUR APPLE



MADE  
IN  
ENGLAND

The U-Port provides 8 individually addressable full RS232 ports for input and output at individually settable baud rates on a single board. And its price is less than for two separate interfaces!

**for only £195.00**

Available from Apple Dealers worldwide  
or direct from U-Microcomputers.

Prices do not include VAT or p. & p. (£1.00 per board)

U-Microcomputers Limited,  
Winstanley Industrial Estate,  
Long Lane, Warrington,  
Cheshire, WA2 8PR, England.  
Telephone: 0925 54117/8  
Telex: 668920 U-ONE

## U-MICROCOMPUTERS

a range of quality peripheral cards to enhance your Apple

**We now make  
more Apple cards than Apple!**





# 16-BIT STAKEOUT

**This is the third variant of the TI Personal Computer to reach the UK in as many years. Is it still a viable system for home use?**



**T**he Texas Instrument's 99/4A had, I'm afraid, slipped my attention until quite recently. There does not seem to have been the pressure advertising that one would have expected for such a machine and the software and accessories at present available for it.

The TI has been subject to a pretty massive price reduction in the past year and at its present cost of around £299, it would appear to be well worth considering. There is no doubt which sector of the market that the TI 99/4A is being aimed at — the all-in-one computer for the home environment. It has facilities for the accessories that we have come to expect with this sort of machine... joystick controls, plug-in modules, etc, and is intended for use with your colour television.

The TI 99/4A comes complete with a separate UHF modulator pretuned to channel 36 and a separate power supply unit. The power supply unit and modulator have acceptably long leads to enable you to sit at a comfortable distance from the TV — rather different from some set-ups requiring you to crouch uncomfortably close to the screen. The modulator has a very short lead for the UHF output, sensible from an electronic point of view but could pose problems with free-standing television sets. For instance, how do you balance this not particularly light box near the set? Certainly you must not let it hang in mid air...

must you? In fact these 'little boxes' bring in my first criticism of the Texas system. I am a firm supporter of modular systems but I feel that Texas have carried this a little too far. Should you become the proud owner of the TI 99/4A and its associated printer and disc drive (they call it disk... you'd think the Americans would have learnt to speak English by now!) you will have in front of you six separate units... eight, if you include the Voice Synthesiser and the television.

Although I can appreciate the reasons behind this procedure, I would welcome a reduction in the number of units. Some, it is true, plug directly into one another — the Voice Synthesiser plugs into the right-hand side of the computer and the Disc Controller can plug into either that same socket or one on the side of the Synthesiser. The RS232 interface and printer can be treated in exactly the same way.

## Putting It All Together

Now, let us look at what we have got and see what we can do with it. The keyboard unit is neat and straightforward with a standard QWERTY-type layout, the numerals positioned on the top row of keys. I prefer a separate numeric keypad but this is purely a matter of personal preference and one quickly becomes familiar with whatever system is provided. Just a few hours of key-bashing and size, position

and dual function keys soon slot into your subconscious. The keyboard is a little smaller than some but perfectly easy to use, even by someone with fingers as clumsy as mine. On the review model, two or three keys were a little sticky and although they had fully returned to their rest position before I got to pressing the next key, it did leave a nagging worry as to whether one day they would stay down!

Good quality sockets are used to connect to the power supply, modulator, tape recorder and remote controls (joysticks, etc). The sockets for tape recorder and remote controls are the same type and size and, although I'm sure Texas will have protected the appropriate circuits, it surely would have been more sensible to use a different type. Neither are the sockets labelled in any way and, bearing in mind that this is aimed at family use, I think some form of unique connectors should be the rule.

Did someone mention instructions? Home computers are notorious for their poor instructions/manuals but here Texas have produced something definitely in the superior bracket. The machine comes complete with two manuals... Beginner's BASIC and the User's Reference Guide. Beginner's BASIC is A4 size, has 140 pages and is essentially a Beginner's 'hands-on guide' to programming in TI BASIC. The approach is clear, easily understood and progresses



through the more simple routines in a fairly rational manner.

The programmer starts off using the TI 99/4A in the Immediate Mode and is first introduced to 'Simple Programming' using less than ten commands/statements. This is followed by a longish chapter on 'More Programming Power' which brings in more BASIC commands/statements. Sections on improved displays of PRINTed material and an introduction to the arithmetic power of the computer, complete the instruction phase. Early use is made of the colour and sound functions and how to produce them. This is perhaps not the way a computer buff would proceed but, in this case, it provides an interesting approach that is both entertaining and instructional. In fact, it will probably encourage more interest in computer programming than the drier factual approach often seen in the past.

The User's Reference Manual (A4, 170 pages) starts with Section I 'GENERAL INFORMATION' explaining clearly and with a number of diagrams what you should have to do to get the system up and running: how to interconnect the various units, what additional accessories are available and, most important of all, a brief explanation of keyboard and special function key operation.

The special function keys have a further short section to themselves amplifying the previous information. These keys: FCTN and CTRL are used as special SHIFT keys giving such operations as cursor control, INSERT and DELETE character and ERASE line. Entering control characters (CTRL key) also enables the TI 99/4A to link in with various telecommunications devices.

Section II entitled 'BASIC REFERENCE SECTION' takes the reader through such basics as numeric constants, variables, string expressions, reserved words, etc to a complete listing of all the TI BASIC words understood by the TI 99/4A. These are grouped together under sub-headings such as 'Commands', 'General Program Statements', 'Colour Graphics and Sound', 'Built-in String Functions', etc. Each TI BASIC expression/word is explained clearly with plenty of examples to hammer the point home.

Section III, 'APPENDIX TO BASIC REFERENCE SECTION' contains such items as ASCII character codes, keyboard mapping, colour codes, error messages and some applications programs.

**Right: The TI and its companion power supply. The Command Modules plug into the slot at the right of the keyboard.**

**Below: The main expansion connector for driving the various peripherals.**



There are eight further short sections; one worthy of mention is a fairly comprehensive index providing such information as a glossary, how to use pre-recorded software, various addenda, very simple fault finding (eg have you plugged into a mains outlet?) and the UK guarantee!

### Up And Running

After connecting up and switching on I must admit to being quite impressed with the display. The initial display consisted of a number of coloured rectangles together with the Texas Instruments' Trademark (logo) and the words: HOME COMPUTER READY, PRESS ANY KEY TO BEGIN. The colours were stable with only a small amount of colour fringing and, unlike some experiences with other computers, gave the impression of a steady business-like display. On pressing 'ANY KEY' you are presented with a menu:

```
PRESS
1 FOR TI BASIC
```


Should you have any of the TI software plugged in, the menu will of course be extended to include the options available. The 'plug-ins' are called 'command modules' and are plugged in by sliding the cartridge

machine in the recessed tray at the right of the keyboard. Command modules should only be inserted or removed when the machine is in its initial quiescent/waiting mode of 'PRESS ANY KEY TO BEGIN' (known as the 'master computer title screen'). You may return to this mode at any time by pressing the FCTN and '=' keys simultaneously or by entering BYE. The latter is recommended as it first CLOSEs all OPEN files then erases all programs and variables in the memory, finally resetting the computer ready to return it to BASIC when required. The 'FCTN =' (QUIT) command does not CLOSE any files but is used when you have a command module in operation and no opportunity to type BYE (most of the keyboard is disabled for many of the games).


Having pressed 1 for TI BASIC we get a light blue screen with black letters saying TI BASIC READY and in the bottom left corner a prompt character (>) followed by a flashing cursor (■). The full screen display area of 32 characters across by 24 high may only be used by graphic symbols and an area of 28 x 23 can be used for PRINT statements or LISTings. Any program line may be up to four screen lines in length (112 characters including the line number). The computer is fairly



# 16-BIT STAKEOUT



Above: The rear of the TI showing the cassette and video outputs.



Above: The thermal printer and the RS232 interface.

user friendly although it does demand spaces in the right places;

```
20PRINTA
20 PRINTA
LIST30
EDIT40
```

are all unacceptable whereas

```
20 PRINT A
LIST 30
EDIT 40
```

are acceptable statements.

It will display a number of ERROR messages should you ask it to do something unacceptable. Certain errors are detected on entering a command or program line; entering LIST100 gives the message INCORRECT STATEMENT as there is no space between LIST and 100 and entering an EDITed line that exceeds the memory capacity gives the message MEMORY FULL.

The computer will accept program lines that are incorrectly written and ENTERed but when you RUN the program, it will come to a dramatic halt (crash) on reaching the line. These errors may be detected in two ways. First, on RUNNING the program but before the

program lines are actioned, the computer scans the program in order to establish a 'symbol table'. This is an area of memory where the variables, arrays, functions, etc are stored. If the computer detects an error during this 'scan' it will display an ERROR message, eg FOR-NEXT ERROR, telling you that the program has a mismatched number of FOR-NEXT statements. While displaying this message the screen remains in its 'programming mode' colour of light blue. Should this 'memory scan' prove acceptable the program is then RUN and the screen becomes a light green colour while the program is RUNning. During the program RUN, PRINT statements, etc are displayed as black letters on the same green screen, unless programmed for a different combination. At this point the computer has accepted the scan but, in the process of RUNning the program, further errors can still cause a crash. The screen then reverts to light blue and an ERROR MESSAGE along with the line number at which the crash occurred will be displayed. For example;

## BAD LINE NUMBER IN LINE 320

indicates that a jump was made to a non existent line in the program.

If you have used many other microcomputers you cannot help but notice that the TI 99/4A appears to be a little slow.

```
10 FOR I = 1 TO 1000
20 NEXT I
```

takes 3.3 seconds. If we add

```
15 X = A + B
```

the micro takes 8.76 seconds. This is a pretty crude way of testing a computer's relative speed of operation but it does give one some idea. Nowadays, a lot of stress is put on the speed a computer will work at. Of course, this is important, but what are you going to use this computer for? A dedicated scientific computer to work out formulae containing hundreds of steps... I doubt it. The TI 99/4A is slower than a number of machines on the market today but for the vast majority of uses it will be put to, I doubt that the users will mind too much.

TI BASIC has a number of commands/statements that some machines do not have and one or two that are not in its vocabulary. I was pleased to find: RESEQUENCE rennumbers pro-

gram lines;

TRACE lists the program line number as it actions that line; NUMBER gives you automatic line numbers when writing a program as well as ON...GOTO and IF...THEN...ELSE which are not always present in micro BASICs.

The string handling capabilities seem to be quite reasonable and the arithmetic functions all that one normally expects. A slightly unusual array handling command is OPTION BASE allowing you to set the lower limit of an array to either 0 or 1. This can be quite useful to those of us who get confused dealing with complicated array handling while trying to remember that the 15th element in an array is represented by A(14) and not A(15)! OPTION BASE is definitely the easy way out!

Missing from what is otherwise a pretty comprehensive line-up of commands/statements are PEEK and POKE. This is nowhere near as desperate as some people make out because users of this machine would probably not be wanting to delve into memory locations. However, for those of you who may wish to interrogate the display screen TI BASIC presents us with CALL HCHAR, CAL VCHAR and CALL GCHAR of which more shortly.

To clear/erase the screen, whether in immediate or program mode, the CALL CLEAR command (TI BASIC calls is a sub-program) is used. CALL in TI BASIC can be followed by a number of keywords:

**CALL CHAR** Allows you to define your own special graphics characters. You may redefine the standard set of characters with codes 128-159. The characters are made up of up to 64 dots in an 8 by 8 grid allowing a varied set of special characters to be used...memory permitting.

**CALL HCHAR** Allows you to display on the screen a specified character at a specified location (defined by row and column) and will repeat that character horizontally for a specified number of times.

**CALL VCHAR** Similar to HCHAR, VCHAR repeats the character vertically rather than horizontally.

**CALL SCREEN** Defines the screen colour on which individually coloured cells are displayed (**CALL COLOR** then defines the foreground and background colours of that cell).

**CALL SOUND** Allows you to generate a tone between 110 Hz and 44,000 Hz. You may define the dura-



# 16-BIT STAKEOUT

tion in milliseconds and the volume on a scale of 1 to 30. Further, you may generate up to three tones plus one noise to be played for the same duration at the same time (ie three note chords, etc) all with their own specified volume levels! You also have the option of various 'white noise' effects.

**CALL GCHAR** Allows you to read a character from the screen, the location required being specified by row number and column number.

**CALL KEY** Allows you to transfer one character from the keyboard directly into your program. It is similar to other BASIC's GET or INKEY but is slightly more sophisticated as certain keys may be disabled if required.

**CALL JOYST** Allows the input of information based on the position of joystick/lever on the Wired Remote Controllers that are an accessory for the TI 99/4A.

The TI 99/4A will allow assignment in both the now somewhat obsolete LET A = n or in the more common form of A = n. In which case why bother to type in those extra letters? The TI 99/4A has 16 K of user RAM expandable to 32 K using plug-ins, however this is only accessible to an appropriate command module or accessory if in circuit.

## Plug Into Programs

A number of plug-in command modules are available ranging through various games, a number of educational titles and a Speech Editor to a Disc Manager and TI Extended BASIC.

The games include the inevitable 'TI Invaders' and various other 'shooting games' set in different scenarios. All offer more than one difficulty rating and all start at a 'difficulty rating' high enough to make them interesting and reasonably addictive.

'Carwars' is simply two cars in plan view racing around concentric tracks, one car 'eating up' a series of dots as it goes. You may change tracks at North, South, East and West and the second car is programmed for a head-on collision... you have to avoid it! A very simple game but requiring quick reactions and very definitely addictive.

'Hunt the WUMPUS' is a game of logic to find in which cavern the Wumpus is hiding. You get clues as you explore the caverns... it isn't difficult but the Wumpus seems to eat up its opponents all too often! Good fun and it certainly makes im-

petuous youngsters think ahead.

'Video Chess' has good graphics and although it sometimes plays some very strange moves you cannot afford to take it lightly. You may choose its type of play... aggressive, normal or defensive and the level of play. A good club player should be able to beat it but may get the occasional surprise.

'Connect Four' is a real brain-teaser and like several of the other games may be played by either one person against the computer or as a two-player game. Against the computer you have several levels of difficulty and I enjoyed it immensely. My only criticism is that of its psychological oneupmanship... when you place a 'token' on the grid it sounds a minor 'ker thunk' but everytime it places a token you get a little tune that gives the impression of 'rah, rah, rah... so there, beat that!' An excellent game.

The 'Speech Editor' is fun but although its vocabulary is quite large (more than 300 words) I'm afraid I found this the least interesting of the 'plug-ins'. The words are clear (with American accent) and it is possible to build words from those already built-in, but I found that whenever I wanted a special word it was not possible to make it up... obviously I am a visual rather than audio-oriented person.

The child education tapes are rather repetitive to a 'grown-up' but delight the little ones especially when they get a gold star and some stirring music when they solve their problem. These cover Pre-School Early Learning, Early Reading, Beginning Grammar and Arithmetic.

'Household Money Management' is quite involved, with many questions regarding how much you earn and where it all goes. It takes some time to set up accurately, which of course you must do if you wish to take full advantage of its capabilities. It is a little depressing as, although I know I only have about £1 at the end of the month, I'm not so sure I want to see it boldly stated on the screen. Also, I'm not so sure it wouldn't be quicker to work it out on the back of an envelope!

The 'Disc Manager' enables you to use the TI Disc Drive via the Disc Controller and in the brief time I used it, it seemed to function perfectly. It is a little noisy in operation and when it read my first disc I had visions of the floppy being shredded, but nothing untoward has happened so far.

TI Extended BASIC offers a number of additional commands/statements and facilities that make it a very useful extra. Multi-statement lines are allowed which make life a little simpler when writing a program. It has an interesting command called CALL SPRITE, this enables you to create moving graphics very simply. This module also has a PEEK sub-program which, with other commands, allows access to assembly language sub-programs (of little interest to the initial buyer of the TI 99/4A but could be of great value as his/her computer awareness grows).

In all there are more than 40 new or expanded commands in TI Extended BASIC and although the standard TI BASIC is quite comprehensive, this module will certainly open up new horizons for the addict.

The TI 99/4A may be used with a tape recorder to SAVE your programs or data on cassette tape. Texas Instruments recommend two inexpensive, readily available tape recorders for this purpose. They are the PYE 9110 and the SANYO Slimline both available for around £20.

The TI Solid State Thermal Printer may be plugged in directly to the computer and uses a narrower than usual paper which will accept 32 characters per line. Unfortunately, the review model could not be persuaded to print anything at all. As this was sent to us only a day or so before this report was due we have not had the opportunity to let Texas Instruments comment upon this failure.

## Overall Opinion

In conclusion I can only say that I have enjoyed having the TI 99/4A in my home; my children, aged six and 7 years old, have enjoyed both the games and the educational modules. Although the younger child could cope rather easily with all but the grammar module, it has been educational to see just how the use of the computer can hold the interest and in turn make young children aware of computers.

I could find no single major fault with the TI 99/4A but that it might flounder as a complete system. As a home entertainment unit that can also be used as a comprehensive computer it is fine, but I feel that overall, people will think twice before purchasing a complete system.



# sinclair ZX81 PERSONAL COMPUTER





# Sinclair ZX81 Personal Computer the heart of a system that grows with you.

1980 saw a genuine breakthrough – the Sinclair ZX80, world's first complete personal computer for under £100. Not surprisingly, over 50,000 were sold.

In March 1981, the Sinclair lead increased dramatically. For just £69.95 the Sinclair ZX81 offers even more advanced facilities at an even lower price. Initially, even we were surprised by the demand – over 50,000 in the first 3 months!

Today, the Sinclair ZX81 is the heart of a computer system. You can add 16-times more memory with the ZX RAM pack. The ZX Printer offers an unbeatable combination of performance and price. And the ZX Software library is growing every day.

## Lower price: higher capability

With the ZX81, it's still very simple to teach yourself computing, but the ZX81 packs even greater working capability than the ZX80.

It uses the same micro-processor, but incorporates a new, more powerful 8K BASIC ROM – the 'trained intelligence' of the computer. This chip works in decimals, handles logs and trig, allows you to plot graphs, and builds up animated displays.

And the ZX81 incorporates other operation refinements – the facility to load and save named programs on cassette, for example, and to drive the new ZX Printer.



**New BASIC manual**

Every ZX81 comes with a comprehensive, specially-written manual – a complete course in BASIC programming, from first principles to complex programs.

## Kit: £49.<sup>95</sup>

### Higher specification, lower price – how's it done?

Quite simply, by design. The ZX80 reduced the chips in a working computer from 40 or so, to 21. The ZX81 reduces the 21 to 4!

The secret lies in a totally new master chip. Designed by Sinclair and custom-built in Britain, this unique chip replaces 18 chips from the ZX80!

### New, improved specification

- Z80A micro-processor – new faster version of the famous Z80 chip, widely recognised as the best ever made.
- Unique 'one-touch' key word entry: the ZX81 eliminates a great deal of tiresome typing. Key words (RUN, LIST, PRINT, etc.) have their own single-key entry.
- Unique syntax-check and report codes identify programming errors immediately.
- Full range of mathematical and scientific functions accurate to eight decimal places.
- Graph-drawing and animated-display facilities.
- Multi-dimensional string and numerical arrays.
- Up to 26 FOR/NEXT loops.
- Randomise function – useful for games as well as serious applications.
- Cassette LOAD and SAVE with named programs.
- 1K-byte RAM expandable to 16K bytes with Sinclair RAM pack.
- Able to drive the new Sinclair printer.
- Advanced 4-chip design: micro-processor, ROM, RAM, plus master chip – unique, custom-built chip replacing 18 ZX80 chips.



## Built: £69.<sup>95</sup>

### Kit or built – it's up to you!

You'll be surprised how easy the ZX81 kit is to build: just four chips to assemble (plus, of course the other discrete components) – a few hours' work with a fine-tipped soldering iron. And you may already have a suitable mains adaptor – 600 mA at 9 V DC nominal unregulated (supplied with built version).

Kit and built versions come complete with all leads to connect to your TV (colour or black and white) and cassette recorder.





# uter-



## Available now- the ZX Printer for only £49.<sup>95</sup>

Designed exclusively for use with the ZX81 (and ZX80 with 8K BASIC ROM), the printer offers full alpha-numerics and highly sophisticated graphics.

A special feature is COPY, which prints out exactly what is on the whole TV screen without the need for further instructions.

At last you can have a hard copy of your program listings – particularly useful when writing or editing programs.

And of course you can print out your results for permanent records or sending to a friend.

Printing speed is 50 characters per second, with 32 characters per line and 9 lines per vertical inch.

The ZX Printer connects to the rear of your computer – using a stackable connector so you can plug in a RAM pack as well. A roll of paper (65 ft long x 4 in wide) is supplied, along with full instructions.

## 16K-byte RAM pack for massive add-on memory.

Designed as a complete module to fit your Sinclair ZX80 or ZX81, the RAM pack simply plugs into the existing expansion port at the rear of the computer to multiply your data/program storage by 16!

Use it for long and complex programs or as a personal database. Yet it costs as little as half the price of competitive additional memory.

With the RAM pack, you can also run some of the more sophisticated ZX Software – the Business & Household management systems for example.

# sinclair

## ZX81

6 Kings Parade, Cambridge, Cambs., CB2 1SN.  
Tel: (0276) 66104 & 21282.

### How to order your ZX81

BY PHONE – Access, Barclaycard or Trustcard holders can call 01-200 0200 for personal attention 24 hours a day, every day.

BY FREEPOST – use the no-stamp-needed coupon below. You can pay

by cheque, postal order, Access, Barclaycard or Trustcard.

EITHER WAY – please allow up to 28 days for delivery. And there's a 14-day money-back option. We want you to be satisfied beyond doubt – and we have no doubt that you will be.

To: Sinclair Research, FREEPOST, Camberley, Surrey, GU15 3BR.

Qty	Item	Code	Item price £	Total £
	Sinclair ZX81 Personal Computer kit(s). Price includes ZX81 BASIC manual, excludes mains adaptor.	12	49.95	
	Ready-assembled Sinclair ZX81 Personal Computer(s). Price includes ZX81 BASIC manual and mains adaptor.	11	69.95	
	Mains Adaptor(s) (600 mA at 9 V DC nominal unregulated).	10	8.95	
	16K-BYTE RAM pack.	18	49.95	
	Sinclair ZX Printer.	27	49.95	
	8K BASIC ROM to fit ZX80.	17	19.95	
	Post and Packing.			2.95

☐ Please tick if you require a VAT receipt

TOTAL £

\*I enclose a cheque/postal order payable to Sinclair Research Ltd, for £

\*Please charge to my Access/Barclaycard/Trustcard account no.

\*Please delete/complete as applicable.

Please print.

Name: Mr/Mrs/Miss

Address:

FREEPOST – no stamp needed.

COT 04



# How the ZX81 compares with other personal computers

SYSTEM IDENTIFICATION		ZX81	ZX80	ACORN ATOM	APPLE II PLUS	PET 2001	TRS 80 LEVEL I	TRS 80 LEVEL II
ROM		8K	4K	8K	8K	14K	4K	12K
GUIDE PRICE	Basic unit - inc. VAT	£70	£100	£175	£630	£435	£290	£375
	Unit plus 16K RAM (*12K RAM)	£120	£150	£285*	£630	£530	£360	£375
COMMANDS	LIST, LOAD, NEW, RUN, SAVE	•	•	•	•	•	•	•
STATEMENTS	PRINT, INPUT, LET, GOTO, GOSUB/RETURN, FOR/NEXT IF/THEN	•	•	•	•	•	•	•
	STEP	•		•	•	•	•	•
	TAB	•			•	•	•	•
		•			•	•	•	•
ARITHMETIC	ABS, RND	•	•	•	•	•	•	•
FUNCTIONS	INT	•			•	•	•	•
	ATN, COS, EXP, LOG, SGN, SIN, SQR, TAN	•			•	•		•
	ARCSIN, ARCOS	•						
STRING FUNCTIONS	CHR\$	•	•		•	•		•
	LEN	•		•	•	•		•
	ASC(CODE), STR\$, VAL, INKEY\$	•			•	•		•
NUMBERS	FLOATING PT $\pm 10^{-38}$	•			•	•	•	•
	INTEGERS		•	•	•	•		•
NUMERIC VARIABLES	A-Z			•			•	
	AA-ZØ				•	•		•
	An-Zn, n=any alphanumeric string	•	•					
STRING VARIABLES	AS & BS						•	
	AS to Z\$	•	•	•				
	An\$ to Zn\$ n=any alphanumeric character				•	•		•
NUMERIC ARRAYS	SINGLE DIMENSIONAL		•	•			•	
	MULTI DIMENSIONAL	•			•	•		•
DISPLAY	ROWS	24	24	16	24	25	16	16
	COLUMNS	32	32	32	40	40	64	64
	LOW RES GRAPHICS (<7000 pixels)	•	•	•	•	•	•	•
	HI RES GRAPHICS (>40000 pixels)			•	•			
SPECIAL	USR (CALL, LINK)	•	•	•	•	•		•
FEATURES	PEEK, POKE (OR EQUIV)	•	•	•	•	•		•

## Sinclair software on cassette.




The unprecedented popularity of the ZX Series of Sinclair Personal Computers has generated a large volume of programs written by users.

Sinclair has undertaken to publish the most elegant of these on pre-recorded cassettes. Each program is carefully vetted for interest and quality, and then grouped with others to form single-subject cassettes.

Software currently available includes games, junior education, and business/household management systems. You'll receive a Sinclair ZX Software catalogue with your ZX81 - or see our separate advertisement in this magazine.

## The ultimate course in ZX81 BASIC programming.




Some people prefer to learn their programming from books. For them, the ZX81 BASIC manual is ideal.

But many have expressed a preference to learn *on* the machine, *through* the machine. Hence the new cassette-based ZX81 Learning Lab.

The package comprises a 160-page manual and 8 cassettes. 20 programs, each demonstrating a particular aspect of ZX81 programming, are spread over 6 of the cassettes. The other two are blank practice cassettes.

Full details with your Sinclair ZX81.

## If you own a Sinclair ZX80...



The new 8K BASIC ROM used in the Sinclair ZX81 is available to ZX80 owners as a drop-in replacement chip. (Complete with new keyboard template and operating manual.)

With the exception of animated graphics, all the advanced features of the ZX81 are now available on your ZX80 - including the ability to drive the Sinclair ZX Printer.

# sinclair ZX81

6 Kings Parade, Cambridge, Cambs., CB2 1SN.  
Tel: (0276) 66104 & 21282.



## Can computer programs make decisions for you? IF you give them the right command THEN they can!

**T**his month we take you one step further and, if I may completely butcher a well-known quote, 'one small step for the computer but a giant stride for the programmer'; the step referred to is the use of the BASIC statement IF... THEN. This, more than any other command/statement, opens up possibilities for the programmer only previously dreamed about! It enables you to program your computer to take decisions and then act according to the decision taken. IF... THEN is also referred to as conditional branching. It is rather like walking down a road until you come to a fork; you may go either left or right. What determines your decision? If there is a fire breathing dragon strolling towards you on the left hand path THEN you are going to take the right hand path unless, of course, you happen to be wearing your asbestos suit today! In other words you have a choice, and the relevant condition or conditions determine your future action.

### In Operation

If you cast your mind back to the first FIRST BYTES we briefly mentioned operators...  $+ - / * > < =$ , the first four are used in arithmetical calculations, the  $=$  is used both to assign a value to a variable with the conditional operators to instruct the program whether a 'dragon' is round the next corner or not! Let us look at how these conditional operators may be used:

```
IF X = Y THEN 200
IF X is equal to Y THEN GOTO line 200
IF X > Y THEN 200
IF X is greater than Y THEN GOTO line 200
IF X < Y THEN 200
IF X is less than Y THEN GOTO line 200
IF X >= Y THEN 200
IF X is greater than or equal to Y THEN
GOTO line 200
IF X <= Y THEN 200
IF X is less than or equal to Y THEN GOTO
line 200
IF X <> Y THEN 200
IF X is not equal to Y THEN GOTO line 200
```

Each of the above sets a condition IF  $X = Y$ , IF  $X > Y$ , etc. If this condition is 'true', the program will execute what is to the right of THEN. If the condition is not true then the execution of the program will pass to the next line in the program.

The following example simply

prints the square root of a specified number, the IF... THEN statement checks to see that the number is valid, ie not negative.

```
10 INPUT X
20 IF X<0 THEN 10
30 PRINT X*.5
40 END
```

If the number is negative, the condition set in line 20 is true and program execution is directed back to line 10 where a new number is requested. If the number is not negative, that portion of line 20 to the right of THEN is *not* actioned and the program continues to line 30. All computers will accept a line number following THEN, some will also accept other statements. The example above may then be written:

```
10 INPUT X
20 IF X>0 THEN PRINT X*.5
30 GOTO 10
40 END
```

With this version, once it is RUN, the computer is in an endless loop as whatever number is INPUT, line 30 will direct program execution back to line 10. An infinite number of square roots may then be calculated with only the number X being keyed in! To break this loop you will have to key in BREAK or ESCAPE although some computers will break out of a loop if RETURN is keyed when an INPUT is requested... some politely inform you that you have pressed the wrong key and continue to request an INPUT! Care must always be taken when using GOTOs; 1) they can lead all too easily to infinite loops and 2) they can lead to sloppy programming; there is nothing wrong with using GOTO but always look carefully to see if your program may be rearranged to eliminate its use.

### A Practical Problem

The following example shows how the computer will take decisions and act on that decision until a certain set of circumstances defined within the program tell it to stop. The routine is a very crude attempt at solving a simple equation:

```
10 PRINT "SOLUTION OF X^2-A*X-A=0"
20 INPUT "WHERE A IS +VE =";A
30 X=0.1
40 Y=X^2-A*X-A
50 IF X>=0 THEN 80
60 X=X+.01
70 GOTO 40
80 PRINT "MY BEST SOLUTION IS"
90 PRINT "X=";X;" WHERE X^2-";A;
  "X=";A;"=";Y
100 END
```

Although this program would win no prizes for solving the equation given, it does demonstrate how the computer can be programmed to find a solution to a problem and if that solution is not the best it can manage, it will alter the parameters and try again. Lines 30 and 50 determine the limits of the computer's solution; line 30 says that the smallest value of X is to be 0.1 and line 50 says that if Y is greater than or equal to zero, the computer must display its current solution for X. Assuming the initial value of X is smaller than the required result, it then works out the value of the equation for this initial value (0.1). If the result is less than zero then line 60 adds a small increment (0.01) to the value of X and the execution of the program is returned to line 40. The program continues within this loop until the conditions set in line 50 are satisfied; at which point the computer's result is displayed. The value of Y is displayed to give an indication of how accurate the result for X has been.

A point to note is that, although many of these examples call for an INPUT of one or more numbers, in practice these routines or others like them would be part of a much larger program — the variables having been determined by some earlier part of the program.

### Twin Tests

Often more than one test has to be performed to solve a particular problem. The following routine will tell you which of two numbers is the largest and by what percentage:

```
10 INPUT "X=";X
20 INPUT "Y=";Y
30 IF X=Y THEN PRINT "X=Y":END
40 IF X>Y THEN A=X/Y:Z$="X":
  GOTO 60
50 A=Y/X:Z$="Y"
60 PRINT Z$;" IS GREATER BY ";
  A*100-100;" PERCENT"
70 END
```

This routine assumes that the computer can accept multiple statements on one program line (the colon : separates the statements); if this were not the case then the routine would look like this from line 30:

```
30 IF X=Y THEN 120
40 IF X>Y THEN 80
50 A=X/Y
60 Z$="Y"
70 GOTO 100
80 A=Y/X
90 Z$="X"
```



```
100 PRINT Z$;" IS GREATER BY ;
    A*100-100;" PERCENT"
110 END
120 PRINT "X=Y"
130 END
```

There is no need to test whether Y is greater than X because this must be the case if the conditions set in lines 30 and 40 are not satisfied. Z\$ and A are assigned to enable us to utilise a single PRINT statement and eliminate the GOTOs which would otherwise be needed. Line 30 has what, in other circumstances, could be a dangerous condition, ie IF X = Y. Be very careful in using the condition '=', in performing some calculations the computer may very well produce a result of 5.999999999 instead of the expected answer of 6. If you have a program line:

```
60 IF X=6 THEN 100
```

you might wonder why your program was taking so long in solving what you thought was a short simple operation... The fact is that it did solve it ages ago but because the exact condition  $X = 6$  did not occur, it is still trying to please its operator by ploughing its way through the known universe trying to get there!

A much safer condition is:

```
60 IF X>=6 THEN 100
```

## Stringing It Along

IF...THEN statements may also be used with string variables; both the following are acceptable:

```
70 IF XS="JOHN" THEN 150
70 IF XS=NS THEN 150
```

You may wish to give the operator a choice, the choice being made by pressing a particular key:

```
100 PRINT "YOU ARE IN A DUNGEON"
110 PRINT "YOU MAY GO....."
120 PRINT "LEFT....(L)"
130 PRINT "RIGHT....(R)"
140 PRINT "UP.....(U)"
150 PRINT "KEY IN YOUR CHOICE
    (L,R,U)"
160 INPUT XS
170 IF XS="R" THEN 100
180 IF XS<>"U" THEN 210
190 PRINT "YOU ARE IN A DARK HALL"
200 GOTO 110
210 PRINT "YOU WERE JUST EATEN BY A
    DRAGON"
220 END
```

Unfortunately, this little program is somewhat limited... you can only go round in circles or be eaten by the dragon!

Two other instruction words are often found in conjunction with IF...THEN statements. These are

OR and AND; they qualify or add to the conditions set by an IF...THEN statement so:

```
60 IF A>B OR A>C THEN 100
60 IF A>B AND A<C THEN 200
```

Using OR, the instructions to the right of THEN will be actioned if either or both conditions are fulfilled. AND demands that both conditions are fulfilled. An example of the use of OR is given in line 50 of this routine to check whether a triangle is right-angled.

```
10 PRINT "ENTER THE LENGTHS IN
    WHOLE NUMBERS"
20 PRINT "OF THE SIDES OF THE
    TRIANGLE"
30 INPUT A,B,C
40 X=A^2:Y=B^2:Z=C^2
50 IF X+Y=Z OR X+Z=Y OR Y+Z=X THEN
    80
60 PRINT "THIS IS NOT A RIGHT
    ANGLED TRIANGLE"
70 END
80 PRINT "...THIS IS A RIGHT
    ANGLED TRIANGLE"
90 END
```

To get a computer to do some real 'thinking' and able to make decisions from its own programs, is one of the most important steps towards successful programming. The next is to make our programs fool-proof.

## ★ NEW BROOM FOR EPROMS ★ TEX ERASER SWEEPS CLEAN!

**EPROMPT is Prompt Enough!**



Eproms need careful treatment to survive their expected lifetime. Rushing it could burn their brains out. So cop-out of this helter-skelter world; take it easy the TEX way and give your chips a well-earned break. Cool, gentle and affordable; EPROMPT does it properly.

★ 16-chip basic economy EPROMPT EB: £33 nett; £40 c.w.o. ★  
★ 32-chip interlocked de-luxe EPROMPT GT: £40 nett; £49 c.w.o. ★



**TEXTIME**  
is  
**Tea-Break Time!**

Our EPROMPT needs just half-an-hour to finish its job; this is the proper erase time for all Eproms. While it's busy you may as well take a break yourself, but don't take too long without a timer on the job; over-erasing can shorten data storage time. So our TEXTIME will remember to turn out the light and your chips will forget nothing new.

★ 30-minute solid-state TEXTIME M30: £15 nett; £19 c.w.o. ★  
★ ★ ★ Special Offer EB + M30: £47 nett; £57 c.w.o. ★ ★ ★  
★ ★ ★ Special Offer GT + M30: £54 nett; £66 c.w.o. ★ ★ ★

★ We also stock SOFTY 2 Intelligent Eprom Programmer at £169 or less ★  
We manufacture in the U.K. and sell direct. Write post-free to: Room 12

**TEX MICROSYSTEMS LTD. FREEPOST**  
ST. ALBANS, HERTS. AL1 1BR ST. ALBANS 64077/TRING 4797 ANYTIME

## WARD ELECTRONICS

**apple computer**  
SALES AND SERVICE



The powerful and versatile Apple II for Business, Education and Leisure. Excellent handbooks cover all aspects of the system. Expansion capability allows system to grow to meet your needs. TV compatible with UHF Modulator.

Let us quote you for your Apple needs, disk drives, software etc. Epson printers C12 cassettes 55p ea. Discs £2.95 ea. Video monitors for Apple/TRS80 etc. from £77.40

**GENIE SERIES COMPUTERS**



Prices start at £270

**VIC JOYSTICK £6.50**

**VIC 20 £165**

**+ VAT = 189.95**

**VIC Peripherals**

★ Programs

★ Books

★ Games

★ RAM Packs

★ Mini Floppy

★ Disc Units

★ Game Paddles

★ BASIC Course

★ Advanced

Programming Course

Molimerx software for Genie/TRS80

Expansion box

down in price

32K box £200

Disc drives

EG400 £220


Genie/TRS80

**Computer Books — popular titles for programs, games, business, education and systems design.**

**PLEASE ADD VAT TO PRICES AT APPLICABLE RATE**

9am-5pm Tues-Sat.  
Closed Mondays.

**WARD ELECTRONICS**



**First Floor**  
**Soho House,**  
**362-364, Soho Road,**  
**Handsworth,**  
**Birmingham B21 9QL.**  
**Tel. 021-554-0708.**



# aculab

## floppy tape,

The tape that behaves like a disc,  
For TRS-80 LEVEL II and Video Genie.

Connects directly to TRS-80 Level 2 Keyboard. Operating and file handling software in ROM. 8 commands add 12 powerful functions to Level 2 BASIC. No buttons, switches or volume controls. Full control of all functions from Keyboard or program. Daisy chain multiple drives. Certified digital tape in endless loop cartridges. Reads and writes in FM format at 9000 Baud. Soft sector with parity and checksum error detection for highly reliable operation—just like discs. Maintains directory with up to 32 files on each tape, tapes may be write-protected. Supports Basic and machine-language program files, memory image and random access data files. 12 character filespecs—: "FILENAME/EXT:d" (d is drive no. 0-7). Automatic keyboard debounce. Full manual with programming examples and useful file-handling routines.

**COMMANDS** (usually followed with a filespec and possible parameter list).

**@SAVE, @LOAD, @RUN** —for BASIC programs, machine language programs and memory image files. **@GET, @PUT** —moves a 256-byte record between a random access file and BASIC's data buffer. **@KILL** —removes a file from the directory and releases tape sectors for immediate re-use. **@LIST** —displays file directory along with sector allocation and free sectors. **@NEW** —formats tape and creates a blank directory.

**Master drive with PSU, Manual and a selection of tapes.**

**For TRS-80 £169-00, for Video Genie £174-00.**

**Slave drives £125-00. (add £2-00 p.p. + vat).**

(Export orders pp charged at cost)



For further  
information,  
Telephone  
**0525 371393**

**aculab** Ltd.  
24 Heath Road,  
Leighton Buzzard,  
Beds. LU7 8AB

## Knights T.V. & COMPUTERS

### ARE KNIGHTS MAD? — SHARP MZ80B £899

Dear Microfrans,

At a recent Sharp Dealers meeting it was suggested that Knights were made to sell the MZ-80B at £899. Only one dealer supported us by indicating that he too wanted to cut the price — the other 70 plus wanted to get the full £1045 + VAT. OK I confess I'm mad. Mad enough to sell the MZ-80B for £899. Mad enough to have written our KNIGHT COMMANDER for the B (it adds renumber, trace, dump variables, single step etc to Basic). Mad enough to have written a B assembler and 100 other programs for the MZ-80B. Mad enough to be just back from our second visit to Japan in six months thus ensuring our customers have exclusive Sharp items. Mad enough to sell the MZ-80K with 48K RAM, Basic and Pascal for £345 or at £399 with BASIC, PASCAL, FORTRAN, FORTH, and Machine code languages. Mad enough to have sold Sharp for eight years and **never** ever to have charged for any servicing to any of our Sharp customers.

Write for our latest price lists, software catalogue and a copy of our latest newsletter which details the new single floppy, the PC1510 hand held micro and colour printer plus all the latest news from Japan which the saner dealers are still waiting to hear about.

Happy computing, from Graham Knight.

**KNIGHTS TV AND COMPUTERS, 108 Rosemount Place, Aberdeen. Telephone 0224 630526.**

## VIDEO GENIE and TRS80

### THE ROM-VIDEO GENIE & TRS 80 (3 ROM Models)

*Are you fed up of loading a lower case drive every time you switch on? — Want your name inside our computer — Better loading (TRS80) — Sick of bouncy keyboards-s!*

*You need our new ROM—simply remove old—plug in new.*

- 1) Firmware driver for lower case
  - 2) Security code displays—(your name & post code?)—up to 21 characters
  - 3) Improved tape loading
  - 4) Alleviates repeating characters (key-bounce)
  - 5) Checks for feature ROMS
- £14.95 + VAT + P&P (80p)**

### FEATURE ROMS £18.95 + VAT + P&P A series of ROMS starting with FEATURE 'A'

- 1) Single keystroke commands e.g. Shift A — Auto etc.
- 2) Flashing cursor (can be toggled on/off)
- 3) Repeating characters—with delay—(toggle)
- 4) Machine code monitor and editor
- 5) System load and save for backing up those system Programs —uses no RAM and so can deal with a FULL 16K program

### NEW

- FEATURE 'B'—extended basic**
- 1) Merge—two basic programs to one
  - 2) Renumber
  - 3) Screen print
  - 4) Various basic tools PLUS

### General Northern Microcomputers (GNOMIC)

46 Middle Street, Blackhall, Hartlepool, Cleveland. Tel. Peterlee (0783) 863871

### Plug on for feature ROMS

Now you can simply plug on the back of your computer, insert ROM and away you go.

**VG £29.95 inc. ROM A + VAT + P&P**  
**TRS80 £34.50 + VAT + P&P (80p)**

**48K RAM—internal**  
**TRS80 & VG £43.50 + VAT + P&P (80p)**

Plug in our modules. Connect three wires (VG) or five (TRS80). You are not required to piggyback chips. Keep your old RAM (or sell it!). Compatible with expansion.

### HIGH SPEED CASSETTE

Plug onto 5700 Baud—11 times normal!! Galaxy in 17 seconds. Full load and save facilities—uses external cassette recorder—very reliable. **£55 + VAT + P&P**

### ELECTRIC PENCIL (modifications)

Uses no control key—works with Genie.  
**£25.00 + VAT + P&P**

**TELEPRINTER** interface and software to drive Creed 7E. **VG £35.00 + VAT**

**LOWER CASE HARDWARE** (VG & TRS80)  
Unplug two IC's, plug in two modules, connect three wires—EASY!  
**£19.00 + VAT + P&P**

### BOOKS

"Disassembled Handbook for TRS80"—A Self Teach—Series of Books—Written by Bob Richardson of New York. Very well received by U.S. Reviewers, **Essential** Reading for TRS80, Video Genie & Radio Hams.

- Vol. 1 Decoding the ROM & Calls, etc. **£6.45**  
Vol. 2 Using Calls, to shorten programs, etc. **£8.75**  
Vol. 3 D/A—AD, Spooling, etc. **£10.50**  
Vol. 4 Teletype, Morse Techniques **14.50**  
Vol. 5 Voice Systems **TBA**

+ Much else in each volume.

Various Books—Lists on application.

+ VG—Expansion—Disk Drives—Printers, etc. Details on application.

Access and Barclaycard accepted.



**ATTENTION**

# NASCOM USERS

**ATTENTION**

Ikon Computer Products pioneers in product development have broken the £100 barrier in data storage systems.

The HOBBIT CASSETTE system is available at only £99 plus VAT. This ready built, but unboxed, data storage system is based on a Phillips Mini Cassette with drive unit, interface board, firmware (in 2 2708's), manual, cassette with 100K storage, transfer speed of 750 bytes/sec. The Hobbit is compatible with all Nascom Computers and Monitors.

**£99**

**IKON — Sophistication at a realistic price**

**£99**

£113.85 (incl. VAT) for the Hobbit Unit available from:

**IKON Computer Products**

**Kiln Lake**

**Laugharne**

**Carmarthen**

**DYFED**

**Tel: (099 421) 515**

## MICROGEN ZX81 QUALITY PROGRAMMES

### ZX81 CHESS

#### LOOK AT THESE FEATURES

- ★ Graphic display of positions on chess board
- ★ Displays separate record of your move and the computers
- ★ Written in superfast machine code
- ★ Plays all legal moves including castling and enpassant but if an illegal move is entered will answer illegal move
- ★ Six levels of play
- ★ Random weighting computer doesn't always play the same move in an identical situation.
- ★ Board can be set up to any configuration and you can even after or exchange sides in midgame.
- ★ Amazing power in 10K of memory

#### PLUS CHESS CLOCK!

- ★ Records and display time taken per player
- ★ Resettable function
- ★ Single key entry

**NOW ONLY £6.50 + 40p P&P**

### ZX NEW YORK

Can you bomb and blow up your targets before your plane loses altitude and crashes

★ Superb graphics ★ Superfast machine code  
★ Score continuously incremented ★ Displays highest score of previous games ★ Simulated bombs & rockets.

#### + ZX REFLEX

Are you as fast as you thought? Find out with this game!

**NOW ONLY £3.95 + 40p P&P**

Please note we also supply Hilderbay Professional Business software. Details on application. Cheques and postal orders payable to

**Micro Gen Dept C.T.  
24 Agar Crescent  
Bracnall  
Berks.**



# Make the most of your Sinclair ZX Computer...

# Sinclair ZX software on cassette.

## £3.<sup>95</sup> per cassette.

The unprecedented popularity of the ZX Series of Sinclair Personal Computers has generated a large volume of programs written by users.

Sinclair has undertaken to publish the most elegant of these on pre-recorded cassettes. Each program is carefully vetted for interest and quality, and then grouped with other programs to form a single-subject cassette.

Each cassette costs £3.95 (including VAT and p&p) and comes complete with full instructions.

Although primarily designed for the Sinclair ZX81, many of the cassettes are suitable for running on a Sinclair ZX80 – if fitted with a replacement 8K BASIC ROM.

Some of the more elaborate programs can be run only on a Sinclair ZX Personal Computer augmented by a 16K-byte add-on RAM pack.

This RAM pack and the replacement ROM are described below. And the description of each cassette makes it clear what hardware is required.

### 8K BASIC ROM

The 8K BASIC ROM used in the ZX81 is available to ZX80 owners as a drop-in replacement chip. With the exception of animated graphics, all the advanced features of the ZX81 are now available on a ZX80 – including the ability to run much of the Sinclair ZX Software.

The ROM chip comes with a new keyboard template, which can be overlaid on the existing keyboard in minutes, and a new operating manual.

### 16K-BYTE RAM pack

The 16K-byte RAM pack provides 16-times more memory in one complete module. Compatible with the ZX81 and the ZX80, it can be used for program storage or as a database.

The RAM pack simply plugs into the existing expansion port on the rear of a Sinclair ZX Personal Computer.



### Cassette 1 – Games

For ZX81 (and ZX80 with 8K BASIC ROM)

ORBIT – your space craft's mission is to pick up a very valuable cargo that's in orbit around a star.

SNIPER – you're surrounded by 40 of the enemy. How quickly can you spot and shoot them when they appear?

METEORS – your starship is cruising through space when you meet a meteor storm. How long can you dodge the deadly danger?

LIFE – J.H. Conway's 'Game of Life' has achieved tremendous popularity in the computing world. Study the life, death and evolution patterns of cells.

WOLFPACK – your naval destroyer is on a submarine hunt. The depth charges are armed, but must be fired with precision.

GOLF – what's your handicap? It's a tricky course but you control the strength of your shots.

### Cassette 2 – Junior Education: 7-11-year-olds

For ZX81 with 16K RAM pack

CRASH – simple addition – with the added attraction of a car crash if you get it wrong.

MULTIPLY – long multiplication with five levels of difficulty. If the answer's wrong – the solution is explained.

TRAIN – multiplication tests against the computer. The winner's train reaches the station first.

FRACTIONS – fractions explained at three levels of difficulty. A ten-question test completes the program.

ADDSUB – addition and subtraction with three levels of difficulty. Again, wrong answers are followed by an explanation.

DIVISION – with five levels of difficulty. Mistakes are explained graphically, and a running score is displayed.

SPELLING – up to 500 words over five levels of difficulty. You can even change the words yourself.

### Cassette 3 – Business and Household

For ZX81 (and ZX80 with 8K BASIC ROM) with 16K RAM pack

TELEPHONE – set up your own computerised telephone directory and address book. Changes, additions and deletions of up to 50 entries are easy.

NOTE PAD – a powerful, easy-to-run system for storing and

retrieving everyday information. Use it as a diary, a catalogue, a reminder system, or a directory.

BANK ACCOUNT – a sophisticated financial recording system with comprehensive documentation. Use it at home to keep track of 'where the money goes,' and at work for expenses, departmental budgets, etc.

### Cassette 4 – Games

For ZX81 (and ZX80 with 8K BASIC ROM) and 16K RAM pack

LUNAR LANDING – bring the lunar module down from orbit to a soft landing. You control attitude and orbital direction – but watch the fuel gauge! The screen displays your flight status – digitally and graphically.

TWENTYONE – a dice version of Blackjack.

COMBAT – you're on a suicide space mission. You have only 12 missiles but the aliens have unlimited strength. Can you take 12 of them with you?

SUBSTRIKE – on patrol, your frigate detects a pack of 10 enemy subs. Can you depth-charge them before they torpedo you?

CODEBREAKER – the computer thinks of a 4-digit number which you have to guess in up to 10 tries. The logical approach is best!

MAYDAY – in answer to a distress call, you've narrowed down the search area to 343 cubic kilometers of deep space. Can you find the astronaut before his life-support system fails in 10 hours time?

### Cassette 5 – Junior

Education: 9-11-year-olds  
For ZX81 (and ZX80 with 8K BASIC ROM)

MATHS – tests arithmetic with three levels of difficulty, and gives your score out of 10.

BALANCE – tests understanding of levers/fulcrum theory with a series of graphic examples.

VOLUMES – 'yes' or 'no' answers from the computer to a series of cube volume calculations.

AVERAGES – what's the average height of your class? The average shoe size of your family? The average pocket money of your friends? The computer plots a bar chart, and distinguishes MEAN from MEDIAN.

BASES – convert from decimal (base 10) to other bases of your choice in the range 2 to 9.

TEMP – Volumes, temperatures – and their combinations.

### How to order

Simply use the order form below, and either enclose a cheque or give us the number of your Access, Barclaycard or Trustcard account. Please allow 28 days for delivery. 14-day money-back option.

## **sinclair** **ZX SOFTWARE**

Sinclair Research Ltd,  
6 Kings Parade, Cambridge,  
Cambs., CB2 1SN. Tel: 0276 66104.

To: Sinclair Research, FREEPOST, Camberley, Surrey, GU15 3BR. Please print  
Please send me the items I have indicated below.

Qty	Code	Item	Item price	Total
	21	Cassette 1 – Games	£3.95	
	22	Cassette 2 – Junior Education	£3.95	
	23	Cassette 3 – Business and Household	£3.95	
	24	Cassette 4 – Games	£3.95	
	25	Cassette 5 – Junior Education	£3.95	
	17	*8K BASIC ROM for ZX80	£19.95	
	18	*16K RAM pack for ZX81 and ZX80	£49.95	
		*Post and packing (if applicable)	£2.95	
		Total £		

\*Please add £2.95 to total order value only if ordering ROM and/or RAM.

I enclose a cheque/PO to Sinclair Research Ltd for £

Please charge my Access\*/Barclaycard/Trustcard no.

\*Please delete as applicable.

Name: Mr/Mrs/Miss

Address:



# A NEW FAD?

**New languages seem to arise every month these days. Many are simply 'better' versions of old favourites, others completely fresh approaches to problems.**

**D**espite its relatively recent launch in the USA the programming language FAD-T is soon to be made available in the UK. The language is primarily known by the name HI-CON after its application in high level control. Now re-named after its inventor, Thomas F Aldrick, the latest implementations have overcome many of the teething troubles associated with the use of a nine-bit word.

## Overview

FAD-T is an interpreted language and is somewhat similar to BASIC in many of its structures. Table 1 gives a list of the standard FAD-T commands as defined by the 1980 Committee.

The self-interpreting code resides in some 8K of EPROM and it is essential that an EPROM programmer be wired into the system so that the source code can reprogram itself at run-time.


Each input line is scanned on entry and compiled into object code which resides in PROM rather than the more conventional RAM. This saves considerable development time for process control and similar systems because the testing processes and debugging can be performed on-line rather than having to produce complex simulations of the appropriate plant.

As in BASIC each line of code is preceded by a line number but only seven even numbers will be executed at run-time thus allowing copious space for comments. Unlike BASIC, these comments will not affect the running speed of the program because they are never accessed by the interpreter — they will however take memory space.

One of the most powerful standard features of the language is that all I/O can be directly memory mapped and there is virtually no restriction to the number of addresses that can be allocated to I/O devices. The following line of code shows a typical example of device allocation:

```
1 THIS IS A DEMONSTRATION
2 OUTPT < THIS IS A TEST >
5 TERMINATE PROGRAM
10 END
```

Variables can be any length but only the first nine characters are significant and these must be alphabetic. The FAD-T command IS AT assigns the address to the



variable. One other point worthy of note is that all numbers other than line numbers must be specified to base 9, the one remaining hangover to the days of the nine-bit processor systems. An upgrade to eight-bits is promised for the second half of this year. It is also hoped to include a floating point package rather than the current integer only.

## Programming In FAD-T

Because of FAD-T's exceptional efficiency, programs must be entered very carefully and in order to ensure absolute accuracy, all lines of code must be entered twice.

Program storage is currently limited to tape using the DUMP and RESTORE commands but there is currently a small bug in the handling routine. Work is currently in progress to upgrade this to a major feature and when complete it will be included in the upgrade kit mentioned earlier.

A number of special enhancements have been made to the current version and among these are the extra commands listed in Table 2.

One interesting method of speeding up the task of program input offered on this version is that all commands can be abbreviated to their first letter followed by all the remaining vowels; tokenisation with a difference!

## Coming Soon

Apart from the upgrade kit, a number of extensions to FAD-T are scheduled for 1982 and these included Rope Handling, Loofa Pril and Word Processing facility — the word to be processed has yet to be chosen.

Further information on the product can be obtained from the FAD-

T Handbook by W E R Tyup published by Columbia Print and now a rather out of date article in the April issue of Computing Today.

RUN	Executes program.
WALK	Debugging aid that RUNS at 10th speed.
OUTPT	Prints the following literal missing any literals.
INPT	Accepts keyboard input.
GET	Reads from specified I/O port.
IS AT	Assigns I/O location.
PUT	Write to specified I/O port.
CALCULATE X	Assigns the result of the preceding formula to X. Note that the result must be used within 20 lines or it will be automatically deleted to save memory.
FORGET X	Randomly adjusts X.
GUESS X	As CALCULATE but much faster because it ignores the equation.
COME FROM XX, YY, ZZ	Similar to GOTO command found in BASIC but tags the lines from which the program jumped.
CORRUPT	Bombs the program out and simultaneously deletes all variables.

**Table 1. The standard command set supplied with FAD-T.**

IF	As in BASIC except that the command is terminated with ELSE DONT.
GO BACKWARDS	Reverses the program flow.
WAIT nn	Waits for nn milliseconds.
WAIT IF	Waits on a condition.
RAND (X)	Returns a random number between 33 and 36.
ZERO (X)	Returns X when multiplied by zero. This avoids the DIVN BY ZERO error.
LOTS (X)	Adds three insignificant digits to X.
SAME (X)	Returns the previous value of X when more than 20 lines have been executed, see CALCULATE (X).
SQR (X)	Prints a square of X. eg SQR (4) = 4444 4444 4444
INT (X)	Returns the integer value of X.

**Table 2. Extended command set offered with the UK version of FAD-T.**



# THE TRANSTEC 1200 VIDEO MONITOR.



**DEALERS  
REQUIRED  
NATIONWIDE**

## JUST £99 COMPLETE.\*

At last, a top quality green screen 12" video monitor at a really competitive price.

The Transtec 1200 has a composite video input, compatible with all micro computers and the screen gives a crisp read-out of a full 80 columns.

The unit is housed in a durable plastic cabinet with controls neatly concealed behind a hinged front-access panel.

Why pay more? Send the coupon today for full specification or better still, call us direct in Bristol.

**transtec**

13A Small Street, Bristol W1.

0272-277462

"SEND £115 (VAT, CARRIAGE INCL)  
FOR IMMEDIATE DELIVERY"

\* Vat, postage and packing not included.

I like the Transtec 1200 price — send me more data — fast.

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

Position \_\_\_\_\_

Tel: \_\_\_\_\_



# EXTRA 16K RAM FREE WITH THE NEW GENIE I

**ONLY  
£299**




**ONLY  
£299**

32K RAM, MACHINE CODE MONITOR, SOUND, LOWER CASE, UHF MODULATOR, INTEGRAL CASSETTE, RENUMBER ROUTINE.

**Centronics 737 proportional  
spacing dot-matrix printer**

**£179**



With PET interface **£399**  
Paper 9 1/2" £12/2000 sheets

**Seikosha GP80A Printer**  
30cps Dot-matrix with high-  
definition graphics only



**Only  
£339**

With PET interface **£239**  
Paper for Seikosha £12/2000 sheets

**FREE PET interface with all Epson printers**

## 40 TRACK DISC DRIVES

Fit Tandy, Genie,  
Superbrain, etc. Single

£179, DURL £349

**12 inch green, metal  
cased monitors by  
Berquist & Hobberstad**  
**£89**

**Epson Printers**  
MX8DT **£355**  
MX80F/T **£395**  
MX80F/T **£435**  
MX100 **£570**

**PET to Centronics  
interface with  
code conversion**  
(Suitable from disc or  
tape machines)  
**£59**

**MEMORY CHIPS**  
4116 — 69p  
2114 — 89p  
Resistors 7p for 5

KRAM Electronics, Victoria House, 17 Highcross St, Leicester  
Tel: Leicester 27556

**ALL PRICES PLUS V.A.T.  
AND CARRIAGE**



# WHILE WE HAVE MOMENTARY SHORTAGE ON INTERSIL COMPONENT SUPPLIES, WE MAKE THE FOLLOWING SPECIAL OFFERS:

## SPECIAL OFFER!

V.C.R. 16 (RAM CARTRIDGE FOR THE VIC 20):

16K BYTES IN ULTRA FAST CMOS RAM, EXTENDABLE TO 32K, 4 SPARE SOCKETS FOR STANDARD PREPROGRAMMED ROMs OR 2732 EPROMs –

KIT £44.00      READY BUILT £50.00 (FULLY INCLUSIVE)

## SPECIAL OFFER!

DUO 1 (DESIGNED FOR THE ATOM EXCLUSIVELY):

64K BYTES OF RELIABLE MOTOROLA RAM, USABLE FOR BASIC PROGRAMMING SUPPLIED WITH SAMPLE PROGRAMS – SINGLE 5V – 220 mA SUPPLY. NO PSU REQUIRED. CAN BE INSTALLED WITHIN MINUTES.

KIT £64.00      READY BUILT £70.00 (INCLUSIVE)

## SPECIAL OFFER!

SPECIAL RAM PACK FOR THE ZX 81:

THE BOARD IS THE SMARTEST AVAILABLE, ONLY 3" WIDE AND 4" LONG HOUSED IN A PLASTIC SLEEVE, OFFERS 48K BYTES FOR BASIC PROGRAMS, TAKES DIM A (9500), NO PSU REQUIRED. AMAZING !!!

KIT £54.00      READY BUILT £60.00 (INCLUSIVE)

## SPECIAL OFFER!

48340 BYTES FREE !!! FOR TRS 80 AND VIDEO GENIE.

KIT £40.00      READY BUILT £46.00

ALL SPECIAL OFFERS ARE EX-STOCK. NO QUANTITY DISCOUNT AVAILABLE. EXPORT AND DEALER CONDITIONS PLEASE REFER TO SALES OFFICE.

Dear Audio Computers,

☐ I am a ZX81 user,

☐ Please send me more technical details on your products.

☐ Please send me the items circled:

☐ I am using a: (please tick)

☐ Acorn Atom    ☐ Pet series...    ☐ UK101    ☐ 6502 OS1

☐ TRS 80 model... level...    ☐ Video Genie model...

☐ Please send me more technical details on your products.

☐ Please send me the items circled:

Z80A based \*

6502 based

	Kit	Ready built	Kit	Ready built
32K bytes Ram expansion	46.00	54.00	59.00	69.00
64K bytes Ram expansion		79.00		100.00
128k bytes Ram expansion		138.00		150.00
128k bytes Ram array for further expansion		110.00		110.00
16k CMOS Ram expansion	£44	£50	£44	£50
16K Eprom expansion	£30	£36	£30	£36

Prices include VAT at 15% and p&p, full documentation and warranty

\* Except special offer for 32K on Video Genie and TRS80 modules.

See above

☐ I require a VAT receipt

☐ I enclose a cheque/postal order payable to Audio Computers, for £.....

☐ Please charge to my Access/Barclaycard account no. ....

☐ Name: Mr/Ms: .....

☐ Address: .....

Mail (or post) to:

Audio Computers, 87 Bournemouth Park Road, Southend on Sea, Essex

Tel: (0702) 613081

Telex: AUDCOM 995337 G



# MICROCOMPUTER COMPONENTS

LOWEST PRICES - FASTEST DELIVERY

## SPECIAL OFFERS MEMORIES

2114L	200 ns	0.84
2708	450 ns	2.25
2716	450 ns	1.99
2532	450 ns	4.50
2732	450 ns	3.99
4116	150 ns	0.93
4116	200 ns	0.74
6116	200 ns	5.95
5516	200 ns	12.50
4118	200 ns	3.90

OFFER ENDS 14/4/82

OFFICIAL  
ORDERS  
WELCOME



24 HOUR TELEPHONE SERVICE FOR  
CREDIT CARD USERS



QUANTITY  
DISCOUNTS  
AVAILABLE

PLEASE SEND S.A.E. (20P) FOR OUR NEW 1982 CATALOGUE FREE REPLIED PAID  
ENVELOPE WITH EVERY ORDER. ALL PRICES EXCLUDE P & P ON ORDERS UNDER  
£10 (50p) AND V.A.T. (15%). ALL ORDERS DESPATCHED ON DAY OF RECEIPT WITH  
FULL REFUND FOR OUT OF STOCK ITEMS IF REQUESTED.

**MIDWICH COMPUTER CO. LTD.**  
DEPT CT, HEWITT HOUSE, NORTHGATE STREET,  
BURY ST. EDMUNDS, SUFFOLK IP33 1HQ  
TELEPHONE: (0284) 701321 TELEX: 817670

## WHY PAY MORE

NOW FANTASTIC VALUE  
FOR BOTH HOME AND BUSINESS

K120	MZ-8CK computer with BASIC & applications cassettes & manual 20K RAM	£325
K148	MZ-80K 48K RAM	£335
K210	FD Twin Floppy Disk Unit	£540
K300	I/O 5 slot expansion interface	£ 80
K310	F1/O Floppy disk interface	£ 45
K403	P3 80 char dot matrix printer	£360
S131	PASCAL cassette & manual	£ 40
S511	BASIC interpreter (disk) & manual	£ 20
S512	BASIC compiler (disk) & manual	£ 40

WIDE RANGE OF PARTS & LABOUR  
GUARANTEED SHARP PRODUCTS  
AVAILABLE - PLEASE PHONE!

PLEASE ADD VAT TO ALL PRICES

Delivery extra, Insure your computer and software  
through us. Phone now.

All major credit cards accepted

01-643 4290

**Croydon Micros**

202 Stanley Park Road, Carshalton, Surrey SM5 3JP  
CT/4/82

## FLOPPY DISKS

### 5 1/4" DISKETTES

ss/sd	£1.45 ea
ss/dd	£1.45 ea
ds/sd	2.15 ea
dd/ds	£2.15 ea

### 8" DISKETTES

ss5sd	£1.45 ea
ss/dd	£2.15 ea
ds/sd	£2.35 ea
dd/ds	£2.35 ea

Egly library type box holds 10 disks £2.30 for 5 1/4" £2.50 for 8 ins.

### MICROLINE 80

£255

• 80 cps Uni-directional • Small size: 324 (W) x 254 (D) x 108 (H) mm. • 160 Characters, 96 ASCII and 64 graphics • 3 Character sizes: 40, 80 or 132 Chars/line • Friction and Pin Feed • Low noise: 65 dB • Low weight: 6.5 kg

### MICROLINE 82

£340

• 80 cps Bi-directional logic seeking • Small size: 360 (W) x 328 (D) x 130 (H) mm • 160 character-set Variants. • Built-in parallel and serial interfaces. • Friction and Pin Feed • Low noise: 65dB • Low weight: 8kg

### MICROLINE 83

£535

• 120 cps Bi-directional logic seeking • 136 column printing on up to 15in forms • Small size: 512(W) x 328 (D) x 130 (H) mm. • 160 characters, 96 ASCII and 64 graphics with 10 National character set variants • 3 Character spacings: 5, 10 and 16.5 Char/in. • Built-in parallel and serial interfaces • Friction and Pin Feed • Low noise 65dB • Low weight: 13kg

### DELIVERY PRINTERS £6

.. .. Disk's £0.95 per 10 pack  
.. .. Memories no charge  
.. .. Library box £0.45p

PLEASE SEND YOUR CHEQUES/ORDERS  
COMPUTER ACCESSORIES AND PERIPHERALS LTD  
45 QUEENSWAY CAVERSHAM PARK VILLAGE  
READING BERKS RG4 0SJ

## Memories

Part type	1 off	50-99	100 up
4116 200ns	.95	.85	.75
4116 250ns	.90	.80	.70
2114 200ns Low power	1.25	1.15	1.05
2114 450ns Low power	1.20	1.10	1.00
4118 250ns	3.45	2.95	2.75
6116 150ns CMOS	6.95	6.45	5.95
2708 450ns	1.05	1.75	1.65
2716 450ns 5 volt	2.25	2.05	1.95
2716 450ns three rail	7.40	7.00	6.75
2732 450ns intel type	4.50	4.15	3.95
2532 450ns Texas type	4.95	4.60	4.40

S80A-CPU £5.25 Z80A-PO £4.75 Z80-CTC £4.75

All prices are exclusive of VAT please ADD 15 %

Please send me ORDER FORM			MAIL ORDER LOW PRICES	
QTY	ITEM	PRICE	VAT	TOTAL

post, packing & insurance . . . . .

I enclose cheque payable to **CAAP LTD.** for £ . . .

NAME . . . . .

ADDRESS . . . . .

. . . . .

. . . . .

. . . . .

. . . . .

. . . . .

. . . . .

. . . . .



# THE VALLEY

**CT proudly presents its multi-system, modular adventure game. Presented in module-by-module form the game is fully documented and as well as being good fun to play can be used as a step-by-step tutorial to programming.**

The news spread quickly throughout the lands of Tybollea. Vounim, mightiest wizard of the Northern Reaches, had arrived at the gates to the Princess Evanna's castle offering his aid against the Selric hordes which besieged her realm.

Her magical powers alone too weak to vanquish the foes, Princess Evanna eagerly accepted Vounim to her side. Together forming a psychic bond they wove a spell, powerfully constructed from the forces of light and darkness, to drive the savages from Tybollean soil. Their combined magicks scoured the Northern border-lands, scattering the enemy's host and laying waste the Selric threat forever.

In gratitude, Princess Evanna invited Vounim to make his home in her Kingdom and bestowed upon him the title 'Lord of the Valley Between Two Castles'. Knowing the land between the Princess' castle and her brother Xeron's to be most beautiful country, Vounim accepted the honour and began plans to build two strongholds in the forests of the Valley.

Time passed... far away from the village settlements, Vounim's Lairs (as his strongholds had become known) were often the subjects of whispered conversation in the ale-houses of Tybollea. Even the Princess Evanna's councillors felt that the Princess had closed her eyes to the changes that had overtaken Vounim during the years he had attended the castle as her chief advisor. He had become quiet and withdrawn, only visiting the castle at the dead of night. It was even rumoured he had entertained in his strongholds members of the White Order, an evil brotherhood of wizards from the Southern Slopes.

Following just one of these visits from the White Order, Vounim had begun building two temples

dedicated to the worship of an obscene lizard-like god, Y'Nagioth. Shrouded by evil swamps, it seemed as though none could stop the wizard from carrying out his ancient sacrificial rituals. At first, the Princess listened to the stories of livestock disappearing and of children running off with an air of humour; but soon even she could not deafen her ears to the allegations of the high taxes and cruelty of which her people complained. However, it was only when her war-like brother, Xeron, seemed to wither away in his sick-bed from the 'medicines' administered by Vounim that Princess Evanna began to see the threat posed to her throne.


Arranging a Council of War with her neighbouring Lords, Princess Evanna asked them to pledge their allegiance and grant her the aid she needed to crush the evil wizard. There was much brave talk and long discussion but eventually the Lords decided not to intervene. The worship of Y'Nagioth had spread and the peoples of Tybollea would likely as not support the wizard, High Priest of the lizard faith, rather than their over-lords.

The Lords quite clearly feared Vounim more than the Princess and rather than follow their heart's dictates chose the easy route. The Princess was disheartened and, clearing them from her Council Chamber, slumped into her throne deep in thought. She could destroy this wizard, she mused, but at what cost?

As dawn broke, the Princess' meditations were interrupted by a young wizard by the name of Alarian. She recognized him instantly as the novice attached to Baron Niitall, Lord of the Eastern Plains — one of the Lords she had expected would grant her the aid she would need. Although far below the Princess in magical prowess, Alarian was able to offer the wealth of his experiences as a youth apprenticed to the mighty Vounim back in the Northern Reaches. The young wizard also gave the Princess his copper amulet, studded with six precious gems — Alarian's amulet was a magical device, providing its wearer with the gift of life after mortal death.

Mounting her horse at the castle gates, Princess Evanna made one last desperate attempt to encourage her people to her side; the Lords looked away and her subjects jeered. So, muttering a curse, the Princess Evanna set off to face Vounim in his lair.

As she rode, she was saddened by the apparent sickness that hung over the Valley; nothing grew there now, save in the forests and swamps that surrounded Vounim's Lairs and the Temples of Y'Nagioth. Yet as she rode on she discovered, sheltered in the depths of the Valley floor, another building — a six-storey tower. She recognized the tower with sickening rapidity, she had





once seen it in her youth — it was a replica of the Black Tower of Zaexon, the home of the brotherhood of the White Order. Satisfying herself that the tower was empty, she spurred her mount and raced with renewed vigour towards the demon wizard, Vounim.

Catching the wizard amidst a ghastly blood rite, Princess Evanna began casting a spell of banishment on Vounim. Caught off guard, the Lord of the Valley, screaming vile obscenities, started to fade from sight. With a final blood-curdling scream, he made a final gesture at the Princess before passing from the mortal plane. The Princess, surrounded by dancing lights, fell to the floor writhing in pain. She had been poisoned by Vounim's magic and, with mounting horror, realised this would be a magical and not a mortal death — the Amulet of Alarian would not help the Princess to cheat her fate.

Crumpled on the floor of Vounim's Lair, the Princess began to make her last magicks. She hid the Amulet in one of the Temples of Y'Nagioth and three of the stones she placed on the third floor of the Black Tower of Zaexon, the fourth stone on the fourth floor, the fifth and the sixth stones cached on the two top floors. Struggling to keep her consciousness, the Princess made one last gesture at the Helm and as she died, her magick passed into the Helm as it disappeared from sight forever.

The Valley buildings disappeared soon after Vounim's banishment, following him into the ethereal limbo in which the Princess had imprisoned him. Gradually over the years, the Valley returned to its former splendour. Alarian, satisfied that Evanna's spell was well cast, remained there for many years keeping his eye over the Kingdom. Then one fine morning, the first of Spring, Alarian, leaving a spell of watchfulness over the land, left for other adventures.



Concluding the story, he turned his attention to the Valley lying far beneath his window, blanketed in swirling mists shrouding all but the highest tree tops. On the horizon, clearly silhouetted against the morning sun shone the silvery towers of Castle Xeron nestling on the hill many leagues away. All was still... almost peaceful.

"Listen, old man. I've heard your

faerie story — just what is all this about?"

At the sound of the gruff voice, the hooded figure at the window swivelled around using his stick for support and, contemplating the six figures seated around his desk, began the slow and painful journey back to his chair.

"It is no faerie story, my friend" the old man muttered as he eased his back against the oaken carvings of the chair back. "I know the tale to be true for I was that young wizard, Alarian. It was I who, tens of thousands of years ago, sat with Princess Evanna helping her to prepare for her battle with Vounim".

Alarian lifted his hand weakly silencing the doubting questions of the company.

"Please listen. You would not understand the ways I have prolonged my life, so do not ask. Accept simply that I am Alarian and all I speak of is true. The spell of watchfulness I cast so long ago has called me here to protect your lands from great danger".

"With all due respect, Sire, are you not a little late" said another of the figures, a novice wizard by his appearance, "the Valley has been a place of rumour and mystery, concealed by strange mists for nigh on thirty years".

"I'm afraid" sighed Alarian "that you will find out one day soon that not all magic works as effectively as you would wish. I believe my spell of watchfulness was weakened in much the same way as Princess Evanna's spell of banishment. During my time of apprenticeship to Vounim, I too formed a psychic link with my master hoping to amass power before my time. As the fates would have it, Vounim, through the past mystic bonds with the Princess and I, was able to divert much of the strength of our spells, allowing him to attempt a return to the mortal plane unseen.

"Vounim, Lord of the Valley, is smashing a pathway from the chaos of his world of banishment through to our own. In his present situation, halfway between chaos and reality, he is almost visible to me; his followers and his buildings, the Lairs, the Temples and the Black Tower, are already becoming reality again.

"As my wild-eyed barbarian friend pointed out earlier, I am but a frail old man. I can offer nothing but magical aid as I am all but restricted to this chair. Were I stronger,

nothing would stop me fulfilling the quest alone but alas, it is to you I look for favour. Will any of you enter the Valley in search of the missing Helm of Evanna in my place".

At the mention of the legendary Helm, the six figures moved closer around the wizard's desk.

"I can help whosoever decides to go" continued Alarian "but I can help only one of you at a time. I can create a path of safety between this castle and Castle Xeron, both of which will prove safe havens during your quest; I can also make the buildings visible to you — although this means you will be seen and thus attacked by the inhuman creatures loyal to Vounim.

"You will need great experience to find the Helm of Evanna; such was Evanna's curse on her people — they spurned her when she needed their help to defeat Vounim. Princess Evanna hid the means to conquer any threat to the Kingdom so that only the bravest Tybollean could ever find it. To gain this experience, you would be wise to first search out my Amulet in one of the Temples of Y'Nagioth and, once found, journey to the Black Tower of Zaexon where you will find the six stones that fit the Amulet. However, care must be taken to find the stones in the correct order — if you don't, you will find they do not fit and will be useless to you.

"Although I have had little contact with my Amulet over past centuries, I am confident I can illuminate areas of residual magic within the Temples and the Black Tower indicating where magical items have been hidden at some time in the past. I will do my best to show you where the Amulet stones have been cached, but I have found that in my latter years I have not the concentration I used to have and you may find only worthless baubles instead — I will do my best".

"Well that's not good enough for me" cried a thief-like character jumping to his feet, "I'm damned if I'll follow you through this Valley — I've heard stories of the creatures who dwell there. Sorcery — hah!" He spat at Alarian's feet and departed.

As the slam of the chamber door died away, Alarian surveyed the five remaining faces: a barbarian, a novice wizard, a cleric, a thinker and a warrior. Hand-picked and all native Tybolleans, Alarian wondered if one of these could achieve the impossible and bring



# THE VALLEY

back the lost Helm of Evanna.

"I would not blame you for following him" said Alarian "the dangers he spoke of are all too real. Over the past weeks I myself have seen Dragons, Balrogs, Wraiths, even a creature with the very likeness of Y'Nagioth herself, a Thunder Lizard, roaming the Valley through my enchanted glass."

"You will not, however, enter the Valley unprotected. I will teach you a potent sleep spell and, as you gain experience, will be able to bestow two other spells on you: a mind lance to attack creatures with a high psychic power and a spell which attacks using the very Fires of Hell. However, you will use these spells sparingly as they are extremely dangerous in the hands of the untutored and it takes many years of study before a spell can be cast with no loss of stamina."

"You will doubtless have realised that I am no fighting man" continued the wizard, nodding respectfully towards the warrior and the barbarian, "but if I may offer some advice on hand-to-hand combat. There are three effective ways to fight a creature of great

physical strength; either strike its head, body or limbs. Obviously an attack to the limbs or body will eventually lead to success, but it may initially cause little damage. A strike to the head may kill the beast in one blow, but will leave you open to return blows while striking. The decision will be yours, I cannot help. However, do not waste your time attacking a purely psychic creature with a sword, they can be defeated by spell only."

"Care must be taken when approaching any building; the swamps and forests are dangerous — make sure you have the experience to cope. Also, beware of water, you will be considerably weakened by the weight of your armour."

Alarian, bringing his stick to the ground raised himself out of his chair.

"I cannot promise you riches, though treasure there be in the Valley, I ask only that you save the Kingdom. Find the Amulet. Fill it with the six stones and you will have the ability to cheat death; to resurrect yourself within these safe castle walls. It will also prove

invaluable in your search for the Helm of Evanna in the dark Lord's lair."

"Alas, I cannot help you much in your search for the Helm. For although I can again guide you to the areas of residual magic, the Helm, on its mistress' instruction, will not reveal itself to you unless you have at least the power of a Warlord. It will be up to you to build up this experience, I can only provide an occasional aura of magic to boost your powers, yet you will find that Vounim also has a way of watching over his followers and may surround you in a circle of evil."

"There is little time for discussion; I have arrived thirty years too late... and I fear Vounim knows it. The choice must be made here and it must be made now. Will you go and find the Helm of Evanna and bring it back here?"

Each of the five heads nodded as, in turn, Alarian gazed deeply into their eyes. Settling his hands on the carved walking stick at his side, the elderly wizard spoke to the assembled company in a low rumbling voice.

"...who then will be first?"

RM



**T**he Valley is best described as a real-time adventure with graphics. It was developed as a direct result of reviewing and testing a large number of commercial offerings over Christmas 1980 and, we hope, overcomes many of the failings of these various alternatives.

The program has always been based on a modular system to simplify both its production and its documentation; this approach also means that the game can be tailored to suit the player's individual tastes. Again, because of the modular nature of the program it can easily be expanded provided you have more than the required 16K.

The published listing was developed and tested on a 32K Commodore PET but will, if all non-essential spaces and REMs are removed, run in 16K. All graphics characters and cursor controls have been converted to CT's standards and screen maps and character tables are provided. We are not suggesting that conversion to other systems is something that can be

done in an evening but it is possible — we have versions running on a Sharp MZ80-K and a TRS-80. Because the Sharp uses the same screen format as the PET and is equipped with a very adequate block graphics set we haven't made much comment about conversion to this system but the TRS-80 represented a considerable challenge so a whole section dedicated to explaining the outlines of conversion to this system will be published in our next issue.

## Getting It Taped

The best way to implement the program on your system is to key it in one module at a time following the notes. We have broken the listing down into the separate modules, each with a description of its main functions, to make this simpler. As each block is completed SAVE it on tape before adding the next; 16K is a lot of program to lose if you make a mistake!

PET and TRS-80 owners who wish to avoid the strain of typing in all that code can order a cassette version of the program from us (see the advertisement in this issue).

## Playing The Game

The objects of the game are

explained in the introductory scenario, the actual mechanics of playing are described in the various sections that follow. Probably the best plan is to create a number of different characters, one of each type perhaps, and attempt to play each of them through the Valley and various scenes. The ultimate object of the game is to reach the highest rating level, 28, but along the way you will need to collect the various special treasures to ensure that if you are unfortunate enough to be killed you stand a chance of re-incarnation.

Game tactics are dependent on the type of characters you have chosen and are best developed by the player as the game progresses. A couple of hints may be welcome, however. If you are in a combat with a monster that is stronger than you and are suffering great damage, then Spell 1 is possibly the best option to select. The other important tip is to remember that once you enter a scenario other than the Valley you are committed for a number of turns, so ensure that your stamina level is high.

However, before you can play the game you must enter the program so now is the time to start pressing keys!

HB



## Initialisation

Although it would be regarded as 'proper' to declare all the variables used at the start we have only initialised those necessary to begin the program correctly. Arrays are all DIMensioned to their correct

sizes at this point and the vital positioning strings of cursor movements are also created.

The dummy READ routine between 300 and 320 moves the current position in DATA over the first block which will be used later for building castle-type scenes.

Monster data is loaded into three arrays; the monster name, its initial strength and its initial magical power. These starting values are modified according to the 'floor level' of the scene on which it appears. The monster details are presented in Table 1. **HB**

```

99 REM ** DEFINE MAJOR VARIABLES
100 DIM D(3),G(73),P(8),N(8),S(4),T(2)
110 DIM MS(18),MS(18),N1(18)
120 VG$="":GC$="":FS$="":DL$=""
130 TS=0:TN=0:TM=3:CF=0
140 DS="[HOM][21 CD]"
150 DLS=LEFT$(DS,17)
160 SPS="[39 SPC]"
170 RS="[30 CR]"

180 R1$=LEFT$(RS,21)
299 REM ** SKIP_SCENE DATA
300 FOR I=1 TO 32
310 READ C$
320 NEXT I
329 REM ** LOAD MONSTER DATA
330 FOR I=0 TO 18
340 READ MS(I):READ MS(I):READ N1(I)
350 NEXT I

```

## Character Initialisation

This block of program allows the user to set up his character with a name and one of a number of options of character type; Wizard, Cleric, Barbarian, etc. Table 2 contains information on the various character types.

Alternatively, if the game has been played before, the user may have a character stored on tape so the option exists to load this instead of starting afresh. The selection is made in 1050 after the name has been entered. The maximum length of name is 16 characters (checked in line 1040) and, because the string has to be entered as an INPUT, a simple bomb-proof trap is inserted at line 1030. This works by forcing an asterisk to appear under the cursor so if you simply press RETURN this is entered rather than nothing. This trap should only be needed on the PET, other systems may allow more sophisticated trapping techniques.

The tape input routine, from 1090 to 1210 is absolutely straightforward and can be changed to suit your system; TRS-80 would use INPUT# - 1 followed by the list of variables and MZ80-K would require the file to be ROPENed first. Check your manual to find the appropriate method for your system.


If data entry is from tape, the stamina value is set to maximum and the program then jumps to 1400. If, however, this is the first time through the game, the tape loading section is skipped and the player offered the choice of five character types. According to your selection, the initial values of your character's physical and magical strengths are determined together with your two 'gain' factors. These determine how much you gain from finds and how well various sections of the combat work. The P1 factor also acts as a

Monster	Physical	Magical	Code	Scenes
Thunder Lizard	50	0	V	V
Wolfen	9	0	A	V,W,S,C
Hob-Goblin	9	0	A	V,W,S,C
Orc	9	0	A	V,W,S,C
Ogre	23	0	A	V,W,S,C
Balrog	50	50	A	V,W,S,C
Fire Imp	7	3	E	V,W,C,L,T
Harpy	10	12	E	V,W,C,L,T
Fire Giant	26	20	E	V,W,C,L,T
Rock Troll	19	0	G	V,C
Centaur	18	14	H	V,W
Wyvern	36	12	F	W,S
Water Imp	15	15	L	W,S
Kraken	50	0	L	W,S
Minotaur	35	25	C	C,L,T
Wraith	0	30	C	C,L,T
Ring Wraith	0	45	C	C,L,T
Barrow Wight	0	25	B	L,T
Dragon	50	20	B	L,T

**Table 1. The monsters, their strengths and their habitats. The code letter is extracted during the monster selection routine and matched against the current scene's 'allowable monsters' string. Note also that the two monsters coded with L can only be found in the lakes. The scenes are coded as: V-Valley, W-Woods, S-Swamps, C-Black Tower, L-Vounim's Lair and T-Temple of YNagioth. If you wish to extend the range of monsters to the TSR Games series of 'Monsters Manuals' are valuable reference works.**

limit on your character's growth, see Table 2.

Once the character has been selected, the Valley is then created for the first time and the initial status information displayed. The game now starts with your character located in the left-hand 'safe' castle and control is passed to the Movement routine. **HB**





# THE VALLEY

```

999 REM ** CHARACTER CHOICE AND LOAD
1000 PRINT "[CLS][CD]LOAD A CHARACTER FROM TAPE (Y/N) ?"
1010 VG$="YN":GOSUB 1500:REM ** UNIGET
1020 INPUT "[CD]CHARACTER'S NAME [2 CR]*[3 CL]";J$
1030 IF J$="*" THEN 1020
1040 IF LEN(J$)>16 THEN PRINT "[CD]TOO LONG":GOTO 1020
1050 IF GC$="N" THEN 1240
1060 PRINT "[CLS]PLACE DATA TAPE IN THE TAPE DECK"
1070 PRINT "[CD]IS IT REWOUND ?"
1080 GOSUB 1600:REM ** ANYKEY
1090 OPEN 1,1,0,J$
1100 INPUT#1,P$
1110 INPUT#1,T$
1120 INPUT#1,EX
1130 INPUT#1,TN
1140 INPUT#1,CS
1150 INPUT#1,PS
1160 INPUT#1,T(0)
1170 INPUT#1,T(1)
1180 INPUT#1,T(2)
1190 INPUT#1,C1
1200 INPUT#1,P1
1210 CLOSE 1
1220 C=150
1230 GOTO 1400
1240 PRINT "[CLS][2 CD]CHARACTER TYPES...CHOOSE CAREFULLY"
1250 PRINT
1260 PRINT "WIZARD (1)"
1270 PRINT "THINKER (2)"
1280 PRINT "BARBARIAN (3)","KEY 1-5"
1290 PRINT "WARRIOR (4)"
1300 PRINT "CLERIC (5)"
1310 GET GC$:IF GC$="" THEN 1310
1320 A=VAL(GC$)

```

```

1330 IF A=1 THEN P$="WIZARD":P1=2:C1=0.5:CS=22:PS=28
1340 IF A=2 THEN P$="THINKER":P1=1.5:C1=0.75:CS=24:PS=26
1350 IF A=3 THEN P$="BARBARIAN":P1=0.5:C1=2:CS=28:PS=22
1360 IF A=4 THEN P$="WARRIOR":P1=1:C1=1.25:CS=26:PS=24
1370 IF A=5 THEN P$="CLERIC":P1=1.25:C1=1:CS=25:PS=25
1380 IF A<1 OR A>5 THEN P$="DOLT":P1=1:C1=1:CS=20:PS=20
1390 EX=5:C=150
1400 PRINT "[2 CD]GOOD LUCK"
1410 PRINT "[CD]";J$;" THE ";P$
1420 DF=150:DL$="D":GOSUB 36000:REM ** DELAY
1430 GOSUB 10000:REM ** VALLEY DRAW
1440 DF=5:GOSUB 36000:REM ** DELAY + UPDATE
1450 GOTO 2000:REM ** MOVEMENT

```

Type	P1	C1	CS	PS	C	CS Max	PS Max
Wizard	2.00	0.50	22	28	100	66	777
Thinker	1.50	0.75	24	26	113	72	241
Barbarian	0.50	2.00	28	22	125	77	89
Warrior	1.00	1.25	26	24	113	75	117
Cleric	1.25	1.00	25	25	113	74	157
Dolt	1.00	1.00	20	20	113	75	117

**Table 2.** The six possible character types with their initial values and the maximums to which their physical and magical strengths can rise.

## Fast Subroutines

**UNIGET:** This is a universal GET routine for the PET and is designed to operate in conjunction with the string VG\$. It will only return to the main program if the character keyed is one of those in VG\$. On other systems this may be replaced by the INKEY\$ function.

**ANYKEY:** This routine is used in the tape save and load routines to allow the player to ensure the cassette is ready in the tape machine before proceeding, it can be removed or replaced as required.

**COMBAT GET:** A special timed GET routine for combat. It returns to

the main program as soon as any key is pressed, assuming that this occurs within the time limit. The key pressed is held in GC\$. If the time limit is exceeded the variable TV is set to 1. The routine also wipes away the text message "\*\*\*\* STRIKE QUICKLY \*\*\*\*"

HB

```

1499 REM ** UNIGET ROUTINE
1500 GET GC$:IF GC$="" THEN 1500
1510 FOR I=1 TO LEN(VG$)
1520 IF MID$(VG$,I,1)=GC$ THEN RETURN
1530 NEXT I
1540 GOTO 1500
1599 REM ** ANYKEY ROUTINE
1600 PRINT "[CD]** PRESS ANY KEY TO CONTINUE ***"
1610 GET GC$:IF GC$="" THEN 1610
1620 RETURN

```

```

1699 REM ** COMBAT GET ROUTINE
1700 FOR I=1 TO 10:GET GC$:NEXT I:REM ** EMPTIES BUFFER
1710 TV=0
1720 FOR I=1 TO 60
1730 GET GC$:IF GC$="" THEN 1750
1740 GOTO 1770
1750 NEXT I
1760 TV=1:REM ** NO KEY PRESSED
1770 PRINT D$;SP$:REM ** WIPE AWAY MESSAGE
1780 RETURN

```

## Movement

In many ways this represents the core of the whole program; it is certainly the most executed loop and controls access to all other major routines.

For such an important routine it occupies surprisingly little space, lines 2000 to 2250 in fact. Line 2000 is only used as an initial starting point when you first enter the Valley, either at the start of the game or when you return to the Valley from a scenario; all other calls are made to 2010. The POKE code 81 is the symbol used to display your current position in the Valley, Table 3 gives alternatives for other systems.

The first operation is to give the character stamina a boost of 10, a dynamic refresh? Your current

position is now examined to see if you are standing on a path or in the Valley and an appropriate message is printed requesting you to make a move. The player may move one square at a time in any direction, see Fig. 1. The choice of direction is made by keying one of the keys of the numeric keypad, the value of the key pressed then being inspected to find which direction it represents. In many programs of this type the checking is done by way of a look-up table which, although universal in operation and not restricted to numeric keypads is expensive in terms of memory.

Fortunately, one of the programming team had a mathematical background and produced the code between 2050 and 2090. Because each direction of movement corresponds directly to a

screen displacement value, it must be possible to establish a simple mathematical relationship between the numeric key pressed and the direction in which you wish to move. In fact, the relationship is so simple no one appears to have thought of it before; another first for CT!

The routine starts at 2050 by clearing out the keyboard buffer, an essential operation to prevent old keystrokes causing problems. A character is now read in by the GET command in 2060 and checked to see if it is an 'E'. If it is an 'E', control is passed to the rating routine which gives your current 'Ego'. As we are only looking for numeric inputs in this routine we can test for validity by finding the VAL of the character; if this is 0 it must have been non-numeric so the program loops back for another character.



Once a valid key has been pressed, its value is held in the variable A and testing starts at line 2080. The first piece of code repetitively subtracts 3 from the value of A to determine the horizontal displacement. If keys 1, 4 or 7 have been pressed we must wish to move left; 3, 6 and 9 indicate a move to the right and 2, 5 and 8 maintain the current column position. As we are now left with a number between 1 and 3, we can determine the horizontal displacement by subtracting 2 from this remainder and this is done in 2090.





Fig. 1. The directions corresponding to the keys on a numeric pad together with their 40-column displacements.

Scene	Object	PET	MZ80-K TRS-80	
Valley	Border	214	166	191
	Safe Castle	219	74	35
	Path 'up'	78	118	154
	Path 'down'	77	119	169
	Woods	216	80	87
	Swamps	173	42	83
	Tower	87	65	84
	Character	81	202	79
Woods	Border	96	*	128
	Trees	88	70	90
	Lake	224	163	191
	Vounim's	230	239	86
	Character	81	202	79
Swamps	Border	96	*	128
	Tufts	45	227	45
	Lake	224	163	191
	Y'Nagioth	230	239	89
	Character	81	202	79
Tower Vounim & Y'Nagioth	Border	160	67	191
	Walls	160	67	191
	Stairs	102	109	153
	Doorway	104	212	176
	Treasures	42	107	42
	Character	81	202	79

Table 3. These are the recommended POKE codes for the three systems the game has been implemented on. The borders around the Woods and Swamps for the MZ80-K (marked \* in the Table) have to be PRINTed into place using the following characters: 50, 51, 60, 61, 112, 113, 114 and 115. This provides a neat border at the expense of extra entries in the look-up table.

Fig. 2. The mathematical sequence required to convert key value to row displacement.



All we have to do now is to determine the correct vertical displacement, this also being computed in line 2090. Assuming a 40 column screen we must now establish the row we wish to move to; this is best explained by referring to Fig. 2. If we subtract 1 from the key value (Fig. 2b) and then divide by 3 (Fig. 2c) the INTEger part of the remaining number is related to both the key value and its corresponding row (Fig. 2d). Subtract 1 and multiply by -40 and the resulting number is the vertical displacement.

Having computed the address of the position you wish to move to (held in variable W), we can now start to check what is in that position. These checks are preceded in line 2100 by incrementing the turns count and clearing away the movement message. The next block of lines inspects the contents of address W and is best shown as a small table:

Line	Character	Action
2110	Nothing	Jump to Movement
2120	Safe Castle	Jump to Quit routine
2130	Solid object	Try again!
2140	Scene code	Jump to Scene Control
2150	Scene exit	Jump to Scene Control
2160	Stairs	Jump to Stairs routine
2170	Lakes	Reverse the character code
2180	Special find	Jump to Special Finds

After all these checks have been performed it only remains to move your character into its selected position; line 2190 does this and, because you stepped on a blank square, the program now generates a random number to see if there is either a hidden 'find' or a waiting monster. It does this in lines 2200 to 2220 and, depending on the value of the random number, control may be passed to either the Monster Selection routine or to the Finds routine.

If nothing is found a suitable message is printed and the program loops back to the beginning of movement at 2010. The DF value of 80 in line 2230 enables you to read the message; if you have stepped on the path, checked in line 2200, the delay is only set to 5 because there is no message to read.

HB & PNG



# THE VALLEY

```

1999 REM ** MOVEMENT ROUTINE
2000 M=W:PK=PEEK(W):POKE M,31
2010 C=C+10
2020 IF PK=77 OR PK=78 THEN 2040
2030 PRINT DS;"YOUR MOVE...WHICH DIRECTION ?":GOTO 2050
2040 PRINT DS;"SAFE ON THE PATH...WHICH WAY ?"
2050 FOR I=1 TO 10:GET GCS:NEXT I:REM ** CLEAR KBD BUFFER
2060 GET GCS:IF GCS="E" THEN 45000:REM ** EGO
2069 REM ** SPECIAL ROUTINE FOR NUMERIC KEYPADS
2070 A=VAL(GCS):IF A=0 THEN 2060
2080 IF A>3 THEN A=A-3:GOTO 2080
2090 W=M+A-2-40*(INT((VAL(GCS)-1)/3)-1)
2100 TN=TN+1:PRINT DS;SPS
2109 REM ** AM I STEPPING ON SOMETHING ?
2110 Q=Q1:Q1=PEEK(W):IF Q1=32 OR Q1=45 THEN 2190
2120 IF Q1=219 THEN 48000:REM ** QUIT
2130 IF Q1=214 OR Q1=160 OR Q1=90 THEN TN=TN-1:GOTO
2030:REM ** HIT WALL OR TREE
IF Q1=216 OR Q1=87 OR Q1=173 OR Q1=230 THEN 9000:
REM ** SCENE ENTRY
IF Q1=104 OR Q1=95 THEN 9090:REM ** SCENE EXIT
IF Q1=102 THEN 15000:REM ** STAIRS
IF Q1=224 OR (GCS="5" AND PK=224) THEN Q=209:
C=C-20:IF C<=0 THEN 55000:REM ** WATER
IF Q1=42 THEN 2800:REM ** SPECIAL FIND
POKE M,PK:PK=PEEK(W):M=W:POKE M,Q
IF PK=77 OR PK=78 THEN DF=5:GOTO 2250
REM ** NOTHING, MONSTER OR FIND PERHAPS ?
RF=RND(TI)
IF RF<0.33 THEN 3000:REM ** MONSTER SELECT
IF RF>0.75 THEN 2300:REM ** FIND SELECT
PRINT DS;"NOTHING OF VALUE...SEARCH ON":DF=80
GOSUB 36000:REM ** DELAY + UPDATE
GOTO 2010

```

## Finds

The 'ordinary finds' module starts lines 2300-2310 by randomly selecting one of four finds — three good, one not so good. A random integer between 1 and 6 is generated and two line numbers appear twice in the ON...GOSUB list thus giving probabilities of roughly 16%, 32%, 32% and 16% to the finds.

The first find, starting at 2340, is the bad one. Although line 2350 boosts combat strength by an amount dependent on FL, magical ability drops (FL again being a factor) and stamina is reduced by 20. Line 2360 jumps to the Death routine if C falls below zero.

At line 2380 'a hoard of gold' is found. Treasure is incremented by a value between 100 and 700,

depending on FL and a random factor. The third and fourth finds are not monetary but physical and magical; although different messages are printed, lines 2140 and 2440.

Each of the four subroutines returns to line 2330 for a delay and update before control is returned to the Movement routine, line 2010.

PNG

```

2299 REM ** FINDS ROUTINE
2300 RF=INT(RND(TI)*6+1)
2310 ON RF GOSUB 2340,2380,2380,2410,2410,2440
2320 DF=80:GOSUB 36000:REM ** DELAY + UPDATE
2330 GOTO 2010
2340 PRINT DS;"A CIRCLE OF EVIL...DEPART IN HASTE !"
2350 CS=CS+INT((FL+1)/2):PS=PS-INT((FL+1)/2):C=C-20
2360 IF C<=0 THEN 55000:REM ** DEATH
2370 RETURN
2380 PRINT DS;"A HOARD OF GOLD"
2390 TS=TS+INT(FL*RND(TI)*100+100)
2400 RETURN
2410 PRINT DS;"YOU FEEL THE AURA OF THE DEEP MAGIC..."
2420 PRINT "[8 SPC]...ALL AROUND YOU..."
2430 GOTO 2450
2440 PRINT DS;"...A PLACE OF ANCIENT POWER..."
2450 PS=PS+2+INT(FL*P1):CS=CS+1+INT(FL*C1):C=C+25
2460 RETURN

```

## Special Finds

If the Movement routine establishes that you have stepped onto an asterisk, a jump is made to the Special Finds module at line 2800. Here you are placed on the marker which is then erased (PK=32); once you've picked up a special find, it's gone for good! Next, a random number is generated to decide what you've found; the 'Movement' message is wiped and a series of tests begins.

The first test (line 2820) succeeds if you're in Vounim's Lair, S=6, have a full Amulet, T(1)=6, a rating greater than 25, and have not already found the Helm of Evanna, T(2)=0. You also have to be very lucky, RN>0.95!

Line 2830 tests for the empty Amulet; this can only be found in the Temple of Y'Nagioth, S=5, with RN>0.85. You may only have one Amulet at a time, T(0)=0. Note that although you need a full Amulet to

obtain the Helm, losing the Amulet later (through reincarnation) means you are free to find another one; no problems arise if you already have the Helm.

The next line, 2840, checks for Amulet stones which only occur in the Black Tower, S=4. Not only must you first have the Amulet, T(0)=1, and space left in it, T(1)<6, but you must be on a sufficiently high floor. The first stones can be found low down the Tower but as you find each stone you must venture higher to find the remaining ones, FL>T(1). Assuming you have found an Amulet stone, lines 2910-2920 decide whether it fits or not. Since RN must already be greater than 0.7 to get to these lines, the condition that RN>0.85 here gives a 50-50 chance of the stone being the right one.

If the tests in lines 2820-2840 all

fail then you have found either a precious stone or a worthless bauble. The random factor of 0.43 in line 2850 was chosen to get a long-term average of roughly 50% between precious stones and worthless baubles since RN may have been 'filtered' by the previous tests. For example, if all three tests failed on factors other than the value of RN, it could be anything between 0 and 1 on line 2850 and the probability is 43% that you have a worthless bauble. On the other hand, if line 2840 failed only because RN<0.7 then the probability shifts to 0.43/0.7=61.4%.

As well as obtaining the objects themselves your treasure, TS, is updated in line 2930 by an amount which depends on the number of items you've already found. Baubles and wrong Amulet stones don't count and bypass this line.

PNG

```

2799 REM ** SPECIAL FINDS ROUTINE
2800 POKE M,32:M=W:PK=32:POKE M,31
2810 RN=RND(TI):PRINT DS;SPS
2820 IF S=6 AND RN>0.95 AND T(1)=6 AND T(2)=0 AND RT>25
THEN T(2)=1:GOTO 2870
2830 IF S=5 AND RN>0.85 AND T(0)=0 THEN T(0)=1:GOTO 2880
2840 IF S=4 AND RN>0.7 AND T(0)=1 AND T(1)<6 AND FL>T(1)
THEN 2890
2850 IF RN>0.43 THEN PRINT DS;"A WORTHLESS BAUBLE":
GOTO 2940
2860 PRINT DS;"A PRECIOUS STONE !":GOTO 2930
2870 PRINT DS;"YOU FIND THE HELM OF EVANNA !":GOTO 2930
2880 PRINT DS;"THE AMULET OF ALARIAN...EMPTY...":
GOTO 2930
2890 PRINT DS;"AN AMULET STONE...":PRINT
DF=60:DFS="D":GOSUB 36000:REM ** DELAY
2900 IF RN>0.85 THEN PRINT "[CD]...BUT THE WRONG ONE !":
GOTO 2940
2910 PRINT "[CD]...THE STONE FITS !":T(1)=T(1)+1
2920 TS=TS+100*(T(0)+T(1)+T(2)+FL)
2930 DF=80:GOSUB 36000:REM ** DELAY + UPDATE
2940 GOTO 2010

```



## Monster Selection

If you have the misfortune to draw a monster at the end of the Movement routine, control is passed to the segment of code which starts at 3000. A random number is generated between 1 and 16 and tested to see if it is greater than 9. This test is made to ensure that the stronger monsters cannot occur too frequently; the checks and limits for this are established in line 3020.

If the character is currently standing or swimming in a lake the

choice of monsters is limited to the Water Imp and the Kraken, both prefixed L in the DATA.

The most unpleasant general monster is the Balrog and if he is drawn from the array, a further check is made in line 3040 to ensure that he appears less frequently.

Some monsters live only in the rarified heights of the Black Tower or one of the two special castle-type scenes and if these are drawn from the array, a further check is made in line 3050 to ensure that these conditions are met.

Once an acceptable monster has been selected from the array, the left-hand character of its name is stripped off to see if it can exist in the current scenario; this character is then checked against F\$ in lines 3060 to 3090. If all is correct, the chosen beast is displayed on the screen and combat commences. The base strengths of each monster are held in arrays MS() and N1() and these values are further modified by the code between lines 3120 and 3170 to produce the actual strengths of the chosen monster.

HB

```

2999 REM ** MONSTER SELECTION ROUTINE
3000 PRINT DS;"** BEWARE...THOU HAST ENCOUNTERED **"
3010 MS=0:N=0:CF=1
3020 RF=INT(RND(TI)*17):IF RF>9 AND RND(TI)>0.85
    THEN 3020
3030 IF Q1=224 OR PK=224 THEN RF=INT(RND(TI)*2+17)
3040 IF RF=16 AND RND(TI)<0.7 THEN 3020
3050 IF FL<5 AND RF=15 THEN 3020
3060 XS=LEFTS(MS(RF),1)
3070 FOR I=1 TO LEN(FS)
3080 IF MID$(FS,I,1)=XS THEN 3110
3090 NEXT I
3100 GOTO 3020
3110 MS=RIGHT$(MS(RF),LEN(MS(RF))-1)
3120 IF MS(RF)=0 THEN 3150
3130 MS=INT((CS*0.3)+MS(RF)*FL^0.2/(RND(TI)+1))
3140 IF N1(RF)=0 THEN 3160
3150 N=INT(N1(RF)*FL^0.2/(RND(TI)+1))
3160 U=INT((RF+1)*(FL^1.5))
3170 IF RF>23 THEN U=INT((RF-22)*FL^1.5)
3180 PRINT "[CD]";LEFTS(RS,12-(LEN(MS))/2);"AN EVIL ";MS
3190 DF=40:GOSUB 36000:REM ** DELAY + UPDATE

```

## Character's Combat

The action of fighting a monster can be broken down into three main sections; you hitting it, it hitting you and you casting a spell. The Spells are controlled by their own section of code that will be described later and can be simply treated as a jump out of the physical combat routines.

The Character's Combat section is located from 3570 to 3910 but before this can be executed we must determine whether you have surprised the beast or not. This is tested for in line 3500 where a random number is generated giving a 60/40 chance of you surprising the monster. If you do have surprise you are then offered the option of retreating from combat. The "R" key must be pressed within the time limit of the Combat Get routine or control passes directly to the Monster's Combat.

If you do choose to retreat a suitable message is displayed and the program goes back to the Movement routine. Choosing to attack, the message "\*\*\*\* Strike Quickly \*\*\*\*" is displayed and you have the choice of attacking its Head, Body or Limbs with the

further option of trying to cast a Spell. If no key was pressed or the wrong one was chosen, control passes to the Monster's Combat via a suitable message. The control for this section of the combat is handled by lines 3570 to 3600.

Assuming that you have pressed a valid key the program checks in line 3630 to see if you wished to cast a spell and if so passes control to the Spell Control section. Before determining how much damage, if any, you have done to the beast, the program computes your current experience factor in line 3620 and deducts one stamina point. If you have exhausted yourself attempting to fight, the program detects this in 3660 and passes control to the Death routine.

Because each of the three target areas of the monster have different levels of vulnerability the code between 3670 and 3710 determines whether you hit the beast or not and, if you did, sets the damage factor variable, Z, to the appropriate level. As it is possible to strike a heavy blow which will leave the monster helpless we must first inspect the

corresponding flag, HF, which tells us if the beast is certain to die on this attempt. If this flag has not been set in line 3730, we calculate the damage done to the monster and display it — it is possible to hit the monster yet do no damage! There are now several options available to us and these are sorted out by the rest of the routine from 3800 to 3910. The first alternative is that we have killed it, in which case we collect experience, reset the combat flags and go back to the movement routine (lines 3860 to 3890). Our second option is that we have done so much damage to the beast that it is unable to have another go at us. In this case we set the flag, HF, and go back to the "\*\*\*\* Strike Quickly \*\*\*\*" message. The remaining alternative is that we either did no damage or insufficient to cripple the monster and in both cases, control now passes to the Monster's Combat routine.

HB



```

3499 REM ** CHARACTER'S COMBAT ROUTINE
3500 IF RND(TI)<0.6 THEN 4000:REM ** MONSTER'S COMBAT
3510 PRINT DS;"YOU HAVE SURPRISE...ATTACK OR RETREAT"
3520 GOSUB 1700:REM ** COMBAT GET
3530 IF GC$="R" THEN 3900
3540 IF TV=1 THEN 3600
3550 IF GC$<>"A" THEN 4000
3560 DF=30:DL$="D":GOSUB 36000:REM ** DELAY
3570 PRINT DS;"**** STRIKE QUICKLY ****"
3580 GOSUB 1700:REM ** COMBAT GET
3590 IF TV=0 THEN 3620
3600 PRINT DS;"TOO SLOW...TOO SLOW **"
3610 HF=0:GOTO 3830
3620 E=39*LOG(EX)/3.14
3630 IF GC$="S" THEN 4500:REM ** SPELL CONTROL
3640 IF MS=0 THEN PRINT DS;"YOUR SWORD AVAILS YOU NOUGHT HERE":GOTO 3830
3650 C=C-1
3660 IF C<=0 THEN PRINT DS;"YOU FATALLY EXHAUST YOURSELF"
    GOTO 55000:REM ** DEATH
3670 RF=RND(TI)*10
3680 IF GC$="H" AND (RF<5 OR CS>MS*4) THEN Z=2:GOTO 3730
3690 IF GC$="B" AND (RF<7 OR CS>MS*4) THEN Z=1:GOTO 3730
3700 IF GC$="L" AND (RF<9 OR CS>MS*4) THEN Z=0.3:
    GOTO 3730
3710 PRINT DS;"YOU MISSED IT !"

```



# THE VALLEY

```

3720 HF=0:GOTO 3830
3730 IF HF=1 THEN D=MS+INT(RND(TI)*9):HF=0:GOTO 3760
3740 D=INT(((CS*50*RND(TI))-(10*MS)+E)/100)*Z:IF D<0
THEN D=0
3750 IF CS>(MS-D)*4 THEN HF=1
3760 MS=MS-D
3770 PRINT D$;"A HIT..."
3780 DF=60:DL$="D":GOSUB 36000:REM ** DELAY
3790 IF D=0 THEN PRINT D$;"[8 CR]BUT...NO DAMAGE":HF=0:
GOTO 3830
3800 PRINT D$;"[8 CR]";D;" DAMAGE...":IF MS<=0 THEN
3860:REM ** IT'S DEAD

```

```

3810 IF HF=1 THEN DF=30:DL$="D":GOSUB 36000:REM ** DELAY
3820 IF HF=1 THEN PRINT "[CD]THE ";M$;" STAGGERS
DEFEATED"
3830 DF=110:GOSUB 36000:REM ** DELAY + UPDATE
3840 IF HF=1 THEN 3570
3850 GOTO 4000:REM ** MONSTER'S COMBAT
3860 PRINT D$;"[2 CD]...KILLING THE MONSTER..."
3870 EX=EX+U:HF=0:CF=0
3880 DF=80:GOSUB 36000:REM ** DELAY + UPDATE
3890 GOTO 2010:REM ** MOVEMENT
3900 PRINT D$;"KNAVISH COWARD !":CF=0
3910 GOTO 3880

```

## Monster's Combat

Unlike the character, the monster has only two possible methods of attack. Its normal approach is to hit you but as magical monsters, ones with no physical strength, are unable to wield swords and the like, there is the option to attack you with a lightning bolt. To make life even more unpleasant this option is extended to a physical monster whose strength has fallen below its psi power!

The options for the monster are checked at the beginning of its routine, lines 4000 to 4040, before a random number is generated line 4050 determining the outcome. The random number can be between 1 and 10 and there are eight possible messages, two messages appearing twice. Depending on the value of

the random number the appropriate message is selected by line 4060 and control is passed to the appropriate section of the routine.

If the monster has missed you or used up all its stamina in the attempt, the section between 4240 and 4290 takes the program back to the Character's Combat or the Movement routine respectively.

Just as your character can hit a selected area of the beast, the reverse is now true but the area is selected randomly by line 4060. Again, as in the Character's Combat, a damage factor Z is set to an appropriate value and the potential damage done to you 'G' is calculated by line 4160. This amount is deducted from your character's stamina by line 4180 and your health is then examined by

line 4220; if you are now an ex-character, control is passed to the Death routine.

As mentioned earlier in this section the monster can throw a lightning bolt at you and if this option is selected by line 4030, control is passed to the section of program from 4300 to 4410. This computes the possibility of the lightning bolt hitting or missing and, if it hits, how much damage will result.

The outcome of the Monster's Combat routine is again a three-way option; it has killed you so the game jumps to Death; it has wounded but not killed (or missed completely) so control passes back to Character's Combat; or it has killed itself in which case control passes back to the Movement section.

HB

```

3999 REM ** MONSTER'S COMBAT ROUTINE
4000 PRINT D$;"THE CREATURE ATTACKS..."
4010 DF=50:DL$="W":GOSUB 36000:REM ** DELAY + WIPE
4020 IF MS=0 THEN 4300:REM ** PSIONIC ATTACK
4030 IF MS<N AND N>6 AND RND(TI)<0.5 THEN 4300
4040 MS=MS-1:IF MS<=0 THEN 4240
4050 RF=INT(RND(TI)*10+1)
4060 ON RF GOTO 4070,4080,4090,4100,4110,4110,4120,4120,
4130,4140
4070 PRINT D$;"IT SWINGS AT YOU...AND MISSES":GOTO 4280
4080 PRINT D$;"YOUR BLADE DEFLECTS THE BLOW":GOTO 4280
4090 PRINT D$;"...BUT HESITATES, UNSURE...":GOTO 4280
4100 Z=3:PRINT D$;"IT STRIKES YOUR HEAD !":GOTO 4150
4110 Z=1.5:PRINT D$;"YOUR CHEST IS STRUCK !":GOTO 4150
4120 Z=1:PRINT D$;"A STRIKE TO YOUR SWORDARM !":
GOTO 4150
4130 Z=1.3:PRINT D$;"A BLOW TO YOUR BODY !":GOTO 4150
4140 Z=0.5:PRINT D$;"IT CATCHES YOUR LEGS !"
4150 DF=60:DL$="D":GOSUB 36000:REM ** DELAY
4160 G=INT(((MS*75*RND(TI))-(10*CS)-E)/100)*Z)
4170 IF G<0 THEN G=0:PRINT D$;"...SAVED BY YOUR
ARMOUR ! [2 SPC]":GOTO 4280
4180 C=C-G
4190 IF G>9 THEN CS=INT(CS-G/6)
4200 IF G=0 THEN PRINT D$;"SHAKEN.....BUT NO DAMAGE

```

```

DONE":GOTO 4280
4210 PRINT D$;"YOU TAKE...[6 SPC][6 CL]";G;" DAMAGE...
[6 SPC]"
4220 IF CS<=0 OR C<=0 THEN 55000:REM ** DEATH
4230 GOTO 4280
4240 PRINT D$;"...USING ITS LAST ENERGY IN THE ATTEMPT"
4250 EX=INT(EX+U/2):CF=0
4260 DF=100:GOSUB 36000:REM ** DELAY + UPDATE
4270 GOTO 2010:REM ** MOVEMENT
4280 DF=100:GOSUB 36000:REM ** DELAY + UPDATE
4290 GOTO 3570:REM ** CHARACTER'S COMBAT
4299 REM ** MONSTER'S PSIONIC ATTACK
4300 PRINT D$;"...HURLING A LIGHTNING BOLT AT YOU !"
4310 G=INT(((180*N*RND(TI))-(PS+E))/100):N=N-5:IF G>9
THEN N=N-INT(G/5)
4320 DF=80:DL$="W":GOSUB 36000:REM ** DELAY + WIPE
4330 IF N<=0 THEN N=0:GOTO 4240
4340 IF RND(TI)<0.25 THEN 4410
4350 IF G<=0 THEN G=0:GOTO 4400
4360 PRINT D$;"IT STRIKES HOME !"
4370 DF=110:GOSUB 36000:REM ** DELAY + UPDATE
4380 C=C-G:IF G>9 THEN PS=INT(PS-G/4)
4390 GOTO 4210
4400 PRINT D$;"YOUR PSI SHIELD PROTECTS YOU":GOTO 4280
4410 PRINT D$;"...MISSED YOU !":GOTO 4280

```

## Spell Control

If the option of using a spell is chosen during the Combat routine, control jumps to the routine located from 4500. An initial message is displayed asking which spell you wish to cast and the player's reply is collected by the Combat Get routine.

If you don't press a key within the allotted time the program jumps back to the "Too Slow" message and you have missed your chance; this test is performed in line 4510.

As there are only three spells available in the 16K version (we've left plenty of room for expansion) a check is made at line 4520 to ensure that the key you pressed is valid and if not, a suitable message is printed and control passes back to the Combat routine through line 4640.

Given that you have pressed a valid key, line 4540 now checks to see if you are strong enough to use the chosen spell; if not, control jumps to line 4590 with a suitable message and, once again, the

program goes back to the Combat routine via line 4640.

If you meet the requirements to use the spell the appropriate subroutine is selected by line 4550 and control passes to the chosen spell subroutine.

On RETURNing from the spell subroutine a flag variable, SC, will have been set to a value between 1 and 7 and this value represents the outcome of casting the spell. Line 4560 causes the program to jump to the correct message and result.

PF





```

4499 REM ** SPELL CONTROL ROUTINE
4500 PRINT DS;"WHICH SPELL SEEK YE ? ":GOSUB 1700:REM **
      COMBAT GET
4510 IF TV=1 THEN 3600:REM ** TOO SLOW
4520 IF VAL(GCS)>0 AND VAL(GCS)<=3 THEN 4540
4530 PRINT DS;"NO SUCH SPELL...[5 SPC]":GOTO 4640

```

```

4540 IF 4*PS*RD(TI)<=N THEN 4590
4550 ON VAL(GCS) GOSUB 5000,5200,5400
4559 REM ** SC CONTAINS OUTCOME FLAG
4560 ON SC GOTO 4620,4640,4660,4570,4600,4580,4590
4570 PRINT DS;"IT IS BEYOND YOU[5 SPC]":GOTO 4640
4580 PRINT "BUT THE SPELL FAILS...!":GOTO 4640
4590 PRINT DS;"NO USE, THE BEAST'S PSI SHIELDS IT":
      GOTO 4640
4600 PRINT DS;"THE SPELL SAPS ALL YOUR STRENGTH"
4610 GOTO 5500:REM ** DEATH
4620 DF=100:GOSUB 36000:REM ** DELAY + UPDATE
4630 GOTO 2010:REM ** MOVEMENT
4640 DF=60:GOSUB 36000:REM ** DELAY + UPDATE
4650 GOTO 4000:REM ** MONSTER'S COMBAT
4660 DF=60:GOSUB 36000:REM ** DELAY + UPDATE
4670 GOTO 3570:REM ** CHARACTER'S COMBAT

```

## The Spells

**SLEEPIT:** The first checks made in this subroutine are in line 5000 where stamina is deducted and, if your total has dropped below 0, the program is RETURNed via line 4560 to the Death routine. If your stamina is still healthy the message for the spell is printed by lines 5010 to 5050 moving on to line 5060 to see if the spell actually worked.

The possibility of the spell working is 50% and if successful the program prints the welcome message and updates your experience before going back to the Movement routine via line 4560. If it fails the program still RETURNs via 4560 but the value of the SC flag variable passes control to the Monster's Combat.

**PSI-LANCE:** An initial check is made in line 5200 to see if the character has met the requirements for the spell to function, if not the program RETURNs to 4560 and then to the Monster's Combat after displaying a suitable message.

Once again the cost to the character in stamina is deducted, this time in line 5210, and the check made to see if he has exhausted himself is done. If you are still alive and fighting, the check is made in

line 5220 to see if you are really attacking a monster with some psi power, if not then you are wasting your time so control passes back via 4560 to the Monster's Combat.

If all is well at this stage the text for the spell is printed by lines 5230 and 5240 and the test to see if the spell was successful is then made at line 5250. If the spell failed the program RETURNs to line 4560 and the Monster's Combat after printing a suitable message.

The amount of damage your spell did to the monster is calculated in 5260 and if no damage was inflicted the program goes back to 4560 and the Monster's Combat. If you did damage the creature the amount inflicted is displayed and deducted from monster's strength and psi power and these values are then checked to see if the monster has expired by line 5310. If the monster is still alive the program returns to Monster's Combat via 4560 otherwise line 5320 tells you that you have killed the beast and your experience is subsequently updated by line 5330 and the program RETURNs to 4560 and then back to the Movement routine.

**CRISPIT:** Once again an initial test is made to see if your character

meets the requirements to use the spell, if not, it's back to line 4560 and then to the Monster's Combat. If you can use the spell line 5410 tests to see if the stamina you use to cast the spell has killed you off; if it has it passes control to Death via 4560.

The spell message is printed by lines 5420 to 5470 before line 4580 computes the outcome of the spell. Once again, if the spell failed it RETURNs to 4560 and then to the Monster's Combat.

If the spell worked, line 5490 calculates the damage done; if none, then it's back to 4560 and the Monster's Combat again! Given that the spell has worked, the damage is deducted from the monster's physical strength and if it hasn't got any it is deducted from its psi power; all this is handled by lines 5510 to 5530. In fact, if you do more than a certain amount of damage, line 5520 takes some extra points off the psi power as well.

The rest of the routine is concerned with printing out the amount of damage done and checking to see if the monster is now dead. Depending on the result of these tests the program can jump to either the Movement routine or the Monster's Combat via the ever-faithful 4560.

PF

```

4999 REM ** SPELL 1 (SLEEPIT)
5000 C=C-5:IF C<=0 THEN SC=5:RETURN
5010 PRINT DS;"SLEEP YOU FOUL FIEND THAT I MAY ESCAPE"
5020 PRINT "AND PRESERVE MY MISERABLE SKIN"
5030 DF=180:GOSUB 36000:REM ** DELAY + UPDATE
5040 PRINT DS;"THE CREATURE STAGGERS..."
5050 DF=40:DL$="D":GOSUB 36000:REM ** DELAY
5060 IF RND(TI)<0.5 THEN 5090
5070 PRINT "AND COLLAPSES...STUNNED"
5080 EX=INT(EX+U/2):CF=0:SC=1:RETURN
5090 PRINT "BUT RECOVERS WITH A SNARL !"
5100 SC=2:RETURN

```

```

5199 REM ** SPELL 2 (PSI-LANCE)
5200 IF MS>C OR PS<49 OR EX<1000 THEN SC=4:RETURN
5210 C=C-10:IF C<=0 THEN SC=5:RETURN
5220 IF N=0 THEN PRINT DS;"THIS BEAST HAS NO PSI TO
      ATTACK":SC=2:RETURN
5230 PRINT DS;"WITH MY MIND I BATTLE THEE FOR MY LIFE"
5240 DF=120:GOSUB 36000:REM ** DELAY + UPDATE
5250 RF=RND(TI):IF RF<0.4 AND N>10 THEN SC=6:RETURN
5260 D=INT(((C*50*RF)-5*(MS+N)+E)/50)/4
5270 IF D<=0 THEN D=0:SC=7:RETURN
5280 PRINT DS;"THE PSI-LANCE CAUSES ";D*2;" DAMAGE"
5290 N=N-3*D:IF N<=0 THEN N=0
5300 MS=MS-D:IF MS<=0 THEN MS=0

```

```

5310 IF (MS+N)>0 THEN SC=2:RETURN
5320 PRINT "[CD]...KILLING THE CREATURE"
5330 EX=EX+U:CF=0:SC=1:RETURN

```

```

5399 REM ** SPELL 3 (CRISPIT)
5400 IF PS<77 OR EX<5000 THEN SC=4:RETURN
5410 C=C-20:IF C<=0 THEN SC=5:RETURN
5420 PRINT DS;"WITH THE MIGHT OF MY SWORD I SMITE THEE"
5430 PRINT "WITH THE POWER OF MY SPELL I CURSE THEE"
5440 PRINT "BURN YE SPAWN OF HELL AND SUFFER..."
5450 DF=240:GOSUB 36000:REM ** DELAY + UPDATE
5460 PRINT DS;"A BOLT OF ENERGY LASHES AT THE BEAST..."
5470 DF=80:DL$="W":GOSUB 36000:REM ** DELAY + WIPE
5480 IF RND(TI)>(PS/780)*(5-P1) THEN PRINT DS;"MISSED
      IT !":SC=2:RETURN
5490 D=INT((C+PS*RND(TI))-(10*N*RND(TI)))
5500 IF D<=0 THEN D=0:SC=7:RETURN
5510 IF MS=0 THEN N=N-D:GOTO 5530
5520 MS=MS-D:IF D>10 THEN N=INT(N-(D/3))
5530 PRINT DS;"IT STRIKES HOME CAUSING ";D;" DAMAGE
      [2 SPC]!"
5540 IF (MS+N)<=0 THEN 5570
5550 DF=80:DL$="D":GOSUB 36000:REM ** DELAY
5560 SC=2:RETURN
5570 PRINT "[CD]THE BEAST DIES SCREAMING !"
5580 EX=EX+U:CF=0:SC=1:RETURN

```



RONIN  
TREASURE = 12989  
EXPERIENCE = 8654  
TURNS = 539

WARRIOR  
COMBAT STR = 75  
PSI POWER = 117  
STAMINA = 113

YOUR MOVE...WHICH DIRECTION ?

OBERON  
TREASURE = 0  
EXPERIENCE = 5  
TURNS = 1

WIZARD  
COMBAT STR = 22  
PSI POWER = 20  
STAMINA = 100

SAFE ON THE PATH...WHICH WAY ?

Another check is made at line 9190 for either Swamps or Woods to assign two string variables, D2\$ and R2\$, if either of these scenarios are entered. Both D2\$ and R2\$ are cursor control movements: D2\$

A random integer between 1 and 30 is generated in line 9070 and is assigned to P(2). This is used in all scenarios to determine the position of lakes or the patterns of rooms. Line 9080 sets a temporary variable TF to the number of turns you have had so far, TN. This is then



being a random number of Cursor Downs between 0 and 9 and R2\$ being a random number of Cursor Rights between 1 and 30; this is the first use of P(2).

In line 9210, there is a check for one of the secondary scenarios in the Swamps or the Woods. If the Lair or Temple symbol, POKE code 230 is recognised, the appropriate scene number is assigned  $S=S+3$

and level number  $FL=FL+4$ . The temporary position variable, MW, is assigned your position, M, immediately prior to entering the secondary scenario.

The program is directed to the appropriate subroutine is line 9220 and then in line 9230, the program is directed to the delay and status update subroutine. On RETURNing, line 9240 takes you back to the

Movement routine and the new scenario is displayed awaiting further exploration.

To give the maximum variety of scenes for the minimum amount of memory space used we chose, for the 16K game, two primary scenarios in addition to the Valley itself. We then used variations of these basic scenarios to provide additional areas to explore. **PF**

```

8999 REM ** SCENARIO CONTROL ROUTINE
9000 IF Q1=230 AND PK=224 THEN PRINT D$;"YOU CANNOT
      ENTER THIS WAY...";GOTO 9110
9010 FOR I=2 TO 7
9020 P(I)=0
9030 N(I)=INT(RND(TI)*5+4)
9040 IF N(I)=5 THEN 9030
9050 NEXT I
9060 IF S=1 THEN MP=M
9070 P(2)=INT(RND(TI)*30+1)
9080 TF=TN:GOTO 9130
9089 REM ** EXIT FROM SCENARIO
9090 IF TN>TF+INT(RND(TI)*6+1) THEN 9130
9100 PRINT D$;"THE WAY IS BARRED"
9110 TN=TN-1:C=C-10:DF=100:DL$="W":GOSUB 36000:

      REM ** DELAY + WIPE
9120 GOTO 2010
9130 C=C-10:POKE M,32:POKE W,Q
9140 IF Q1=96 THEN S=1:FL=1
9150 IF Q1=104 AND S=4 THEN S=1:FL=1
9160 IF Q1=104 AND S=5 OR S=6 THEN S=S-3:FL=FL-4:M=MW
9170 IF Q1=173 THEN S=2:FL=2
9180 IF Q1=216 THEN S=3:FL=3
9190 IF Q1=216 OR Q1=173 THEN D2$=LEFT$(D$,INT(RND(TI)*
      10)):R2$=LEFT$(R$,P(2))
9200 IF Q1=87 THEN S=4:FL=2
9210 IF Q1=230 THEN S=S+3:FL=FL+4:MW=M
9220 ON S GOSUB 10000,12000,12010,14000,14010,14010
9230 DF=5:GOSUB 36000:REM ** DELAY + UPDATE
9240 GOTO 2000:REM ** MOVEMENT

```

## The Valley

Let us start where our 'alter ego', whatever his character type, will step out into his adventure... the Valley. Line 10000 clears the screen, sets F\$ to 'VAEGH' which determines what monsters may be found in the Valley, ie monsters from groups V,A,E,G, and H (see Table 1). The difficulty level is set to 1 (FL has a bearing on how strong the monsters are) and finally sets the scene number also to 1...the Valley.

First let us draw the bounds of the Valley, this consists of a rectangle 39 characters wide by 14 characters high. Lines 10010 and 10050 draw in the top and bottom frames of the Valley, between them a FOR...NEXT loop draws the vertical frames consisting of the appropriate characters separated by 37 spaces. These are drawn 12 times giving an internal playing area of 37 x 12.

Line 10070 determines the position, M, of the left-hand safe castle, 32809 is the screen map position of the top left-hand corner of our frame.

Line 10080 assigns the position and character code for the left-hand safe castle to array elements G(0) and G(1) respectively. L and MP are temporary position variables. M is used throughout as your position *now* and W is your position when you next move (the look-ahead variable). All are set to position of the safe castle.

We now have to work out the course of the path; for the PET we use the two diagonal lines, POKE

codes 77 and 78 (suggested symbols for other micros are given in Table 3). Using only these two symbols for the path enables us to make a fairly simple decision on how the path may be drawn:

- 1) If the path is already slanting up to the right then only two possibilities are acceptable; upwards to the North East or a downwards to the East (remember the path must be continuous).
- 2) If the path is already slanting down to the right then only downwards to the South East or upwards to the East are permissible.

The choice of an upwards or downwards diagonal is made randomly in line 10100. Lines 10110 and 10120 initially set the POKE code, PC, for a downwards diagonal to be to the South East of the present path ( $L1=L+41$ ) and for an upwards diagonal to be to the North East ( $L1=L-39$ ). L1 is a temporary position variable.

In line 10130 we check to see if the path is trying to go through the top or bottom frames of the Valley. If it is, the program is directed back to line 10100 to choose again. If it is within the Valley, we allocate in line 10140 an element of array G() to the POKE code for that section of the path. Looking back to 1) and 2) above, you will notice that if the next path element is different to the previous element it *must* always be to the East. This condition is checked in line 10150 and the temporary variable, L1, is altered if necessary.

Line 10160 stores the position of

the path in array G(), assigns the starting position for the next section of the path to variable L and draws the section just computed on the screen.

This selection of path direction and position is repeated 36 times within a FOR...NEXT loop. Positions 1 and 37 are safe castles from which you may leave the Valley if you so wish. Even elements of G() are screen positions and odd elements are POKE codes for the safe castles or the path. Line 10180 completes the 'path draw' by placing the right-hand safe castle on the last path position.

Going back to line 10060 we see that this tests to see if the path has already been computed. If it has not then G(0) will be zero. If it has, the program skips the path computation and jumps to line 10190 which initiates a FOR...NEXT loop that draws the path using the information stored in array G(). In fact if the path is being drawn for the first time (on entering the Valley) it is also redrawn in lines 10190 to 10210.

Having drawn the Valley path we now have to work out where the different scenarios are to be placed within the Valley. These positions are stored in array S(). Line 10220 checks if they have already been assigned and if they have, the program jumps to line 10280 where the scenarios are drawn on the map of the Valley.

Line 10240 generates two random numbers that represent row and column positions within the



# THE VALLEY

Valley. Line 10250 assigns this position to an element of array S(). Line 10260 checks to see that the chosen position and the position immediately to its right are not the path or safe castle (ie an empty space POKE code 32). If the positions chosen are free then the selection is repeated for the next element of array S().

Lines 10280-10300 POKE the

scenario symbols on the screen. There is a chance that some symbols may be overwritten by other scenarios but then this is the luck of the draw! Woods are drawn first (code 216) then Swamps (code 173) and finally the Black Tower of Zaex-on (pronounced Zeeks-on), code 87. Woods and Swamps are represented by two symbols side by side and

both scenarios are repeated. The Black Tower is a single symbol; only one such Tower is found in the Valley.

Line 10310 assigns your present position to that of temporary variable, MP. This is used to remember your last position in the Valley when you return to the Valley from one of the other scenarios. **PF**

```

9999 REM ** SCENARIO 1 (THE VALLEY)
10000 PRINT "[CLS]";FS="VAEGH";FL=1:S=1
10009 REM ** DRAW THE VALLEY FRAME
10010 PRINT "[HOM][REV][39^V][OFF]"
10020 FOR I=1 TO 12
10030 PRINT "[REV][^V][OFF][37 SPC][REV][^V][OFF]"
10040 NEXT I
10050 PRINT "[REV][39^V][OFF]"
10059 REM ** IF PATH ALREADY DRAWN SKIP
10060 IF G(0)<>0 THEN 10190
10069 REM ** COMPUTE THE PATH
10070 M=32809+(INT(RND(TI)*11)+1)*40
10080 L=M:MP=M:W=M:G(0)=M:G(1)=219
10090 FOR I=2 TO 72 STEP 2
10100 IF RND(TI)>0.5 THEN 10120
10110 PC=77:L=L+41:GOTO 10130
10120 PC=78:L=L-39
10130 IF L1>=33286 OR L1<=32806 THEN 10100
10140 G(I+1)=PC
10150 IF I>2 AND G(I+1)<>G(I-1) THEN L1=L+1
10160 G(I)=L1:L=L1:POKE G(I),G(I+1)

10170 NEXT I
10180 G(73)=219
10189 REM ** PLOT IN PATH
10190 FOR I=0 TO 72 STEP 2
10200 POKE G(I),G(I+1)
10210 NEXT I
10220 IF S(0)<>0 THEN 10280
10229 REM ** COMPUTE SCENARIO POSITIONS
10230 FOR I=0 TO 4
10240 N1=INT(RND(TI)*11)+1:N2=INT(RND(TI)*34)+1
10250 S(I)=32809+(40*N1)+N2
10260 IF PEEK(S(I))<>32 OR PEEK(S(I)+1)<>32 THEN 10240
10270 NEXT I
10279 REM ** PLOT IN SCENARIOS
10280 POKE S(0),216:POKE S(0)+1,216:POKE S(1),216:POKE
S(1)+1,216
10290 POKE S(2),173:POKE S(2)+1,173:POKE S(3),173:POKE
S(3)+1,173
10300 POKE S(4),87
10310 M=MP:W=M
10320 RETURN

```

## Woods And Swamps

These two scenarios are fundamentally the same, only the characters representing their contents and the special scene in the middle of the Lake differ. The starting point selected by the Scene Control routine is 12000 for the Swamp and 12010 for the Woods. The function of each of these entry points is to establish the valid monster string, FS, and to assign the POKE code, PC, to the correct value for the scene. The routine proper begins by re-assigning the POKE value of the square under your feet to 32, a space, so that when you move away you don't leave the character you were standing on in the Valley behind you.

The screen is now cleared in preparation for the construction of the scene. A pointer variable, L, is set to the value of the top left-hand corner of the scene and a random FOR...NEXT loop inserts 200 appropriate scene characters into the screen area. This is all handled

by the block code from 12040 to 12070.

Having constructed the basis of the scenario we now need to plot in the Lake containing the secondary scenario and this is performed by the block code from 12080 to 12140. The values of D2\$ and R2\$ were previously determined in the Scenario Control section and serve to position the Lake within the scene area. The castle-type scene at the centre of the Lake is dependent on whether you are currently in the Woods, Vounims' Lair, or the Swamps, The Temple of Y'Nagioth.

Having now constructed the inside of the scene, we have to print a border around it in order to detect an attempt at movement outside the scene area. The border is printed by the section of program between 12150 and 12190 and is made up of non-32 type spaces on the PET, other suggestions are to be found in Table 3. Because the border is printed in after the scene has been constructed, it will overwrite any

stray scene characters in the 1st and 40th column; this simplifies the random printing routine. The semi-colons at the end of of lines 12150 and 12170 ensures that the frame is continuous; printing into the 40th column would otherwise force a Carriage Return.

The next operation is to POKE a space character to the position in which the character will appear and assign W to the address of that position. This ensures that when you enter the Woods you are not completely hemmed in by trees; it doesn't matter in the case of the Swamps.

Because you could re-enter the Woods and Swamps from one of the secondary scenes, a check is made in line 12210 to see if the POKE code of the square you were standing on was a doorway. If it was, your current position is reset to the position you were in when you entered that secondary scene. The value of that position is then held in the variable MW and is assigned when you enter a secondary scene. **PF**

```

11999 REM ** SCENARIO 2 (WOODS AND SWAMPS)
12000 FS="AFL":PC=45:GOTO 12020
12010 FS="FAEHL":PC=88
12020 PK=32
12030 PRINT "[CLS]"
12039 REM ** DRAW RANDOM WOODS OR SWAMPS
12040 L=32810
12050 FOR I=1 TO 200
12060 POKE L+INT(RND(TI)*515),PC
12070 NEXT I
12079 REM ** PRINT IN LAKE
12080 PRINT "[HOM]";D2$;R2$;"[2 CR][REV][2 SPC][OFF]"
12090 PRINT R2$;"[CR][REV][5 SPC][OFF]"
12100 PRINT R2$;"[REV][2 SPC][OFF][2 SPC][REV][2 SPC][OFF]"

12110 PRINT R2$;"[REV][2 SPC][^&][OFF][SPC][REV][3 SPC][OFF]"
12120 PRINT R2$;"[CR][REV][4 SPC][OFF][CR][REV][2 SPC][OFF]"
12130 PRINT R2$;"[3 CR][REV][2 SPC][OFF]"
12140 PRINT R2$;"[4 CR][REV][SPC][OFF]"
12149 REM ** DRAW IN THE FRAME
12150 PRINT "[HOM][40^SPC]";
12160 FOR I=1 TO 13
12170 PRINT "[^SPC][38 CR][^SPC]";
12180 NEXT I
12190 PRINT "[40^SPC]"
12200 POKE 33306,32:W=33306
12210 IF Q1=104 THEN M=MW:W=M
12220 RETURN

```



## The Black Tower

Our other primary scenario is the Black Tower of Zaexon. This is a six floor castle-type scene and its construction is also used to produce the secondary single floor scenes found in the Woods and Swamps. The Tower has a stable floor pattern; once a floor has been entered it will remain the same as long as you are in the Tower.

Scenario Control directs the program to the routine at 14000 assigning the monster string, FS; zeroing the floor pattern variable, P; and setting the room depth variable, H, to the current FLth element of array N(). The current position character is set to a space and the program jumps to 14020. The variables for the secondary scenes are initialised in 14010. One slight change is that the array P() is set to the value of P(2). This is done because the secondary scenes have initial FL values of 6 or 7 depending on type and these elements of P() are 0 which would cause the room pattern to be the same each time (see line 14070).

The frame of the Tower is printed first by lines 14020 to 14060 using a reversed space character (Table 3 holds alternatives for other systems). The vertical walls are drawn next by the somewhat complex routine found between 14070 and 14250. In order to ensure that the pattern of rooms varies on each floor and on each visit to the scene, we use the 31 element data

statement at line 60000. These are READ sequentially for each new floor and represent the width of each room. To give variety to the pattern of rooms the starting point of the READ is determined randomly in the Scenario Control section and stored in P(2). To start the drawing sequence the DATA pointer is RESTORED and then P(2) dummy READs are made; V is used only as a temporary store. Once again we use the pointer variable, L, to hold the address of the top left-hand corner of the scene. We now read the next three DATA items from the list and store them in array D(); the number of sets of 3 is stored in the temporary variable, P.

The actual drawing of the vertical walls is done by lines 14150 to 14240 and their length is dependent on the value of H, the room depth variable. The wall characters are POKED into position as are the doors which occur a predetermined distance along them. Having drawn the first set of vertical walls the starting point is re-assigned in line 14250 and the next set is drawn in — this process is repeated until the walls have reached the bottom of the frame.

The horizontal walls can now be drawn in and their spacing is dependent on the value of the current element of array N(). The routine is located between lines 14270 and 14340.

As only the Black Tower has stairs, line 14350 causes the

secondary scenes to skip over this section of the program. The Black Tower has stairs located in opposite corners for each floor and these are POKED into position on lines 14360 and 14370. If you are on the ground floor of the Tower or in one of the secondary scenes, a doorway is POKED into position by line 14380.

If you are stepping into the Tower or either of the secondary scenes for the first time, your character will be placed just inside the doorway; the check for this is made in 14390 as P(3) will only be 0 if you haven't gone up any stairs yet.

The appropriate name for the castle-type scene is PRINTED into position by lines 14400 to 14480 and, in the case of the Tower, the floor number is also displayed.

Treasure can be found in the upper floors of the Tower, and either of the two secondary scenes, provided the value of FL is equal to or greater than 4 **and** a random factor is greater than 0.3. If these conditions are not met, control returns to the Scenario Control section and then back to the Movement routine. If both conditions are met, a random number of special treasure symbols are displayed; between 2 and 6 can appear and are shown as asterisks. They are positioned by the two temporary variables N1 and N2 which act as row and column co-ordinates. Provided the position selected is vacant an asterisk is POKED into place.

PF

```

13999 REM ** SCENARIO 3 (CASTLE-TYPES)
14000 FS="CAGE":P=0:H=N(FL):PK=32:GOTO 14020
14010 FS="CBE":P=0:H=N(FL):PK=32:P(FL)=P(2)
14019 REM ** DRAW FRAME
14020 PRINT "[CLS][REV][2 CR][21 SPC][OFF]"
14030 FOR I=1 TO 13
14040 PRINT "[REV][2 CR][SPC][OFF][19 SPC][REV][SPC][OFF]"
14050 NEXT I
14060 PRINT "[REV][2 CR][21 SPC][OFF]"
14069 REM ** DRAW VERTICAL WALLS
14070 RESTORE:FOR I=1 TO P(FL)
14080 READ V:IF V=100 THEN RESTORE
14090 NEXT I
14100 L1=32810
14110 FOR J=1 TO 3
14120 READ D(J):P=P+1
14130 IF D(J)=100 THEN RESTORE:D(J)=3:P=P+1
14140 NEXT J
14150 FOR I=0 TO H:PC=160
14160 L=L1+(40*I):IF L>33290 THEN 14260
14170 IF I=1 THEN PC=32
14180 IF D(1)=0 THEN PC=160:GOTO 14200
14190 POKE L+D(1),PC:PC=160
14200 IF I=3 THEN PC=32
14210 POKE L+D(1)+D(2),PC:PC=160
14220 IF I=4 THEN PC=32
14230 POKE L+D(1)+D(2)+D(3),PC:PC=160
14240 NEXT I
14250 L1=L1+(40*H)+40:GOTO 14110
14259 REM ** DRAW HORIZONTAL WALLS
14260 L1=32810
14270 FOR J=1 TO 4
14280 L=L1+(40*J*(H+1))
14290 FOR K=1 TO 19
14300 IF L>33250 THEN 14350
14310 POKE L+K,PC

```

```

14320 IF K=2 OR K=3*H OR K=17 THEN POKE L+K,32:
POKE L+K+40,32:POKE L+K+40,32
14330 NEXT K
14340 NEXT J
14349 REM ** DRAW IN THE STAIRS
14350 IF S=5 OR S=6 THEN 14380
14360 IF FL/2=INT(FL/2) THEN POKE 33291,102:GOTO 14380
14370 POKE 32829,102
14379 REM ** DOORWAY NEEDED ?
14380 IF FL=2 OR S=5 OR S=6 THEN POKE 33336,104:
POKE 33296,32
14390 IF P(3)=0 THEN W=33296
14399 REM ** WRITE APPROPRIATE NAME
14400 IF S=5 THEN 14470
14410 IF S=6 THEN 14450
14420 PRINT "[HOM]";R1$;"[4 CD][3 CR]THE BLACK TOWER"
14430 PRINT R1$;"[3 CR][3 SPC]OF ZAEXON"
14440 PRINT R1$;"[3 CD][3 CR][3 SPC]FLOOR ";FL-1:
GOTO 14490
14450 PRINT "[HOM]";R1$;"[2 CD][5 CR][REV][SPC]
VOUNIM'S[SPC][OFF]"
14460 PRINT R1$;"[5 CR][REV][3 SPC]LAIR[3 SPC][OFF]":
GOTO 14500
14470 PRINT "[HOM]";R1$;"[2 CD][4 CR][REV]THE TEMPLE OF
[OFF]"
14480 PRINT R1$;"[4 CR][REV][2 SPC]Y'NAGIOTH[2 SPC]
[OFF]"
14490 P(FL+1)=P(FL)+P
14499 REM ** SCATTER SPECIAL FINDS
14500 IF FL<4 OR RND(TI)<0.3 THEN RETURN
14510 FOR I=1 TO INT(RND(TI)*5)+2
14520 N1=INT(RND(TI)*19)
14530 N2=INT(RND(TI)*12)
14540 IF PEEK(32811+40*N2+N1)<>32 THEN 14520
14550 POKE (32811+40*N2+N1),42
14560 NEXT I
14570 RETURN

```



## Stairs

In the Black Tower each floor is connected to the next by a set of stairs. These are set at diagonally opposite corners of each floor and each stair operates only in one direction. This means that if you walk up one flight you have to cross the entire floor to reach the next set; you can't simply go down the flight you came up!

The routine is located from 15000 to 15110 and starts by offering

you a choice of going either up or down. The character pressed is checked at 15030 to 15050 to see if it is valid and if it is, the FL variable is incremented. This value represents the floor to which you wish to move and checked by line 15060 to ensure that it is within limits. If the value of FL is outside the limits, a suitable message is printed and the current floor level reset into FL from the temporary variable TV.

HB

```
14999 REM ** STAIRS ROUTINE
15000 POKE W,81:POKE M,32
15010 PRINT D$;"A STAIRWAY..."
      UP OR DOWN ?":TV=FL
15020 VGS="UD":GOSUB 15000:
      REM ** UNIGET
15030 IF GC$="U" THEN FL=FL+1:
      GOTO 15050
15040 FL=FL-1
15050 IF FL>7 OR FL<2 THEN 15080
15060 DF=110:DL$="D":GOSUB 36000
15070 GOTO 9220
15080 PRINT D$;"THESE STAIRS
      ARE BLOCKED[SPC]"
15090 DF=60:DL$="D":GOSUB 36000:
15100 FL=TV:GOTO 15010
```

## Delays

The routine from 36000 can be broken down into three functional blocks; delay, wipe and update. All calls to the routine are first set up by defining the contents of the variable DF which controls the length of the delay. If only the delay section of the routine is required then a flag variable, DL\$, is set to "D" to indicate this; the test in line 36020 causes an early RETURN.

In cases where a message wipe is needed after the delay but no update is required, the flag is set to "W" which forces a RETURN at line

36060. The wipe is simply performed by overwriting the text area with spaces.

The rest of the routine is concerned with updating the adventurer's status on the screen. Before the data is printed it is checked to see if it has reached or exceeded the maximum for the current character type, see Table 2. The code that performs these checks can be found in lines 36070 to 36100. The variables for experience, treasure and turns, can only increase so these are simply overprinted in line 36120 to 36140. The value of combat

strength, psi power and stamina can decrease as well as increase so these are first erased and then reprinted; lines 36150 to 36170 perform this task.

If a combat is in progress the flag variable, CF, is set to 1 and this is tested for in 36180. If it is set, the monster's current status is also updated at line 36210 and 36220. If, however, the flag is cleared to show that no combat is taking place, the line of the screen where this information would normally occur is wiped clean.

HB

```
35999 REM ** DELAY, WIPE & UPDATE ROUTINE
36000 FOR DL=1 TO (DF*TM)
36010 NEXT DL
36020 IF DL$="D" THEN DL$="":RETURN
36030 PRINT D$;SP$
36040 PRINT SP$
36050 PRINT SP$
36060 IF DL$="W" THEN DL$="":RETURN
36070 IF CS>77-INT(2*P1^2.5) THEN CS=77-INT(2*
      P1^2.5)
36080 IF PS<7 THEN PS=7
36090 IF PS>INT(42*(P1+1)^LOG(P1^3.7))+75 THEN
      PS=INT(42*(P1+1)^LOG(P1^3.7))+75
36100 IF C>125-(INT(P1)*12.5) THEN C=125-INT(P1)*
      12.5
```

```
36110 PRINT D$;"[CU]";JS;PS
36120 PRINT "TREASURE =" ;TS
36130 PRINT "EXPERIENCE =" ;EX
36140 PRINT "TURNS =" ;TN
36150 PRINT D$;R1$;"COMBAT STR =[4 SPC][4 CL]";CS
36160 PRINT R1$;"PSI POWER =[4 SPC][4 CL]";PS
36170 PRINT R1$;"STAMINA =[4 SPC][4 CL]";C
36179 REM ** IF FIGHTING UPDATE MONSTER
36180 IF CF=1 THEN 36210
36190 PRINT SP$
36200 RETURN
36210 PRINT D$;[2 CU][REV]";MS;"[OFF]";
36220 PRINT D$;R1$;"[2 CU]M STR =[12 SPC][12 CL]";MS;N;
      "[4 SPC]"
36230 RETURN
```

## Ratings

The ratings system used in the Valley program is based on a character achieving the maximum rating of 28, Master of Destiny, only after amassing 200,000 experience points.

Assigning a rating of 7 to an experience of 10,000 and a rating of

20 to 50,000 experience, the plotted curve began to show definite parabolic tendencies. After experimenting with the general equation of a parabola,  $y^2 = 4ax$  or  $y = c\sqrt{x}$  (where  $c$  is a constant), no simple values were found to fit. So...we compromised! Using the formula,  $y = 0.067\sqrt{x}$ , we managed

to get  $y$  values of 6.7 for an  $x$  value of 10,000, 15 at 50,000 and 28 at 200,000.

Realising that the rating should be based on experience and treasure, the  $x$  factor was defined as  $x = EX + TS/3$ . Then, in an attempt to penalise cowardice and rewarding those taking risks, a second factor,  $\log(EX/(TN + 1) \uparrow 1.5)$ , was added taking the number of turns to acquire your experience into the final equation. HB

RATING	CLASSIFICATION	
1	Monster Food	14
2	Peasant	15
3	Cadet	16
4	Cannon Fodder	17
5	Path Walker	18
6	Novice Adventurer	19
7	Survivor	20
8	Adventurer	21
9	Assassin	22
10	Apprentice Hero	23
11	Giant Killer	24
12	Hero	25
13	Master of the Sword	26
		27
		28
		Champion
		Necromancer
		Lozomaster
		Paladin
		Superhero
		Dragon Slayer
		Knight of the Valley
		Master of Combat
		Dominator
		Prince of the Valley
		Guardian
		War Lord
		Demon Killer
		Lord of the Valley
		Master of Destiny

Left: The rating numbers and their corresponding classifications.

```
44999 REM ** RATING ROUTINE
45000 DF=5:DL$="W":GOSUB 36000:REM ** DELAY + WIPE
45010 RT=INT(0.067*(EX+TS/3)^0.5+LOG(EX/((TN+1)^1.5)))
      IF RT>28 THEN RT=28
45020 IF RT<0 THEN RT=0
45030 PRINT D$;"YOUR RATING NOW BE";RT
45040 IF T(2)=1 THEN PRINT "YOU HAVE THE HELM OF EVANNA"
45050 IF T(3)=1 THEN PRINT "AMULET STONES...[SPC]";T(1)
45060 DF=250:DL$="W":GOSUB 36000:REM ** DELAY + WIPE
45070 IF GC$="E" THEN C=C-10:GC$="":GOTO 2010:
      REM ** MOVEMENT
45080 RETURN
```



# THE VALLEY

## Quit

If the adventurer steps on either of the two safe castles, one at each end of the path, he is offered the option of leaving the Valley. Regardless of his selection, his current rating is also computed and displayed at this point. If the player chooses to leave the Valley by keying "Y", control is

passed to the Save routine at line 50000.

Because the castle is safe the player's character is 'healed' of his wounds and readied for the Valley once more. This healing consists of resetting the stamina to its maximum value and ensuring a minimum combat strength of 20.

HB

```
47999 REM ** QUIT VALLEY ROUTINE
48000 PRINT DS;"THOU ART SAFE IN A CASTLE":IF CS<20 THEN
CS=20
48010 POKE M,PK:PK=PEEK(W):M=W:POKE M,Q
48020 PRINT "WILT THOU LEAVE THE VALLEY (Y/N) ?"
48030 VGS="YN":GOSUB 1500:REM ** UNIGET
48040 DF=5:DLS="W":GOSUB 36000:REM ** DELAY + WIPE
48049 REM ** GENERATE RATING IN CASE OF SAVE
48050 GOSUB 45000:REM ** RATING
48050 DF=110:DLS="W":GOSUB 36000:REM ** DELAY + WIPE
48070 IF GCS="Y" THEN 50000:REM ** SAVE ROUTINE
48080 C=150:PRINT DS;"THY WOUNDS HEALED...THY SWORD
SHARP"
48090 PRINT "GO AS THE GODS DEMAND..TRUST NONE OTHER"
48100 DF=120:GOSUB 36000:REM ** DELAY + UPDATE
48110 GOTO 2010:REM ** MOVEMENT
```

```
49999 REM ** SAVE CHARACTER ROUTINE
50000 PRINT "[CLS]DO YOU WISH TO SAVE ";JS;" ?"
50010 PRINT:PRINT "PLEASE KEY Y OR N"
50020 VGS="YN":GOSUB 1500:REM ** UNIGET
50030 IF GCS="N" THEN 50210
50040 PRINT "[CLS]PLACE YOUR CASSETTE IN THE TAPE DECK"
50050 PRINT "IS IT REWOUND ?"
50060 GOSUB 1600:REM ** ANYKEY
50069 REM ** THIS IS FOR PET ONLY
50070 OPEN 1,1,1,JS
50080 PRINT#1,PS
50090 PRINT#1,TS
50100 PRINT#1,EX
50110 PRINT#1,TN
50120 PRINT#1,CS
50130 PRINT#1,PS
50140 PRINT#1,T(0)
50150 PRINT#1,T(1)
50160 PRINT#1,T(2)
50170 PRINT#1,C1
50180 PRINT#1,P1
50190 CLOSE 1
50200 PRINT "[CLS][3 CD]"," *** DONE ***"
50210 PRINT DS;"[6 SPC]TYPE RUN TO START AGAIN"
50220 CLR
50230 END
```

```
54999 REM ** DEATH ROUTINE
55000 C=0:CS=0:PS=0:CF=0
55010 DF=110:GOSUB 36000:REM ** DELAY + UPDATE
55020 IF T(1)=6 THEN 55070
55030 PRINT DS;"[CR]OH WHAT A FRAIL SHELL"
55040 PRINT,"[2 CR]IS THIS THAT WE CALL MAN"
55050 DF=300:DLS="W":GOSUB 36000:REM ** DELAY + WIPE
55060 PRINT "[CLS]":GOTO 50210
55069 REM ** RESTORE CHARACTER TO LIFE
55070 T(0)=0:T(1)=0:TS=0:CS=30:C=150:PS=30
55080 PRINT DS;"ALARIAN'S AMULET PROTECTS THY SOUL"
55090 PRINT "[CD][REV][2 SPC]LIVE AGAIN[2 SPC][OFF]"
55100 DF=150:GOSUB 36000:REM ** DELAY + UPDATE
55110 LG(0):MP=L:M=W:S=1:GOTO 9220:REM ** SCENE CONTROL
```

```
59999 REM ** DATA FOR CASTLE TYPE SCENARIOS
60000 DATA 4,7,3,6,4,4,6,5,3,6,0,3,0,4,3,5,5,3,
8,3,4,5,0,6,3,6,4,6,4,7,4,100
60009 REM ** DATA FOR MONSTERS
60010 DATA AWOLFEN,9,0,AHOB-GOBLIN,9,0,AORC,9,0,
EFIRE-IMP,7,3,GROCK-TROLL,19,0
60020 DATA EHARPY,10,12,AOGRE,23,0,BBARROW-WIGHT,0,25,
HCENTAUR,18,14
60030 DATA EFIRE-GIANT,26,20,VTHUNDER-LIZARD,50,0,
CMINOTAUR,35,25,CWRAITH,0,30
60040 DATA FWYVERN,36,12,BDRAGON,50,20,
CRING-WRAITH,0,45,ABALROG,50,50
60049 REM ** SPECIAL MONSTERS FOR WATER ONLY
60050 DATA LWATER-IMP,15,15,LKRKEN,50,0
```

## Save

Stepping on one of the two safe castles is the only way to leave the Valley in an upright position as the option to save your character on tape is then offered. Taking this option out of the Quit routine passes control to the Save routine at 50000. The lines of code between 50070 and 50190 are specific to the PET and should be replaced with the corresponding code for whatever system you are implementing the game on.

At the end of this routine, whether you reach it by saving the data on tape or by choosing not to save in the Quit routine and dropping through, all the current variables are cleared and a farewell message displayed.

HB

## Death

This routine is the one part of the program the player would rather not have executed! Many and varied are the ways in which one can arrive at line 55000 and on all but one occasion the outcome is inevitable. The one exception is when you have been fortunate enough to collect the Amulet of Alarian and filled it with the six missing stones because this gives you a second life.

The test to see if you have the Amulet and its stones is made at 55020 and if successful you are restored to life. The price is, however, high as you lose all your treasure together with the Amulet and its stones. Your combat strength and your psi power are both set to 30; the only value that remains the same after death is your experience. The Valley is now redrawn and the character starts from the initial position once again.

If, as is most likely the case, you don't have the protection of the Amulet and its six stones then the game ends with all the variables being zeroed in line 50220.

HB

## Data

Rather than placing each data block with its relevant routine we have chosen to lump it all together at the end of the program. The first block contains all the information needed to build the three castle-type scenarios (see the relevant sections for more details on this). The second block of data holds the monster information which is READ into the three arrays M\$( ), MS( ) and N1( ) at the start of the program.


HB





## SOFTY SYSTEMS


### SOFTY 1 - LOW COST 2704/2708 PROGRAMMER



- Direct output to T.V. • High speed cassette interface • On card EPROM Programmer
- Multifunction keypad • 1k Monitor in 2708 • 1K RAM
- 128 byte scratchpad TAM • 1K EPROM Emulation
- Comprehensive editing facilities
- Supplied with ZIF socket, Simulator cable, and comprehensive manual.

SOFTY 1 (Built and tested) £120 + VAT  
SOFTY 1 PSU £20 + VAT

### SOFTY 2 - LOW COST 2716 PROGRAMMER



- Direct output to T.V. • High speed cassette interface • On card EPROM Programmer
- Multifunction touch keypad
- 2K Monitor in 2716 • 2K RAM
- 128 byte scratchpad RAM
- 2K EPROM Emulation • Can program 2732/2532 in two halves
- Editing facilities including — Data entry, Block shift, Block store, Match byte, Displacement calculation • Supplied with ZIF socket, Simulator cable, comprehensive manual, Antistatic foam lined EPROM tray and PSU

SOFTY 2 (Built and tested) £169 + VAT

### EPROM ERASERS

#### MODEL UV141

- Fast erase times (typically 20 minutes for 2716 EPROM)
  - 14 EPROM capacity
  - Built-in 5-50 minute electronic timer
  - Safety interlocked to prevent eye and skin damage
  - Convenient slide-tray loading of devices
  - MAINS and ERASE indicators
  - Rugged construction
- Priced at only £78 + VAT



#### MODEL UV140

Similar to Model UV141 but without timer  
Low price at only £61.50 + VAT

### EPROMS

	1-25	25-99	100+
2708	2:80	2:60	2:40
2716	2:80	2:60	2:40
2732	6:50	5:75	4:95

VAT SHOULD BE ADDED TO ALL PRICES

ALL ITEMS IN STOCK: PLEASE WRITE OR PHONE FOR FURTHER DETAILS

**GP Industrial Electronics Ltd**

Unit E, Huxley Close, Newnham Industrial Estate, Plymouth PL7 4JN. Tel: (0752) 332961/332962.

## CAMBRIDGE LEARNING

### SELF-INSTRUCTION COURSES

## A PRACTICAL DIGITAL ELECTRONIC KIT FOR

★ LESS THAN £20 ★



### SUITABLE FOR BEGINNERS

Learn the wonders of digital electronics and see how quickly you are designing your own circuits. The kit contains: seven LS-TTL integrated circuits, breadboard, LEDs, and all the

DIL switches, resistors, capacitors, and other components to build interesting digital circuits; plus a very clear and thoroughly tested instruction manual (also available separately). All this comes in a pocket size plastic wallet for only £19-90p inc VAT and p&p. This course is for true beginners:

- needs no soldering iron.
- asks plenty of questions, but never leaves you stuck and helpless.
- teaches you about fault-finding, improvisation, and subsystem checking.
- the only extra you need is a 4½V battery (Ever Ready 1289, or similar), or a stabilised 5V power supply.

Using the same breadboard you may construct literally millions of different circuits.

This course teaches boolean logic, gating, R-S and J-K flipflops, shift registers, ripple counters, and half-adders. Look out for our supplementary kits which will demonstrate advanced arithmetic circuits, opto-electronics, 7-segment displays etc.

Other self-instruction courses from Cambridge Learning Ltd include:

COMPUTER PROGRAMMING IN BASIC	£10.50
DIGITAL COMPUTER LOGIC AND ELECTRONICS	£ 8.50
DESIGN OF DIGITAL SYSTEMS	£14.00

Please send for full details (see coupon below).

**GUARANTEE** No risk to you. If you are not completely satisfied, your money will be refunded upon return of the item in good condition within 28 days of receipt.

**CAMBRIDGE LEARNING LIMITED, UNIT 54 RIVERMILL SITE, FREEPOST, ST IVES, CAMBS, PE17 4BR, ENGLAND.**  
TELEPHONE: ST IVES (0480) 67446. VAT No 313026022

All prices include worldwide postage (airmail is extra - please ask for prepayment invoice), Gire A/c No 2789159.

Please allow 28 days for delivery in UK.

Please send me:

.....SUPERKIT(S) @ £19.90

.....Free details of your other self-instruction courses.

I enclose a \*cheque/PO payable to Cambridge Learning Ltd for £..... (\*delete where applicable)

Please charge my:

\*Access / American Express / Barclaycard / Diners Club  
Eurocard / Visa / Mastercharge / Trustcard

Expiry Date..... Credit Card No .....

Signature.....

Telephone orders from card holders accepted on 0480 67446

Overseas customers (including Eire) should send a bank draft in sterling drawn on a London bank, or quote credit card number.

Name.....


Address.....

.....

Cambridge Learning Limited, Unit 54 Rivermill Site, FREEPOST, St Ives, Huntingdon, Cambs, PE17 4BR, England. (Registered in England No 1328762).



# DEAR DESIGNER OF OUR FUTURE,



## A FUTURE IN ROBOTICS?

The frontiers of technology are expanding rapidly. Technical education is lagging well behind the State-of-the-Art. To gain knowledge you have to do your own thinking. Silicon was still on the beach when teacher went to school.

## Putting the chips together.

We have products around in plenty which everybody uses but few understand. The engineers who do understand, the men who can put the chips together, are making a mint. Computers can be a lot of fun but that is a problem in itself. Keyboards breed "buttonneers", fiddlers fit for nothing but Space Invaders. (Those arcade money-takers are computers too.)

## Student Engineers

A sophisticated Z80 development system will prove to be a sound investment in your career. MENTA has a TV display, a cassette recorder interface and a powerful keyboard assembler and debugger. If you are an engineer engaged in experimental microcontrol or a student on a budget — MENTA is for you.

"MENTA is a refreshing re-think of the methods used both to teach machine code programming and to develop machine code systems" ... Ian Sinclair, Computing Today.

"A well thought out and useful device" ... Peter Maydew, Electronics and Music Maker.

## Real Insight

MENTA shows your program, register and stack contents on the TV screen. Z80 code is assembled directly from keystrokes. Single key entry of mnemonics makes for quicker, surer programming. The dedicated keypad is marked with Z80 assembler codes.

Your understanding is assured because each instruction can be tried immediately.

Audible feedback is supplied by miniature loudspeaker — a beep for a valid instruction — a squawk if you get it wrong!

## Specification

MENTA is housed in a strong plastic case with connections at the rear for the power supply, cassette recorder and the TV aerial lead. The 40 key keyboard is of wipe-clean mylar. The 7-segment LED gives prompts and page-numbers. Inside the case is the VDU circuitry, 1K of user RAM, a Z80 microprocessor and a 8255 Peripheral Interface Adaptor. External input and output is via the 26 pin expansion plug (24 bits of I/O plus Vcc and Gnd.)

## Keyboard Functions

- HEXADECIMAL entry of data with automatic cursor movements.
- FULL CURSOR CONTROL in four directions with automatic page changes.
- MATCH function which highlights every occurrence of requested bytes.
- INSERT and DELETE functions which shift code rightwards or leftwards. This permits easy correction without rewriting. These keys also set and remove breakpoints.
- STORE and RECALL keys remember subroutine addresses and calculate relative jumps.
- BREAKPOINT facility which permits viewing registers and stack.
- STEP facility which in effect gives a breakpoint after each instruction. This key repeats if held down. The cursor tracks the program's memory-addressing.

- INTERRUPT key which stops a running program to permit examination of registers and stack.
- REGISTER key permits alteration of register contents between executions.

MENTA has real capacity for external control because 24 lines of input and output are available — all that is missing is your program. MENTA comes with a hefty manual which reveals all its secrets. (Circuit diagram and source listing of the firmware are included.)

## Add-ons and improvements.

A disassembler ROM is available which prints out your program in standard mnemonics.

Add-on CONTROL MODULES, designed for the School's Council "Modular Courses in Technology, Microprocessor Control" course are available. Modules include analogue to digital converter, digital to analogue converter, temperature control, stepper motor control, model crane control and fibre-optic communications. The list of available software and hardware grows constantly. Please request details and prices from RAMSDEN SCHOOL, Gillman's Road, ORPINGTON, Kent.

MENTA is made here in Dorset by my company, DATAMAN DESIGNS. My name is BARRY SAVAGE. My home address and telephone number appears on all our invoices. If you need more information please talk to Jim Bennett — he's my business manager — on DORCHESTER (STD 0305) 68066.


MENTA costs £115 plus VAT. You can also buy it from many of the mail-order firms who cater for the amateur scientist. I'll be glad to do business with you on a direct basis; in which case I can promise that if you don't get along with your MENTA I'll return your money. All you risk is cost of postage. That is provided I get it back unharmed within 30 days. Fair is fair. You are helping me make a living so I'll do the same for you.

**DATAMAN DESIGNS  
LOMBARD HOUSE  
CORNWALL RD.  
DORCHESTER,  
DORSET DT1 1RX.**

# DATAMAN DESIGNS, LOMBARD HOUSE, CORNWALL ROAD, DORCHESTER, DORSET.



# FOR THE ACORN ATOM



## NEW

**£19.95**  
• VAT

£150.00  
£9.95

Total **£159.95**  
+ VAT

£250.00  
FREE

Total **£250.00**  
+ VAT

**£49.95**  
+ VAT

**£69.95**  
+ VAT

**ALSO**

**£69.95****£79.95****£32.95****£14.95**

**£199.00**

**£399.00**

**£19.95**

**£4.95**

## GAMES

**£8.00**

**£8.00**

**£5.00**

**£8.00**

**£9.00**

**£4.50**

# LIVERPOOL COMPUTER CENTRE

14-16 MANCHESTER ST., LIVERPOOL L1 6ER  
TELEPHONE 051-236 2000

Date \_\_\_\_\_

PRICE

NO	DESCRIPTION	PRICE

Postage: Over £10 Free.  
£10 and under 75p. Add 15%  
VAT to all items except books.

POSTAGE	
VAT	
<b>TOTAL</b>	

**ACORN**  
EUROCARD SYSTEM  
AVAILABLE  
TO ORDER

**LIVERPOOL  
COMPUTER  
CENTRE**



# ZX 80/81 HARDWARE/SOFTWARE

## ZX KEYBOARD

A full size keyboard for the 80/81. The keyboard has all the 80/81 functions on the keys, and will greatly increase your programming speed. It is fitted with push type keys as in larger computers.

The keyboard has been specially designed for the Sinclair computer and is supplied ready-built. It also has facilities for 4 extra buttons which could be used for on/off switch, reset, etc. **£27.95**



## 4K GRAPHICS ROM

The dK Graphic module is our latest ZX81 accessory. This module, unlike most other accessories fits neatly inside your computer under the keyboard. The module comes ready built, fully tested and complete with a 4K graphic ROM. This will give you 448 extra pre-programmed graphics, your normal graphic set contains 64. This means that you now have 512 graphics and with there inverse 1024. This now turns the 81 into a very powerful computer, with a graphic set rarely found on larger more expensive machines. In the ROM are lower case letters, bombs, bullets, rockets, tanks, a complete set of invaders graphics and that only accounts for about 50 of them, there are still about 400 left (that may give you an idea as to the scope of the new ROM). However, the module does not finish there; it also has a spare holder on the board which will accept a further 4K of ROM/RAM. IT NEEDS NO EXTRA POWER AND WORKS FROM YOUR NORMAL POWER SUPPLY. **£29.95**

## RAM 80/81

### 16K RAM

Massive add-on memory for 80/81.

### 16K KIT-A-KIT VERSION

of a 16K Ram. Full instructions included. All memory expansions plug into the user port at the rear of the computer. 16K RAM **£42.95** 16K KIT **£32.95**

### 2K & 4K RAM

Static Ram memory expansion for the 80/81. They both work with onboard Ram i.e. 4K plus onboard = 5K. This is the cheapest small memory expansion available anywhere. 2K RAM **£15.95**. 4K RAM **£22.95**

## 16K 81 SOFTWARE

As seen at the ZX Microfair.

**DEFLEX** This totally new and very addictive game, which was highly acclaimed at the Microfair, uses fast moving graphics to provide a challenge requiring not only quick reaction, but also clever thinking. One and two player versions on same cassette. **£3.95**

**3D/3D LABYRINTH** You have all seen 3D Labyrinth games, but this goes one stage beyond; you must manoeuvre within a cubic maze and contend with corridors which may go left/right/up/down. Full size 3D graphical representation. **£3.95**

**CENTIPEDE**. This is the first implementation of the popular arcade game on any micro anywhere. Never mind your invaders, etc., this is positively shining, the speed at which this runs makes ZX invaders look like a game of simple snap. **£4.95**

Please add £1 p&p for all hardware, Software p&p free. Specify ZX80/81 on order.

**ALL OUR PRODUCTS ARE COVERED BY A MONEY BACK GUARANTEE**

# dK'tronics

23 Sussex Road, Gorleston,  
Great Yarmouth, Norfolk.  
Telephone: Yarmouth (0493) 602453



# TANDY COLOR REVIEWED

**In producing their 6809-based Color Computer, Tandy seem to have broken away from their established markets and gone for a truly domestic system. We take a look inside.**



A few years ago I doubt that anyone would have thought that Tandy (known as Radio Shack in the States) would sell computers — IBM sold computers. Now however, Tandy sell one of the most popular computers in the world and their brochures offer a full range of machines with backup peripherals. Such is the way the microprocessor has turned things upside down!

Tandy began business by selling electronic components, kits and the like before moving up to 'own' brand electronic equipment such as tape recorders and amplifiers. They established a very successful chain of stores in the USA each offering the same range of products. In the UK the picture has been very different and only recently has the name Tandy become familiar in every (?) High Street along with you-know-who's fried chicken, another franchised success!

After their slow start, Tandy now offer a range of Z80-based systems starting with the well known Model I (the TRS-80) and finishing with either the Model II (built-in 8" discs) or the Model III (optional built-in 5 1/4" discs) depending on how you look at it. All of the machines in this range are fairly straightforward Z80 machines with Microsoft BASIC and medium resolution block graphics — the sort of thing that's just right for 'serious' computing. However, Tandy do make another machine that's **very** different — the TRS-80 Color Computer.

The most obvious difference between it and the rest of the range is evident in the title — it's got high resolution colour graphics. Yet

almost as important is the fact that it doesn't use a Z80 but a 6809 and this is slightly (!) obscured by the 80 in TRS-80. If it were only for the colour graphics and the 6809, the Color Computer would be an interesting machine but there are lots of other features that make this machine exciting.

From the point of view of the user it offers: sound effects over the TV set; joystick inputs as standard; and plug-in ROM cassettes for 'instant' program loading as well as the aforementioned colour graphics with up to eight colours. Looking at it from the technical minded enthusiast's angle (that is anyone reading CT), the Color Computer is fascinating — it uses a basic design likely to be new to most people and provides a great deal of flexibility if you want to try out new things. Tandy, quite logically, see their Color Computer as a potential competitor in the low-cost games machine market and their advertising and range of extras and add-ons supports this view. However, because of its remarkable hardware, other people have become so keen that all sorts of other uses have been thought up for it and many of these fall into the 'serious' computing category — so the wheel turns full circle.

## An Overview

The Tandy Color is self-contained — apart from the need for an external cassette unit and a TV set that is. In size it resembles a portable typewriter and is unusually light for a personal computer. It has a largish flat area to the rear of the

keyboard that might be suitable for standing peripherals such as 5 1/4" disc drives (see later) but is a bit on the small size for a black and white TV and a colour TV would certainly make it flatter!

The keyboard is probably the most controversial feature of the Color Computer being made up of square cut push switches with large gaps between. In practice the difference is more one of appearance than function. The layout is QWERTY and the distance between the centre of the keys is actually no larger than a 'normal' keyboard, but I suppose that some people will find it unacceptable. Personally I wouldn't like to type very much text on it but it all depends what you're used to.

The screen text display consists of a miserly 16 lines of 32 characters and they are all UPPER CASE. This may be good enough for playing games but it is a distinct disadvantage when it comes to any serious application such as text processing or education. To be strictly accurate the keyboard can generate lower case and the Color Computer can display them — as reversed colour upper case letters! There really isn't much excuse for a machine not to have proper lower case these days.

Apart from the keyboard and the screen text display the Color Computer is a good machine to use. The colour graphics are convincing — ie, the colours are distinct and clear — but many of the graphics modes are only available in the 32K machine so make sure that you buy a system that's big enough. One disadvantage of the hi-resolution graphics modes is the difficulty of mixing text and graphics. To go with the colour is a sound generator which, according to the advertising, can 'produce 255 separate tones' but only one at a time. This means that playing chords is difficult to say the least (see later for more technical information). One feature of the sound generator that I liked was the way it was fed to the TV with the video signal. Having the 'bleeps and squeaks' coming from the TV where all the action is happening is much more satisfying than having them coming from a little box or from inside the keyboard.



The cassette interface is not bad for short term use but I found it level sensitive — use a good recorder and stick to it. Perhaps the presence of a cassette storage device isn't so important for the Color Computer because of its ability to accept 'Program Paks'. These are small (5" x 4" x 1") plastic boxes that can be plugged into the side of the machine to effectively load a program in no time at all. You simply switch the computer off, plug the Pak in and switch the machine back on. If all goes as it should the program contained in the Pak will begin to run immediately. There are problems with this method of program loading, however. First you have to remember to switch off before you insert or remove a Program Pak — Tandy don't tell you what might happen if you forget but it's likely to be destructive! Second, on the review machine at least, inserting the Pak was quite difficult and removing some of them proved impossible; I actually had to open the machine to remove one of them! I'm not saying that all Color Computers behave this way, at least *one* does, so ask for a repeated demonstration with a number of Paks to check this point before you part with your money.

If you can master the insertion and removal of Program Paks you will be rewarded by a range of software that includes some very good games. These range from Chess to Project Nebula, a 'fly your space ship and shoot the enemy' simulation that gives a very good impression of what you might see through a spaceship's cockpit window! The trouble is that they are not cheap; Chess is priced at £26.95 and Project Nebula at £25.95.

### The Hardware

The case of the Color Computer is 3.5" x 13.75" x 14.75" and is made of a reasonable quality silver-grey plastic. Some parts of the case are thin and rely on internal pillars or the keyboard for support! This would only cause a problem if you dropped something heavy on it ... and you wouldn't do that would you! Cooling is by convection and ventilation slots can be found across the top and bottom of the machine — usual comments about keeping them unobstructed apply. Opening the case is easy — although I get the impression that Tandy would rather you didn't know this — just undo all the screws in the bottom, including the one hidden by the 'opening the case will void guarantee' sticker and lift the top off.

Inside you find that the construction is simple — only two items: the keyboard and the main PCB.

**The Keyboard** The construction of the keyboard is remarkable! It's completely enclosed by a moulded plastic trim and instead of needing support, it could easily provide it! I didn't have enough courage to loosen the 21 small screws on the base to find out what sort of key caps would have fallen into my lap ... the risk didn't seem worth it! I've already made comments about the keyboard in use so I'll simply add that there is no shift or caps lock key (although a shift lock is generated by pressing shift and 0) and there is no 'ctrl' key — so if you want to use the Color Computer as a smart VDU you will have to provide one in software.

**The Main PCB** Just about everything comes under this heading because Tandy managed to get everything — including the power supply — on one circuit board.

The power supply is of an unspecified type but is claimed to be less than 50 W rating. This is certainly borne out by the small size of the transformer. The rest of the circuit seems to be a straightforward bridge rectifier regulator configuration giving the usual +5, -5, +12, and -12 V. There are no problems here — it runs cool and all the regulators that need it are fixed to heavy heatsinks.


A large area of the main board is covered by a metal box, the lid of which can be removed by cutting two cable ties. This box has two uses — it cuts down radio interference and stops you inspecting the interesting part of the circuitry! If you do remove the lid of the screening you will be surprised by how few chips are hidden under it, a good proportion of which are 40-pin LSI devices. Because of the fairly small number of devices the board is well laid out with plenty of space between chips — in fact I don't think I've ever seen so much space between memory chips!

Having praised the overall layout of the main PCB it is sad to have to report that the metal screening also hides a terrible mess of jumper wires, components soldered directly to the pins of socketed chips and a small 'piggy-back' board. On the review machine the quality of the 'extra' soldering was poor — it's not easy to solder small components across the pins of an installed integrated circuit without damage!



**Above: Plugging in the Program Paks requires care — they can sometimes jam.**

**Below: Tandy have hidden their PAL conversion under a metal lid, possibly in shame!**



This sort of mess can only serve to lower the reliability of the machine and is likely to introduce intermittent faults visible on the TV screen. By tracing wires and making educated guesses I would say that the modifications are to do with converting the USA NTSC colour signal to a UK PAL colour signal. If this is true it indicates that the UK market was far from Tandy's mind when designing the Color Computer and that they have taken an easy route to producing the UK model. No matter what the reason for the 'extra' electronics — it is not an impressive sight!


### New Technology

It's a shame about the multilayering of the main logic board because the circuitry it holds is very clever stuff. As I've already mentioned the microprocessor is a 6809 made by Motorola — in fact every chip in the Color Computer is made by Motorola so I won't bother saying it again! The 6809 is thought by many, myself included, to be the best microprocessor currently available apart from the 68000. It is an eight-bit processor with 16-bit internal registers and a wide range of easy to use, yet powerful instructions.




# TANDY COLOR REVIEWED

Right: Neat connections at the rear typify the clean lines of the system's packaging.



Below: Although it looks slightly odd the keyboard does use the standard QWERTY layout.



Apart from using an advanced microprocessor the Color Computer uses two other newish devices, the MC6883 Synchronous Address Multiplexer (or SAM) and the MC6847 Video Display Generator (or VDG). The SAM is a very clever device that 'looks after' the memory for the 6809. It generates clock signals and the necessary refresh signal for dynamic RAM, allows bank switching between two 32K pages of RAM and a variable clock rate to allow slow RAM and fast ROM to be used. In addition to all this it interfaces the VDG to the memory in such a way that the 6809 and the VDG share the memory without any loss of speed. In fact the SAM and the VDG are 'locked' together in the sense that they share the same clock signals and the same operating mode. The VDG has no direct control over the memory, it is only connected via the data bus. The SAM, knowing which display mode the VDG is working in, produces the appropriate address at the right time to deliver the correct piece of data to the VDG for display. This is very different from the way most video generators work; normally both the data and address lines are shared by the

microprocessor and the video generator — this causes timing problems and only allows one area of memory to be treated as the 'screen'. Using the combination of the SAM and the VDG we can allow the SAM to resolve any timing conflicts and also choose the area of memory that will be delivered to the VDG for screen display. This last feature makes a certain amount of animated graphics possible by drawing a number of pictures at various places in memory and switching the display area from one to another.

The VDG itself is capable of a wide range of display modes the most important are:

MODE	GRID SIZE	COLOURS	PAGES
Text	32x64	8	1
0	128x96	2	1
1	128x96	4	2
2	128x192	2	2
3	128x192	4	4
4	256x192	2	4

Text mode provides a TRS 80 compatible SET/RESET style of graphics. The amount of memory each mode uses is given in pages or

blocks of 1.5K. You can see how the display memory is allocated from the memory map.

The 16 or 32K of RAM is provided by a row of eight dynamic RAM chips. The ROM memory is in the form of two 8K chips and there is no room for any more on the main PCB. Of course this doesn't matter because you can plug in an extra 16K of ROM (or RAM!) by using a Program Pak. You can already buy special Program Paks containing EPROMs or RAMs from various sources — but not Tandy as far as I know.

## Ins And Outs

In the middle of the main board are two 6821 PIAs. One is used as a memory keyboard interface at address \$FF00. The method of scanning the 8 by 7 matrix of keys is similar to that used by the TRS80 Model I — ie a 0 is shifted through Port B of the PIA to which the row lines are connected. If a key is pressed on a low row then a zero appears on the corresponding column.

The second PIA at address \$FF20 has a number of uses. It is used as an RS232 serial interface. This is a little unusual in that a special serial interface chip, for example the 6850, is cheap and often thought easier to use. However, readers with a long memory may recall Motorola's MIKBUG program which used a PIA and some software to generate serial signals. There is no disadvantage in using this method and it does save the chip at the expense of some easy software in the BASIC ROM. The serial interface is in fact an RS232 subset consisting of Receive, Transmit and Carrier Detect but these three are more than enough for most applications.

The rest of the PIA has a rather interesting function. Bits PA2 to PA7 are used to generate an analogue voltage between 0 and 5 V in 78 mV steps — ie a six-bit D to A convertor. This is done via an additive network






Fig. 1. The system block diagram. Note that the address bus doesn't go to the VDG or the RAM!




Fig. 2. The system's memory map.

with binary weighting (see Fig.3). This is an easy, cheap way of constructing a D to A converter and like the clever RS232 interface, has no special disadvantages.

The resulting six-bit D to A is used for three different jobs. First it generates the notes required by the cassette interface. Second, it is fed to the TV set as a sound effects generator and third, it is used to make a four channel A to D converter for use with the joysticks. With all that to do it must feel very tired at the end of the day.

Seriously though, this ingenious use of the same circuit has a few disadvantages for the user. Because it is used as the sound generator, any sounds produced by the machine must be programmed and the only waveforms available in Color BASIC are sinewaves and then only one at a time. If Tandy had us-

ed a special sound effects chip they could have offered more than one tone at a time — ie chords, etc. It may be possible to overcome this problem by software but not from BASIC. The four channel A to D converter uses a software successive approximation technique which is reasonably fast. The input voltage must lie between 0 and 5 V and digitisation accuracy is about 40 mV. Its intended use is via a couple of joysticks and the JOYSTICK command but there is no reason why it shouldn't be used for any other not too exacting analogue measurement — don't expect too much from six-bit accuracy.

The discussion of the PIAs has taken us through all of the Color machine's interfaces except one — the expansion port, the details of which can be seen in Table 1. We have also missed one hardware

feature that is almost invisible — the real time clock! The 6809's interrupt request line is pulsed every 1/50th of a second and this signal is used to trigger a clock update routine in the Color BASIC ROM. This last feature typifies the Color Computer's approach to things — if you can do it with software then so be it!

## The Software

The Color Computer comes equipped with Extended Color BASIC; there was an ordinary Color BASIC in the States but Tandy seem to have skipped that stage over here and gone straight to the more advanced version. Even though the Color Computer uses a 6809, the BASIC is still from Microsoft and has all the standard things like LEFT\$, RIGHT\$, PRINT USING, etc, etc. So, running other people's programs should be easy.

In addition there are a number of new commands for graphics and game playing. Some of these are very interesting. For example, CIRCLE (x,y),r,c,hw,s,f means plot a circle at x,y of radius r and colour c with a height to width ratio of hw starting at s and ending at f. If that seems like a lot for one instruction, it is! Using it you can plot any part of a circle, or an ellipse, of any colour of any radius anywhere!

Two other commands worth knowing about if only to discover what other machines are lacking are the DRAW and PAINT commands. The DRAW commands will execute a string of graphics commands. So if you want to draw a square you load a string variable, A\$ say, with the necessary instructions and type DRAW A\$. PAINT is also very useful, for example PAINT (x,y),c,b will fill in an area with colour c. The way the area is defined is that, starting at point x,y, the colour fills the screen but will not cross any line or area drawn in colour b. For example, if you had drawn a square using blue lines, then PAINT (x,y),2,3 would fill the square with yellow if x,y was inside the square. If x,y was a point outside the square, the yellow colour would fill every part of the screen **except** the inside of the square.

There are other commands I could list that make Color BASIC very good for graphics, game playing and education. Each would require at least a paragraph to explain so all I will do is to direct you to a Tandy shop to find out about AUDIO, GET, PUT, LINE, COPY, PLAY and SOUND.



# TANDY COLOR REVIEWED

## Expansion

There are two ways of expanding the Color Computer — Tandy's way and everyone else's way. Tandy's way of expanding the Color Computer uses the Program Pak slot to connect up a 5¼" disc and to load Color Disc BASIC. You can use up to four drives off the same controller, each giving 156K of single-sided double density storage. The Disc BASIC is very similar to the other Microsoft disc BASICs with commands such as OPEN, CLOSE, INPUT, DIR doing most of the work. This is all very well but it ignores the fact that this machine is a 6809 and that there are a lot of 6809 enthusiasts all ready to produce software/hardware expansions.

The standard 6809 BASIC and operating system is TSC BASIC and TSC's FLEX. The standard hardware is the S50 bus (see CT, April 1981) and Tandy's expansion methods isolate you from all the opportunities this offers. However, if you are prepared to import extras from the States, you needn't be cut off! Hardware to connect the Color Computer to the S50 bus or run the FLEX

operating systems has been available there for at least six months.

## Conclusions

I am enthusiastic about it because it is one of the few machines that uses a 6809. Traditionally, 6809-based systems have been mainly used for technical/commercial applications — SWTP/GIMIX/SSB/MSI equipment for example. However the Tandy Color is, in Tandy's opinion, a HOME computer, for playing games, education, etc and, from Tandy's point of view, the fact that it uses a 6809 seems to be irrelevant. In my opinion this is a great shame.

The trouble is that, as a home computer, even with all its good points, it's a bit on the expensive side. The 16K machine costs £449 in the UK — in the States the same machine costs \$559, or approximately £299! Presumably the difference is partly because of the NTSC to PAL conversion. On the plus side, the graphics are stunning and you can make things move around the screen quite fast using nothing more advanced than

BASIC. If these features are important to you then you'll be impressed by the Tandy Color Computer — you may be even impressed enough to buy one!

Pin	Function
1	- 12 V
2	+ 12 V
3	HALT
4	NMI
5	RESET
6	E (6809 clock)
7	Q (6809 clock)
8	CB1
9	+ 5 V
10-17	D <sub>0</sub> -D <sub>7</sub>
18	R/W
19-31	A <sub>0</sub> -A <sub>12</sub>
32	C000-FEFF chip select
33,34	O V
35	Analogue In
36	FF40-FF5F select
37-39	A <sub>13</sub> -A <sub>15</sub>
40	Decode defeat (turns off internal ROM)

Table 1. The expansion port pin allocation

## REMOTE 'MICRO' CONTROL

Control domestic or office appliances with your micro without the need for wiring.

By using just one TX 008 you can link your micro to remote RX 018 anywhere in your home or office. This interface system works with any micro (Apple PET ZX81 etc.)

### ● TX 008 COMPUTER INTERFACE

The TX 008 is the link between your micro and any remotely located RX 018. Its function is to pass instructions from your micro to defined remote points. The TX 008 is simply plugged into the mains and connected to an output port of any micro computer.

The TX 008 comes complete with output port connections, drive software and application examples.

ZX81 users require an extra input output port module not included in the TX 008 price see code no ZX81 CP.

TX 008 price £45.00 inc. VAT

### ● RX 018 REMOTE TX INTERFACE

The RX 018 carries out instructions passed to it from your micro via the TX 008 as with the TX 008.

No wiring is necessary just plug your RX unit into any convenient mains socket and plug in the appliance. Your micro now has control

Price £25.00 inc. VAT

Stripeland Ltd., 111 Liverpool Road, Formby, Merseyside L37 6BR.

### ● ST KIT STARTER KIT

The St KIT is a standard starter kit containing one TX 008 and two RX 018. For further expansion of your system you only require more TX 018's.

St kit price £85.00 inc. VAT

### ● CONTROL PANELS

Control panels for interface with RX 018 are available, for further details and prices tick box provided on order form.

### Order Form

TO:

Stripeland Ltd., 111 Liverpool Road, Formby, Merseyside L37 6BR.

Please send me items listed.

I enclose a cheque/postal order for £

Please add £2.50 P&P to your calculated total.

Name .....

Address .....

Important — Please state type and make of computer

Qty	Type	Price Each £	Total
	TX 008	45.00	
	RX018	25.00	
	ST Kit	85.00	
	ZX81cp	13.90	


Total

Please send me details of  
1. St control panel

2. Super Control panel



# Wherever you are in the UK there's a Genie dealer nearby



## Genie I & II Approved Dealers

**AVON** Microstyle, Bath, 0225 334659/319705. **BEDFORD** Comserve, Bedford, 0234 216749. **BERKSHIRE** P.C.P., Reading, 0734 589249. **BIRMINGHAM** Ward Electronics, Birmingham, 021 554 0708. Consultant Electronics, Birmingham, 021 382 7247. A. E. Chapman and Co., Cradeley Heath, 0384 66497/8. **BUCKINGHAMSHIRE** Photo Acoustics, Newport Pagnell, 0908 610625. **CAMBRIDGESHIRE** Cambridge Micro Computers, Cambridge, 0223 314666. **CHESHIRE** Hewart Electronics, Macclesfield, 0625 22030. Mid Shires Computer Centre, Crewe, 0270 211086. **CUMBRIA** Kendal Computer Centre, Kendal, 0539 22559. **DORSET** Blandford Computers, Blandford Forum, 0258 53737. Parkstone Electrics, Poole, 0202 746555. **ESSEX** Emprise, Colchester, 0206 865926. **GLOUCESTERSHIRE** Computer Shack, Cheltenham, 0242 584343. **HERTFORDSHIRE** Photo Acoustics, Watford, 0923 40698. Q Tek Systems, Stevenage, 0438 65385. **KENT** Swanley Electronics, Swanley, 0322 64851. **LANCASHIRE** Harden Microsystems, Blackpool, 0253 27590. Sound Service, Burnley, 0282 38481. Computercat, Leigh, 0942 605730. **LEICESTERSHIRE** Kram Electronics, Leicester, 0533 27556. **LONDON** City Microsystems, EC2, 01 588 7272/4. Wason Microchip, N18, 01 807 1757/2230. **NORTH EAST** Briers Computer Services, Middlesbrough, 0642 242017. General Northern Microcomputers, Hartlepool, 0783 863871. HCCS Associates, Gateshead, 0632 821924. **NOTTINGHAMSHIRE** Midland Microcomputers, Nottingham, 0602 298281. Mansfield Computers, Mansfield, 0623 31202. East Midland Computer Services, Arnold, 0602 267079. Electronic Servicing Co., Lenton, 0602 783938. **NORFOLK** Anglia Computer Centre, Norwich, 0603 29652. Bennetts, Dereham, 0362 2488/9. **OXFORDSHIRE** Micro Business Systems, Whitney, 0993 73145. **SCOTLAND** Computer and Chips, St Andrews, 0334 72569. Scotbyte Computers, Edinburgh, 031 343 1005. Victor Morris and Co., Glasgow, 041 221 8958. **SHROPSHIRE** Tarrant Electronics, Newport, 0952 814275. **SOUTH WEST** West Devon Electronics, Yelverton, 082 285 3434. Bits and Bytes, Barnstaple, 0271 72789. **SUFFOLK** Elgelec Ltd., Ipswich, 0473 711164. **SURREY** Croydon Computer Centre, Thornton Heath, 01 689 1280. **WALES** Tryfan Computers, Bangor, 0248 52042. **WEST MIDLANDS** Allen TV Services, Stoke on Trent, 0782 616929. **WILTSHIRE** Everyman Computers, Westbury, 0373 823764. **YORKSHIRE** Advance TV Services, Bradford, 0274 585333. Huddersfield Computer Centre, Huddersfield, 0484 20774. Comprite, Bradford, 0274 668890. Superior Systems Ltd., Sheffield, 0742 755005. Photo Electrics, Sheffield, 0742 53865. **NORTHERN IRELAND** Business Electronic Equipment, Belfast, 0232 46161.



Sole Importers:

# LOWE electronics

Chesterfield Road, Matlock, Derbyshire DE4 5LE.  
Telephone: 0629 4995. Telex: 377482 Lowlec G.



# Subscriptions

**The ever increasing demand for Computing Today has meant that, despite our printing more each month, some readers seem to be missing out on their regular copy.**

**If you would like to ensure a regular supply for the next twelve months, each issue lovingly wrapped and posted to you, nothing could be simpler. Just fill in the form below, cut it out and send it with your cheque or Postal Order (made payable to ASP Ltd) to:**

**Computing Today Subscriptions,  
513 London Road,  
Thornton Heath,  
Surrey CR4 6AR**

**Alternatively you can pay by Access or Barclaycard in which case simply fill in your card number, sign the form and send it off. Do NOT send your card.**

Do yourself a favour, make 1982 the year you start to take Computing  
Today every month, we'll give you a truly  
**Personal Approach To Microcomputing.**

## SUBSCRIPTION ORDER FORM

**Cut out and SEND TO :  
Computing Today Subscriptions  
513, LONDON ROAD,  
THORNTON HEATH,  
SURREY,  
ENGLAND.**

Please commence my personal subscription to Computing Today with the ..... issue.

## SUBSCRIPTION RATES

(tick ☐ as appropriate)

£11.50 for 12 issues U.K. ☐  
 £15.15 for 12 issues overseas surface ☐  
 £34.75 for 12 issues Overseas Air Mail ☐

**I am enclosing my (delete as necessary)  
Cheque/Postal Order/International Money  
Order for £.....  
(made payable to A.S.P. Ltd)  
OR  
Debit my Access/Barclaycard\*  
(\*delete as necessary)**

[illegible]

Please use **BLOCK CAPITALS** and include post codes.

Name (Mr/Mrs/Miss) .....  
delete accordingly

**Address** .....

.....

.....

Signature .....

82/3



# MAIN GENIE DEALER

Premier Publications now offer the FULL range of Genie equipment, including expander boxes, disk drives and video monitors for the Genie and TRS80 I/III range. Sample prices. . . .

GENIE I with cassette deck £319.95 inc  
GENIE II with numeric pad £334.95 inc  
40 track disk drive (EG400) £219.95 inc  
32K Expander Box (EG3014) £214.99 inc  
12 inch black & white monitor £69.95 inc  
9 inch high quality monitor £92.00 inc  
Parallel Printer Interface £37.95 inc

## PREMIER WORD PROCESSOR PACKAGES

Premier offer a wide range of WP packages for the hobbyist and small businessman, starting from as little as £370. All use our phenomenally successful WORD4WORD word processor which was our top-selling business program in 1981. Most of the packages use the CENTRONICS 737, a superb printer which is capable of correspondence quality output with three type faces, true descenders, sub/superscripts, underlining AND proportional spacing. The WORD4WORD supplied makes full use of the above features, and gives true right justification in proportional mode, whether the text is a letter of a series of columns. All disk-based packages are supplied with DOSPLUS.

WP1 W4W + GENIE II £369.95  
WP2 W4W + GENIE II + CENTRONICS 737 PRINTER + all cables £759.95  
WP3 W4W + 48K GENIE + 40 track disk drive + DOSPLUS + 737 Printer £1245.00  
WP4 as WP3, but twin drives £1449  
WP5 as WP4, but with twin double density disk system EPOA  
WP6 W4W, GENIE II, disks and a daisywheel printer, Available MAY ETBA

### WORD4WORD

#### STUNNING NEW TRS80/VG WORD PROCESSOR

Why pay £75 to £150 for a W.P? W4W gives you all the facilities you could wish for in WP for a sensible price. Amongst the features included are:

FULL SCREEN EDITING & TWO WAY SCROLLING  
FULL TEXT INSERT/DELETE ON SCREEN  
GLOBAL SEARCH & AMEND  
TEXT SEARCH — TOTAL TEXT MOBILITY  
TEXT FORMATTING TO SCREEN OR PRINTER  
CASSETTE/DISK STORAGE OF TEXT  
VISION LOAD OF STORED TEXT  
STANDARD LETTER ROUTINES  
OVERTYPE CORRECTION  
SINGLE KEY WORD DELETION  
PAGE LAYOUT & NUMBERING  
TOTAL PRINTER CONTROL  
TEXT HIGHLIGHTING FOR U/L RECOGNITION  
TEXT BLOCK MANIPULATION  
COMPREHENSIVE TAB & TABLE GENERATION

Many other features are included in W4W. We would need several pages to do justice to this superb product. W4W is comparable to most purpose-built system. COMMISSIONED AND DEVELOPED BY PREMIER WITH THE HOBBYIST AND SMALL BUSINESSMAN IN MIND.

Please state machine type and printer when ordering. W4W can cope with the Centronics 737/9 and Tandy proportional spacing modes. Price CASSETTE £33.95 DISK/FLOPPY TAPE £37.95

### TOOLKIT 2 FOR TRS80 I & III/VG

TOOLKIT 2 features 17 new easy-to-remember command words and a machine code monitor which greatly enhance an already powerful BASIC

REPLACE replace any string, word or variable  
VARS gives a list of variables on screen  
TRACE see line contents as executed  
ABBREV 26 BASIC words become single-key entries  
RENUMBER operates from any start in any increment  
BLANK removes unwanted spaces and LET statements  
VTAPE true Vision load plus APPENDING  
MC a full machine code monitor  
VARTRACE lists lines as executed plus variables

#### PAGE controlled list scrolling

OLD retrieves lost programs!

FIND anything in a BASIC listing

REMKILL kills REMS!

DUPL copy existing line to new line

LFIND LVARS LREPLACE — all work to printer

PRICES Cassette £29.95 Disk (Specify DOS) £32.95

### MICROTRAIN FOR TRS80/VG

At last you can combine two of the most popular hobbies in the country — railways and computing. MICROTRAIN, a brand-new quality simulation from Premier, allows you to set up a network of tracks, points, stations, tunnels, bridges etc and then runs trains to your own timetable! Signalling is provided either automatically or to your own design.

MICROTRAIN is a screen-based simulation. With one keystroke you can draw and signal lines many scale-miles long. Trains can be run simultaneously and the speed and length of each train is user-selectable. A cursor is used to move the whole screen display left or right for visual inspection of any part of the network. You can use any of the machine's graphics on-screen to build up scenery. Designs can be stored onto tape/disk for future retrieval.

MICROTRAIN is a machine code program and will run on any Genie or TRS80. State machine when ordering. CASSETTE £14.95 inc DISK (specify DOS) £16.95 inc.

### SCREDIT

This fabulous screen editor has the following features:-

- \* twin cursors for easy editing
- \* two speed copying from second to main cursor
- \* complete mobility of new cursor
- \* User-definable cursor locations
- \* auto-repeat cursor movement keys
- \* thirteen new functions
- \* useable with most assemblers

SCREDIT also allows the user to save a segment of screen information to memory for later retrieval/editing. SCREDIT is a machine code program needing less than 2K of user RAM. It is compatible with Premier's TOOLKIT II, and locates at the top of memory.

Specify Model I,III GENIE I, II and memory size when ordering. Cassette £14.95 DISK (specify DOS) £16.95 Floppy Tape £17.95



# Premier Publications

208 Croydon Road, Anerley, London SE20 7YX. Telephone 01-659-7131





# UK101 — OHIO

## BASIC 5 — for UK101 and OHIO

adds 17 new BASIC words to your interpreter which can be used in program lines and gives machine-code response speed  
HLIN, VLIN, SCR, BLK, SET and TEST allow high speed generation and manipulation of graphics  
PRINTUSING, PRINTAT, INAT allow total control of screen input/output  
GET (key), RD (Read DATA), GS and GT (GOSUB and GOTO a variable), GO and GO\$ (GOTO a machine code routine), allow total program flexibility  
WI and CWI allows CEGMON screen manipulation.  
BASIC 5 is available for CEGMON, MON02 and SYNMON/MON01 only. State precisely your computer and monitor when ordering. Comes complete with comprehensive manual.  
Available on DISK or in EPROM (9000 hex) £19.95

## BASIC 4 CASSETTE FILE HANDLING SYSTEM

This new EPROM for the UK101/OHIO provides a comprehensive file-handling system, capable of working at up to 4800 baud.

- \* Named programs to cassette
  - \* Verity tape contents facility
  - \* reliable high speed save/load
  - \* selectable auto-run of loaded BASIC program
  - \* Superb crash recovery command (OLD)
  - \* Original SAVE/LOAD commands unaltered
  - \* Reduces LOAD/SAVE times by up to 40%
  - \* Seven new SAVE/LOAD commands
  - \* non-destructive memory test
  - \* Initialises BASIC 5 automatically if resident
- BASIC 4 is a plug-in replacement for your existing BASIC 4 ROM. Not suitable for MON01 or Synmon monitors. PRICE £11.95

## TOOLKIT 2 FOR UK101/OHIO

The most powerful TOOLKIT on the market, TOOLKIT 2 gives the following facilities in only ONE EPROM.  
REPL exceptionally powerful Global Search and Replace of BASIC listings.  
DUPL copy a line into a new line  
LIST/ controlled listing of program  
FIND anything in a BASIC listing  
RENUM renumber from any start in any increment — full error messages, totally reliable  
AUTO any start, any increment.  
DELETE high-speed block line delete  
VIEW cassette dump verification  
TRACE superb trace feature — screen transparent MC enter the monitor quickly!  
TOOLKIT 2 also lists on error and cures the warm start 'OM ERROR' bug.  
Available in EPROM only (8000hex), for CEGMON, MON01 & 2, and SYNMON monitors (DISK soon), Price £19.95. State machine & monitor

## INVADERS

Quite simply the best machine code game ever written for the UK101/OHIO. PREMIER have succeeded where others have failed. Our INVADERS is faster than any version we have yet seen, including Arcade machines. INVADERS has all the features you expect, plus superb graphics and two-player option. AVAILABLE for CIE and UK101. PRICE £7.95

Also now available for the 32x48 CEGMON based UK101 (with new BASIC 1) is KAMIKAZE INVADERS — a new slant on this popular game. £5.95

## SOUND/V.I.A BOARD

The TES II VIA/SOUND kit gives you up to 56 Input/Output lines and programmable sound generation. In order to allow total flexibility, we are offering the kit in low-cost packs.

The Base Kit consists of PCB, connector, address decoding and buffering, plus IC sockets.  
The Sound Pack consists of AY-3-8910 sound chip, amplifier and components.  
The VIA pack consists of VIA and support.  
BASE KIT £24.95 SOUND £11.95 VIA £9.95

## SPECIAL OFFERS

TOOLKIT 2 + MINI EPROM BOARD	£29.95
BASIC 5 + MINI EPROM BOARD	£29.95
CODEKIT + MINI EPROM BOARD	£29.95
WORD WIZARD + MINI EPROM BOARD	£29.95
SOUND/VIA — Base, Sound and VIA kits	£43.95

## FLOPPY DISK CARD

UK101/OHIO  
The Premier F.D.C features:-  
Integral Data Separator or  
link-selectable for on-drive separator if required  
Supports 4 x single-sided 5.25 or 8in drives or  
2 x double-sided 5.25 or 8in drives  
1 or 2mhz operation (DOS permitting)  
Interrupt linkable if required  
Padding for future options  
Shugart Bus supplied  
Linkable to other Bus requirements  
providing signal compatibility is maintained  
OSI SYSTEM COMPATIBLE (SOFTWARE and  
HARDWARE)  
Drives available early March  
PRICE £49.95 Delivery — March

## ROMDOS

ROMDOS has been commissioned and written specifically for the PREMIER UK101/OHIO Disk System. It is principally aimed at the user with a small capacity RAM machine, but is also extremely useful for the larger RAM machine user since it allows BASIC programs to run with disk with little or no alteration. ROMDOS links the standard BASIC-In-ROM with a disk controller program so no RAM memory is used for the BASIC interpreter AND UNDER 4K for ROMDOS, giving an 8K saving in memory over the normal OS-65D system. The BASIC IN ROM continues to work at its normal high speed and is enhanced by a wide range of disk commands. The system is compatible with ALL standard Premier EPROM upgrades such as BASIC 4, BASIC 5, and TOOLKIT2  
ROMDOS comes as a two disk set with complete documentation. PRICE £17.95

## CEGMON

CEGMON is Premier's standard monitor for the UK101/OHIO range, Expansion to disk becomes a reality once CEGMON is installed.  
\* DISK BOOTSTAP!  
\* full BASIC editor: delete, copy, concatenate. Auto repeat on all functions  
\* powerful, sophisticated screen management system  
\* user-defined windows, non-scrolling areas  
\* machine code monitor, tabular display, memory move, M/C SAVE  
\* keyboard gives true rubout, typewriter response  
\* BASIC & Assembler vectors in RAM  
\* comprehensive manual includes entry points  
\* Extensive software available  
\* PRICE £25.87 State machine when ordering

## SCREEN ENHANCEMENT KIT

This kit offers 20 software selectable screen formats for the UK101/OHIO, including a true 32 x 64 format. It plugs directly into the main board (OHIOs need sockets inserting) and provides almost every available screen format for ultimate software compatibility.  
PRICES KIT £55.95 BUILT £69.95 (+ 2.00 P&P)  
Fitting service available.

## POSTAGE & PACKING

Software 75p per order, EPROMS/DISKS 95p per order, GENIE HARDWARE £POA.



# Premier Publications


208 Croydon Road, Anerley, London SE20 7YX. Telephone 01-659-7131





Dear Sir,  
The North East TRS-80 User Group now has 102 members and meets on the third Wednesday of every month in Room Two of the School of Physics in Newcastle upon Tyne University. I wonder if we can claim the widest spread for a local user group as, apart from members in Staffordshire and Hampshire, our farthest-flung members are in Saudi Arabia and the Solomon Islands.

Yours faithfully  
S Tetlow MB, BS  
Honorary Secretary  
3 Highbury Close  
Springwell  
Gateshead NE9 7PU  
Tyne and Wear.



Dear Sir,  
I purchased the February issue of Computing Today for the specific purpose of furthering my knowledge of Apple Graphics. What a disappointment (euphemism for waste of money).

The vast majority of the article deals with subject matter already lucidly covered in Apple's own excellent manuals which are supplied with the computer. So what on earth is the point of reproducing it?

You specifically avoid shape tables and Hi-res colour where you may have been able to make a helpful contribution!

The short program for bouncing a ball has a bug in it — the ball disappears out of the corners of the frame. No mention is made of the fact that text screen memory locations are not continuous — a vital piece of information.

The table headed 'Using Apple's Graphics' is, for a start, a misnomer and additionally, gives no indication of how to use it. Just try PRINTING CHR\$(0) to CHR\$(63). Do you get white letters on a black background as you suggest? CHR\$(65) to CHR\$(127), according to your table, should give flashing text. No way! Why could you not have made the simple point that these numbers have nothing to do with CHR\$

function, but have to be POKEd into screen address codes to mean anything?

The only section which might otherwise have been of value was that dealing with the geometry of circles and ellipses. However, the line drawing sections don't work!

There is a scandalous inability of professional writers to communicate clearly with the beginner, and an article such as this not only doesn't help but actually destroys the confidence of the uninitiated. It would, literally, have been more helpful not to have published it at all.

Perhaps the most common and well justified complaint in the business, is the utterly abominable standard of so-called instruction manuals supplied with some computers and their peripherals (Apple specifically excluded). I think one of your prime functions should be to clarify ambiguity and unintelligibility in areas desperately in need of it. Try an Epson printer manual and have a field day — especially if you have an MX 82.

Please, do not publish another beginner's article until you have first allowed a genuine beginner to thoroughly test everything you propose to put in it.

Yours faithfully  
J A Trott  
County Londonderry  
Northern Ireland.

(\* I am sorry that Mr Trott was so disappointed with my Apple Graphics article — but none of us can expect to please everybody all of the time. My aim in this particular article was to give Apple owners without much experience a feel for the graphics capabilities of their machines and to provide information about graphics in general to people contemplating buying a micro. Mr Trott is obviously no beginner and so I'm afraid that my article had little to offer him apart from the section on geometry, as he points out himself.

There is indeed a misprint in the second circle program (line 110 — the second pair of THETAs should be THETA + INCs) however, the second ELLIPSE program using the same technique is correct. As for the pinball program, again Mr Trott is correct in saying there is a bug in it. Line 40 should have been  $Y = \text{RND}(1) * 38 + 1$ . The original line makes the ball start outside the

frame about once in every 39 times the program is run! As you can guess, the 30 or so times I ran it the ball was placed in the frame so I missed the bug! Such is the problem of testing random programs! As both the circle drawing and pinball programs were illustrating a point rather than being put forward as applications I feel that neither bug spoiled them to the point that they were useless. The main point of the pinball program was to show how a ball can be bounced around the screen and that it does if you read lines 2000-2120! I'm not suggesting that bugs are unimportant in example programs, just that some bugs confuse and destroy their value entirely while others are just irritating.

Mr Trott's comment about the screen memory map being discontinuous is absolutely correct (it is not only discontinuous it is positively mangled!) but it is not a point to include in a beginner's article. I avoid the use of PEEK or POKE for the same reason.

The table of APPLE graphics characters was included to enable the users of other micros to discover what the APPLE has to offer in the way of block character graphics and is part of CT's continuing attempt to catalogue all the available graphics sets — something which I personally have found useful when converting programs for other machines.

As I pointed out, the use of shape tables and hi-res graphics in colour each deserve a whole article to themselves — which I might still write when I recover from the effects of your letter! Mike James. \*)

Dear Sir,  
I am an electronics lecturer at Napier with a special interest in teaching microprocessor-related topics. I have been involved in microprocurement ranging from desktops such as Apple II, HP85 and PET to single-board micros such as the Rockwell AIM-65. These micros have been mainly used for student project work at degree level and also for staff development. Our main microprocessor teaching laboratory, however, is based around the Mid West Scientific Instrument's version of the Motorola 6800.

Our present policy is to



expand our facilities, still keeping with the Motorola family for compatibility. Apart from having one 6809 as a demonstration unit it was decided to bypass the 6809 and go for the 68000. Because of financial restraints the cheapest option is the 68000 KDM development board linked via a RS-232C interface to a host minicomputer. Our department has one of these and hopes to purchase three more in the foreseeable future.

I would like to have the option of having an on-board ROM assembler for the 68000. This would get us started until the links are put in and the macroassembler is up and running on our minicomputer. It would also give us a measure of independence, for example in cases where the mini is heavily loaded with other traffic or is 'down' for any reason.

I am aware ROM-based assemblers have particular disadvantages. The one we have for Z8000 development board is a line by line assembler which has a restricted instruction set and which does not support program editing in assembly language. We get round this by writing source code twice, once on a rather outdated PDP11/10 retaining the source file there and then downloading the code to the development board where it is assembled. In this way we use the PDP11/10 for editing.

(i) My first query to you is, are you aware of any software house or distributor, UK or American, who could supply us with either a PROM-based assembler for the 68000 or an appropriate assembler listing?

(ii) My second question is a similar one relating to both 6809 and 6800?

(iii) Finally, are you aware of any software house which markets 'simulator' software for 68000 and 6809?

Yours faithfully  
Dr James A McClean  
Lecturer  
Department of Electrical  
and Electronic Engineering  
Napier College of Commerce  
and Technology  
Edinburgh.

(\*If any readers can help Dr McClean please write to him at the address above. Ed. \*)

Dear Sir (or Madam?),  
**Re "Welcome Back" - Consumer News, January 1982.**

Yes, there are those of us who don't have eyes for lovely ladies, namely us 'lovely ladies' ourselves!

I'm no bra burner, but why is it that all photos in magazines such as yours depict slinky women (re-) posing across keyboards or 'clutching to their chests' items of computer equipment (as if that were the limit of their capabilities), followed by a dialogue aimed at the male reader? Computing is surely one of the few professions, because of its comparative youth, with a fairly even spread across the sexes.

How about some rugged 'he-men' clutching slimline 8" disc drives to their...er...for a change?

Yours faithfully  
G A Waugh (Miss)  
Sheffield.

## WELCOME BACK! ▲

Those of you with an eye for a lovely lady might well think they recognise this delightful example clutching a new slimline 8" drive to her...er... chest. Connoisseurs of the female form may well think back to the November issue of this magazine where an extremely similar figure made an appearance on page 12. The burn-in question is, is it the same or only people who are HAL Com-ers of the

(\* I only wish that your comment about computing having a fairly even spread across the sexes held true — the number of professional female computer staff is, sadly, much lower than one would expect. Indeed, our annual readership survey indicates that we have less than 5% female readership so your letter is somewhat of a rarity.

Your comments on the sexist angle have been noted, I'm sorry if we caused offence but we are limited in the choice of News photographs to those that the various PR companies send us — the pages would look a little silly with blank spaces scattered across them. Ed. \*)

Dear Sir,  
Last month's CT (February) contained an Auto Line Number program written for a NASCOM

supporting NAS-SYS 1. But many owners now have the improved NAS-SYS 3 whose subroutine table exists at #0772 instead of #0778. The table is also six bytes longer due to added commands.

Therefore the following corrections must be made to allow it to execute properly without a systems crash:-

0D00 21 82 07 LD HL, #0782  
0D06 01 7E 00 LD BC, #007E

This may be of some help to those people who suffered brain damage trying to make it execute.

Yours faithfully  
D B Richards  
Somerset.

Dear Sir,  
I have a tale to tell that will be the envy of every prospective micro owner who has endured weeks or even months of waiting for their machines.

Finally deciding to buy a Sharp MZ80K, especially after their recent dramatic price cut, I posted off my order to Knights TV and Computers in Aberdeen on the 23rd December. With it being nearly Christmas I expected a long delay, at least two or three weeks.

Imagine my surprise when the computer was delivered on New Years Eve! A mere eight days later (including Christmas Day), and all the way from Scotland too!

Can anyone beat that for service?

Your sincerely  
Martin Houston  
Essex.

Dear Sir,  
I have been asked by the American commercial UNIX organisation/USR/Group to form a similar group in the United Kingdom. Since the Computer Retailers Association also has an interest in UNIX we will hold a session for all interested parties in Commercial Unix. All parties wishing to attend should write to me at the address given below for details of venue and agenda.

Yours sincerely  
Tim Keen  
Chairman of the Technical  
Group  
Computer Retailers Association  
Owles Hall  
Buntingford  
Herts. SG9 9PL.



# ZX81 16k SOFTWARE

All our software comes with full instructions and is **SAVEd** and ready to **RUN**, no need to spend hours laboriously typing in from books.

**PACK 16/1** includes all of:  
**AIR TRAFFIC CONTROL:** Animated radar screen of busy airport shown, you must bring planes into land;  
**INVADERS SELF PLAY;** PHONEBOOK — keep friends' and relatives' numbers on cassette; **DATE '81** — computer dating program. Who will it pick for you?  
**ALL ONLY £4.95**

**PACK 16/2** includes all of:  
**ADVENTURE ATLANTIC:** You may become very rich or you may be marooned forever; **BREAKOUT;** SQUASH PRACTICE; **LANGUAGE TRANSLATOR** translates any European language to any other; **COMPUTAPRINT** — use this program to predict results of horse races, football pools, etc.  
**ALL ONLY £4.95**

**PACK 16/3** includes all of:  
**INDI 500;** video road racer; **DRAUGHTS;** Computer Chequers; **BATTLESHIPS** — nautical warfare on your own computer.  
**MASTERMIND** — Brain Teaser, see if you can beat a microelectronic mind.  
**ALL ONLY £4.95**

The breakthrough you've waited for:  
**PROGRAM THE ZX81 IN ENGLISH!!!**  
 With **GAMAL 81** you can now write adventure programs in hours not weeks and with **GAMAL 81** you'll have every adventure you'll ever want for the price of one. Comes on cassette with instruction book, **£7.95**

## CONTROL TECHNOLOGY — PERSONAL COMPUTER SCIENCE

### Cassette 1½

A super value cassette of 16K and 1K software written in Machine Code and Basic.  
 Includes:  
 React, Invaders, Phantom Aliens, Maze of Death, Planetlander, I Ching, Hangman, Invaders, Laser Base, rectangle plus more.  
**ALL ONLY £4.95**

### Tapebook 50, Version 3

50 programs for the IKRAM ZX81.  
 Latest version includes:  
 SQUASH, BREAKOUT, COLUMBIA, SPLAT, INTEGRATION, CREDIT CARD CALCULATOR, BANK A/C, VATCHHECK, TANK BATTLE, TORPEDO, HEXLOADER, BINARY CONVERTER, AND LOTS, LOTS MORE.  
 Still amazing value at **£6.95** the lot.

## ZX~81

**PACK 16/1 + 16/2 + 16/3**  
 (any two only **£5.95**)  
**ALL THREE ONLY**  
**£6.95**

**TAPEBOOK 50.3 + CASSETTE 1½**  
**BOTH ONLY**  
**£9.95**

**BOTH OFFERS ARE ONLY £13.95**  
 SPECIAL OFFER  
 TO ALL ZX81 OWNERS

All prices include VAT and postage and packing

**CONTROL TECHNOLOGY,**  
 39 Gloucester Road, Gee Cross,  
 Hyde, Cheshire SK14 5JG  
 061-368 7558



Metal cased 9" PM101

## CROFTON MONITOR

10 MHz Bandwidth  
 P4 Standard also  
 available with P31.  
 Price on application  
 For P31 (green) high  
 resolution tube  
 Price on application.

## NEW PRINCE MONITOR

Plastic cased

12"



High resolution  
 24 MHz Bandwidth  
 P31 (green) Standard  
 and P4 high resolution  
 Standard  
 Price on application

Dealer and O.E.M.  
 enquiries welcome

**CROFTON ELECTRONICS LTD.**

35 Grosvenor Road, Twickenham, Middx. TW1 4AD  
 01-891 1923/1513. Telex: 295093

## CROYDON COMPUTER CENTRE



29a, Brigstock Road,  
 Thornton Heath, Surrey,  
 CR4 7JJ  
 ENGLAND

Telephone 01-689 1280

- ★ For all your computing requirements.
- ★ Retail or mail order
- ★ Genie I and Genie II computers now both **£279 + VAT.**

**PET  
APPLE  
ALSO SUPPLIED**



## PRINTERS

**EPSON**

**OK MICRO LINE**

**80-82A-83A**

**SEIKOSHA GP100**

**PAPER, RIBBONS, AND MUCH MORE  
 AT SPECIAL PRICES.**





# ON THE JOB OR IN THE HOME... Make The Most Of The Fast-Moving World Of Computers

For an easy and inexpensive way to keep on top of it all . . .

**THE COMPUTER BOOK CLUB**  
Books and Services for the Information Processing World

**TAKE ANY 3 FOR ONLY £2 EACH**  
plus p&p\* & SAVE!  
**WORTH UP TO £47.60**  
at publisher's prices

Why is the Computer Book Club a great source for top-notch books at surprisingly low prices? Here are five good reasons why:

- **Editorial Quality:** Each month you'll find on offer a range of fine books covering a variety of fields of interest, all carefully reviewed and selected by our own team of experts.
- **Big Savings:** In addition to getting your choice of three books for £2.00 each plus p&p\*, membership will entitle you to keep on saving—up to 25% (sometimes even more) off on all books.
- **No Pressure to Buy:** You have both real choice and an easy to handle commitment with The Computer Book Club. We'll send you the Club News monthly—describing the latest selections—but you needn't take any particular book or take one book a month. All we ask is that you take at least four books during your first year of membership.
- **Software Services:** We are polling our membership to find out if we can be of further service in supplying software packages. Your thoughts and needs will also be incorporated in our survey.
- **Added Advantages:** You'll be able to read the Club News at your leisure, make your selection from the comfort of home and have the books you select delivered promptly to your door.

Please accept my application and enrol me as a member of The Computer Book Club. Send me the three book choices whose numbers I have indicated below. (Some more expensive books, as shown above, will count as two choices.) You will charge me a total of £6.00 for my introductory books, plus £1.25 towards postage and packing\*. If not completely satisfied I may return the books within 10 days, cancel my membership and owe nothing.

As a member my commitment is to buy 4 books in my first year of membership. I do not need to take a book each month. If I want an alternative to the main selection, or no book at all I will tell you so on the form provided. I am over 18 years of age.

Write the codes for your choices here:

Mr/Mrs/Miss

(please print)

Address

Postcode

Signature

**SEND NO MONEY NOW/Post to The Computer Book Club, Wiley Dist. Centre, Oldlands Way, Bognor Regis, W. Sussex PO22 9SA**  
Offer limited to one per household. Allow up to 6 weeks for delivery. The Computer Book Club is a division of John Wiley & Sons Ltd Reg. no. 641132 England


Offer valid only in the UK and Eire. Offer expires June 1, 1982



# INNOVATIVE TRS 80-GENIE SOFTWARE

*from the professionals*

## Defend!



**First there was Invaders, then came Asteroids, and now DEFEND!!!**

Carrying on in the same tradition, Defend is a fast arcade type action game, complete with sound effects. Enemy spaceships come at you fast and furiously. If you succeed in shooting them down before they get your ships, you must still get yourself through a meteor shower (but at least they don't shoot at you) and finally, if you emerge unscathed, you must navigate a tunnel in order to get yourself completely out of danger. An enthralling game with excellent graphics, personalisation of highest scores and points bonuses. One of its best features is the "crisp" and immediate control the player has over the manoeuvrability of his ship which includes diagonal movement. Machine language, of course, for speed. A matter of taste, but we think it beats Invaders and Asteroids. Suitable for TRS-80 Models I and III and all Genie models.

Tape (16K) ..... £13.00 + V.A.T. = **£14.95**

Disk ..... £16.00 + V.A.T. = **£18.40**



## MOLIMERX LTD

### A J HARDING (MOLIMERX)

1 BUCKHURST ROAD, TOWN HALL SQUARE, BEXHILL-ON-SEA, EAST SUSSEX.

TEL: [0424] 220391/223636

TELEX 86736 SOTEX G

TRS-80 & VIDEO GENIE SOFTWARE CATALOGUE £1.00 [refundable] plus £1 postage.





# INNOVATIVE TRS 80-GENIE SOFTWARE

## *from the professionals*

# LDOS

First there were the TRSDOS's, 2.0, 2.1, 2.2 and 2.3. Then came Newdos+, essentially a patched version of the TRSDOS's but with a number of very useful commands and utilities added. Then VTOS 3.0 and VTOS 4.0. These constituted a departure from the earlier DOS's and featured Device Independence so that devices such as the keyboard, printer, VDU and disk drives could interact directly together. Then came Newdos80 which is a rewrite of Newdos+, adding new utilities and new Basic commands, its main features being the ability to mix different capacity drives on the same cable and the ability to use variable length records. Now from LOBO International comes LDOS, the fifth generation disk operating system for the TRS-80 microcomputer. It combines most of the advantages of the preceding disk operating systems and unlike some of them, is accompanied by a complete and readable set of documentation, which includes a Technical Section containing relevant addresses.

It is impossible to describe all of the features of LDOS in an advertisement. For instance it includes no less than 35 library commands as follows:—

APPEND	COPY	DEVICE	DIR	DO	FILTER	KILL
LIB	LINK	LIST	LOAD	MEMORY	RENAME	RESET
ROUTE	RUN	SET	SPOOL	ATTRIB	AUTO	BOOT
BUILD	CLOCK	CREATE	DATE	DEBUG	DUMP	FREE
PROT	PURGE	SYSTEM	TIME	TRACE	VERIFY	XFER

All of the useful abbreviations in Newdos are included and the System Commands in Basic (CMD) now number eleven. A program called LBAASIC/FIX is included, with which the normal TRSDOS Disk Basic may be patched to include a number of new commands and features. A Job Control Language is included and in fact is one of the most powerful features of LDOS. It allows the user to compile a sequence of commands or key strokes for later execution as a chain, with or without user intervention. There are too many new features to list them herein, but examples are: The ability to provide an audible signal, output through the cassette port. To flash or blink a one line message on the video display. A WAIT feature is included so that the machine can be put into a "sleep" state until such time as the system clock matches the time specified. And so on!

Hard disks in addition to single/double density, single/double sided, 8" and 5 1/4" floppies are supported although they may, of course, require hardware modifications. Utilities included in the package are:

BACKUP	COMMAND FILE	FORMAT	LCOMM
PATCH	RS232	KEY STROKE/MULTIPLIER	PRINTER FILTER

A Basic Renumber facility is included, as is a Basic Cross Reference function. Both are similar to the ones in Newdos+ and Newdos80. Most of the utilities are library commands which were existent in the previous DOS's, have been improved with the addition of new functions or facilities.

The prime development team of LDOS consisted of no less than 8 first rank programmers and they had the support and advice of six other well known programmers. They have done an excellent job to bring to the user what must be the best disk operating system so far produced for a microcomputer, which is destined to become the Standard DOS.

LDOS is totally upward compatible with TRSDOS, that is to say LDOS will be able to copy files and programs from TRSDOS disks onto LDOS formatted disks. As they are competitive disk operating systems, it is not surprising that the manual states that disks created under Newdos are not guaranteed to be compatible with LDOS, but we have not experienced any difficulty. We have done some work on investigating the compatibility of LDOS and the Video Genie and at the time of going to press we have found no incompatibilities. LDOS appears to run on the Video Genie without any problems at all. LDOS is compatible with either the Tandy or Electric Pencil lowercase modifications and Scripsit. LDOS is available for the Model I and Model III. A Model II version will be available shortly.

LDOS ..... £85.00 plus VAT and £1.50 P&P.



## MOLIMERX LTD

### A J HARDING (MOLIMERX)

1 BUCKHURST ROAD, TOWN HALL SQUARE, BEXHILL-ON-SEA, EAST SUSSEX.

TEL: [0424] 220391/223636


TELEX 86736 SOTEX G

TRS-80 & VIDEO GENIE SOFTWARE CATALOGUE £1.00 [refundable] plus 50p postage.





## With a background in matrix printers like theirs you'd expect Centronics to produce something special. We take a look at their Model 739 and print the results!



**C**entronics seem to have been making printers since the days when printout came on clay tablets! They are so well known and influential, the standard method of connecting a printer to a small computer using a parallel port is often referred to as a 'Centronics' interface. However, in the past few years, because of the vastly increased demand for printers for personal computers, there have been many newcomers to the field. The requirements of the microcomputer market were (and are) very different from the needs of the traditional mini or mainframe market. In general though, a printer can be evaluated in terms of

- 1) how fast it can print
- 2) the quality of the print
- 3) paper handling features
- 4) range of character set — including any graphics options
- 5) COST!

At first the microcomputer community were glad to use any sort of printer as long as it was cheap, but as time went on two types of use emerged. The first was general/technical/programming/commercial where high quality print was deemed less important than speed and low cost, and it was in this field that the standard dot matrix printer dominated.

The second user area was text processing and here only the highest quality print would do.

Centronics, at first, didn't really offer any product that was especially suited to either field. They didn't make a daisy wheel printer and the only very low cost printer they supplied was the P1 Microprinter which used special metal-coated paper. Other printer manufacturers may not have been as well-known or supplied as wide a range but they did use some new techniques to produce versatile low cost printers.

To my surprise at the beginning of last year I came across an advertisement for a very smart looking printer. It was a dot matrix printer

with a maximum speed of 50 or 80 characters per second which in itself is nothing special. What made it special was that it claimed to produce 'correspondence' quality output. After examining a sample of its highest quality print, I decide to take the plunge and buy one. This was the first time that a dot matrix printer, the only sort I could afford, had managed to produce a print quality that was good enough (in my opinion) for text processing ... and the name on the printer was Centronics!

The Centronics 730 range was a fairly big step away from their previous designs. At the bottom of the range — the 730 — this change in design produced a good but unexceptional dot matrix printer. The two machines that are worth examining in detail are the 737, the one that I bought at the beginning of 1981, and the 739, the machine that I would buy if I didn't have the 737 already!

### Technical Details

Both the 737 and the 739 feature a 'free flight print head'! This grand title simply means that the head moves itself backwards and forwards across the paper by means of a small electric motor pushing it along a track. The important point is that the electric motor is attached to the print head and so it moves under its own power like a little electric train. This simple design change eliminates all the complicated and very delicate bands and belts normally used to pull or push the head about. After using the 737 for a year I can vouch for the reliability of the free flight method of head positioning.

Apart from this innovation, the 730 series are microprocessor controlled. This has little importance for the average user — you can't (easily) gain access to the program it runs — but it does mean that the 737 and 739 are able to offer a wider range of facilities. The 737 and 739 can print 80/132 characters per line,

do full — and half-line feeds forward and backward, print double-width characters and use six different countries' character sets. The latter feature mentioned is not as powerful as it might sound because we are not talking about six entirely different character sets but just the substitution of the 12 specific characters, eg where the UK set includes a pound sign, the USA set will have a dollar sign.

I've been leaving the most important feature of the 737 and 739 until last — proportional spacing. The highest quality print that can be produced uses a proportional character set (a proportional character is one that takes up as much room as it requires). In a standard (mono spaced) character set, as printed by a 7 by 8 matrix printer, each character, even a full stop, takes seven horizontal dot spaces. The 737/739s proportional characters take varying amounts of horizontal space from a maximum of 18 dots, 'W', to six dots, 'j'. This variation in width is possible because the free flight head ensures accurate positioning and the microprocessor control provides the necessary intelligence. The impact of all this on the user is that the print quality is surprisingly good.

The one thing that bothered me about my 737 printer was that I knew that it should be possible to control the print head in such a way to make graphics possible — the change would just involve altering the program that the printer's micro was running. Thankfully, before I started to think too seriously about the possibility of the reprogramming involved, Centronics had the same thought and introduced the 739 with full pin addressable graphics. I should say that they not only reprogrammed the micro, they also reworked the electronics and produced a new top cover to improve single sheet feeding, but more of this a little later. Pin addressable graphics means simply that you can send a special code to the printer



# SPECIAL REPORT

that puts it into graphics mode and from then on, every code that you send it is translated into a pattern of dots. You can print 594 dots across the page and as many as you like down the page, so this is high resolution graphics indeed. The real trouble is how to translate a screenful of graphics to a page full of graphics.

## The Printer In Use

Both the 737 and the 739 are pleasing to use. They have the feeling of modest quality in that, although their outer case is plastic, Centronics has somehow managed to get the overall proportions right. The printer's size, thickness, etc are well-balanced. Unfortunately they are both noisy. Although the 739 is a distinct improvement over the 737, I can see no obvious cure for the residual clatter — apart from a full acoustic cover.

The three types of paper can be used in the machines: fan fold — almost impossible to insert without wasting the first couple of sheets;

roll paper and single sheet. Single sheet feeding is especially easy on the 739 with its redesigned top cover as a large clip-type guide is provided. While on the subject of paper handling, I should mention that the fan fold paper required for use is the standard 9½" width. This seems reasonable except that the nearest size of computer stationery to A4 is 9¼" by 12" and this cannot be used. (Well, if you're prepared to mutilate your printers' adjustable pinfeed by enlarging the slots you can just fit 9¼" paper. It's a modification that I made to my 737 sometime ago but don't tell Centronics!).

For good quality printing the newness of the ribbon is critical. Unfortunately the life of the standard ribbon is, in my opinion a bit on the short side and although fitting a new ribbon is easy, it can be messy if you make a mistake.

One last slight niggle is that some of the options such as character set and auto carriage return after line feed are not software selectable. They can only be


changed by lifting the cover and altering some internal switches and Centronics are careful to say that any damage that you do to the printer (or yourself?) while doing this is your own fault!

Even though I've a few criticisms, overall the 737 and the 739 are two of the best printers that I have used. The trouble isn't the hardware, it's the software! To get the best from either printer it is necessary to have a text processor that supports proportional spacing and — for the 739 — a program to do a screen dump would be an advantage. There are now some text processors that will use proportional spaced character sets but these are recent products. If you use a conventional text processor and print with the proportional spaced character set, the result is the loss of any justification.

The same problem of software has to be overcome if you want to use the 739 as a graphics printer. I believe there is a program for the Apple but if you want a graphics printer, check that the 739 can be used with your system or that you can write the necessary software.

## Conclusions



The Centronics 737 and 739 are not absolutely perfect but they do form one of the lowest cost routes to high quality printing provided you can buy (or write) the necessary software to make use of the proportionally spaced character set. In addition, the 739 offers high resolution graphics but here again you encounter the question of software, although in this case the problem is easier to solve. In the year that I have used the 737 it has given no trouble and the print quality seems as good as the day I first used it. If I were buying a printer again I would probably choose the Centronics 739 — can there be any higher recommendation!



Above: The main control switches are conveniently located at the front of the printer.

Left: The free-flight head can be adjusted for multiple copies. The ribbon is stored at the front of the printer.

Below: An example of the Hi-Res graphics output.





# MicroValue

# MONEY SAVERS

MicroValue  
Exclusive

with the exclusive  
MicroValue  
12 Months  
Warranty\*

## Software for the Gemini Multiboard System

**COMAL 80** — The extended BASIC with powerful PASCAL structures at... **£100**

**GEM PEN** — A comprehensive text editor and text formatting package at... **£45**

**GEM ZAP** — A very first Z80 assembler with comprehensive screening editing at... **£45**

ALL THE ABOVE  
AVAILABLE ON CASSETTE OR DISC.

MicroValue  
Exclusive

## MicroValue's 'Nascom Special'

**SAVE  
OVER £65**

We've put together a microcomputer kit containing the Nascom 2, Nas-Sys 3, Graphics ROM, Bits & PC's programmers aid, Gemini 3 APSU, 16K RAM Board and mini motherboard. The result is a powerful micro using market proven boards and components.

RRP OVER £405 + VAT

MicroValue  
Exclusive

## SHARP MZ80K with Super Graphics

**SAVE  
£200!**

The 48K RAM System is offered at a rock bottom price with the Quantum Micros Hi Res Graphics which gives resolution down to a single dot and high res. plotting. Characters are user definable and the pixel characters actually join. Five free games packages are included too!

RRP £645 + VAT

MicroValue price

**£445** + VAT

SHARP

**48K MZ 80K**

RRP £460 + VAT

MicroValue price **£345** + VAT



## £20 worth of accessories FREE with every Epson Printer

MicroValue price

Epson MX80T .....	£359 + VAT
Epson MX80FT1 .....	£399 + VAT
Epson MX80FT2 .....	£465 + VAT
Epson MX100 .....	£575 + VAT

Buy one of the above Epsons from MicroValue and we'll give you a Pack of Fanfold paper, Interfacing Document and Connecting Cord for Multiboard or Nascom. The accessories are worth £20 but you can have them absolutely FREE.



**Cheapest  
Printer in the UK!**

**Nascom IMP + Graphics  
Only £199 + VAT**

**SAVE  
£156**

MicroValue has slashed the price of the 80cps, 80 column IMP dot matrix printer. And added Imprint's high res. graphics and double width character option. IMP has bi-directional printing and friction/tractor feed.

RRP £355 + VAT  
MicroValue price  
**£199 + VAT**

## NASBUS Compatible DOUBLE DENSITY Disk System - Available Ex Stock

With hundreds in daily use the Gemini Disk system is now the standard for Nascom and Gemini Multiboard systems. Single or twin drive configurations are available, giving 350K storage per drive. The CP/M 2.2 package supplied supports on-screen editing with either the normal Nascom or Gemini IVC screens, parallel or serial printers, and auto single-double density selection. An optional alternative to CP/M is available for Nascom owners wishing to support existing software. Called POLYDOS 2 it includes an editor and assembler and extends the Nascom BASIC to include disk commands.

Single drive system  
(G809, G815/1)

**£450 + VAT**

Double drive system  
(G809, G815/2)


**£675 + VAT**

CP/M 2.2 package  
(G513)

**£100 + VAT**

Polydos 2

**£90 + VAT**





# GEMINI GALAXY

A new CP/M system  
based on Multiboard

## HARDWARE

- \* Twin Z80A CP/M System
- \* 64K Dynamic RAM
- \* 700K Disk Storage (Formatted)
- \* 80 x 25 Screen Format
- \* Inverse Video

- \* Prog. Character Generator
- \* 160 x 75 Pixel Graphics
- \* Centronics Parallel I/O
- \* RS232 I/O
- \* Light pen interface
- \* 59-Key ASCII Keyboard

## SOFTWARE

- \* Full 64K CP/M 2.2 with screen edit facility
- \* Comal-80 structured BASIC
- \* GEM-ZAP Assembler/Editor
- \* GEM-PEN Text editor
- \* GEM-DE BUG debugging software



MicroValue  
Exclusive

MicroValue price  
**£1,450**  
+VAT

## 80 x 25 Video for Nascom

Nascom owners can now have a professional 80 x 25 Video display by using the Gemini G812 Intelligent Video Card with onboard Z80A. This card does not occupy system memory space and provides over 50 user controllable functions including prog character set, fully compatible with Gemini G805 and G815/809 Disk Systems. Built and tested.

MicroValue  
Exclusive

**£140** +VAT

## New Software for Nascom Systems

**POLYDOS 1** A disk operating system for use with Nascom 1 or 2 and Gemini G805 Disk Systems. An incomparable and extremely well presented DOS that includes an editor and assembler and adds disk commands to the Nascom BASIC. MicroValue price **£90** + VAT

**MATHSPAK** Double precision maths package on tape. MicroValue price **£13** + VAT

**MATHSPAK Handler** Used in conjunction with MATHSPAK. MicroValue price **£9.95** + VAT

**Command Extender** For use with MATHSPAK it extends BASIC's reserve word list. MicroValue price **£9.95** + VAT

**Logic Soft Relocater** An integrated assembler and disassembler package which allows disassembly and reassembly from anywhere on the memory map. MicroValue price **£13** + VAT

## SAVE MORE MONEY

### Standard Firmware for Nascom at Reduced prices

NASPEN	RRP £30 +VAT	MicroValue price £20 +VAT
Nas-Sys 3	RRP £25 +VAT	MicroValue price £20 +VAT
NasDis - D-Bug (EPROM)	RRP £50 +VAT	MicroValue price £30 +VAT
NasDis - D-Bug (TAPE)	RRP £40 +VAT	MicroValue price £20 +VAT
Imprint	RRP £30 +VAT	MicroValue price £20 +VAT
Bits & PCs Prog Aid	£28 +VAT	MicroValue price £20 +VAT

## \*MicroValue Warranty

All products, except kits and Nascom Imp, sold by MicroValue dealers are supplied with 12 months warranty and will be replaced or repaired by any dealer (even if you didn't buy it from him) in the group in the event of faulty manufacture.

## YOUR LOCAL MICROVALUE DEALER

All the products on these two pages are available while stocks last from the MicroValue dealers listed on right. (Mail order enquiries should telephone for delivery dates and post and packing costs.) Access and Barclaycard welcome.



# MicroValue MONEY SAVERS

with the exclusive  
MicroValue  
12 Months  
Warranty\*

NEW

MicroValue  
Exclusive

## I/O Board for Nascom & Gemini Multiboard Systems

## GM816 Gemini I/O board

The new GM816 Gemini I/O board takes a unique approach to the problems of interfacing your Nascom or Gemini Multi-board to external devices. This 80 Bus and Nasbus compatible card is supplied fully built, populated and tested and includes three Z80 PIOs, a CTC and a Real Time Clock with battery back-up. In addition, a range of "daughter" boards that attach straight to the I/O board are under development catering for a wide variety of interfacing requirements.

### GM 816 Gemini I/O board

MicroValue price - **£125** + VAT

### Prototyping daughter board

MicroValue price - **£20** + VAT

### IEEE-488

The EV Computers' IEEE-488 card is an 80 Bus and Nasbus compatible card designed to fully implement all IEEE-488 interface functions. This built and tested card gives the user a very cost effective and versatile method of controlling any equipment fitted with a standard IEEE-488 or GPIB interface.

MicroValue introductory price  
**£140** + VAT

## Nascom 3 available from MicroValue

Based around the successful Nascom 2 computer, this new system can be built up into a complete disk based system. Supplied built and tested complete with PSU, Nas-Sys 3 and Nas-Gra.



**8K system**  
MicroValue price -  
**£416** + VAT

**16K system**  
MicroValue price -  
**£476** + VAT

**Dual floppy disk unit**  
(0.7 MB storage)  
MicroValue price -  
**£685** + VAT

**CP/M 2.2**  
MicroValue price -  
**£100** + VAT

**INTERFACE COMPONENTS LTD.**  
Oakfield Corner, Sycamore Road,  
Amersham, Bucks.  
Tel: (02403) 22307. Tlx: 837788.

**COMPUTER INTERFACING  
& EQUIPMENT LTD.,**  
The MICRO-SPARES Shop,  
19 Roseburn Terrace,  
Edinburgh EH12 5NG  
Tel: (031) 337 5611

**E. V. COMPUTING**  
700 Burnage Lane, Burnage,  
Manchester M19 1NA.  
Tel: (061) 431 4866.

**ELECTROVALUE LTD.**  
28 St Jude's, Englefield Green,  
Egham, Surrey TW20 0HB.  
Tel: (0784) 33603. Tlx: 264475.

**SKYTRONICS,**  
2 North Road, The Park,  
Nottingham.  
Tel: (0602) 45053/45215

**TARGET ELECTRONICS**  
16 Cherry Lane, Bristol BS1 3NG.  
Tel: (0272) 421196.

**BITS & PC'S**  
4 Westgate, Wetherby, W. Yorks.  
Tel: (0937) 63774.

**HENRY'S RADIO**  
404 Edgware Road, London W2.  
Tel: (01) 402 6822.  
Tlx: 262284 (quote ref: 1400).

**LEEDS COMPUTER CENTRE,**  
62 The Balcony,  
Merrion Centre, Leeds.  
Tel: (0532) 458877



Check our prices against similar lists!!!

**Micro Business Centre Ltd,**  
Linthouse Lane, Wednesfield,  
Wolverhampton, West Midlands.  
Tel (0902) 725687

**NEW SHOP**

Check our prices against similar lists!!!

**A.B.C. Ltd,**  
Sutton Computer Centre, 28 High Street,  
Sutton Coldfield, West Midlands.  
Tel 021-354-2684

## MICROCOMPUTERS

AT:

### ABC HARDWARE — JUST LOOK AT THESE PRICES!!!!!!

★ 12" Green Screen Monitor + cable	99.95
★ New! Colour Card for Apple — true colours, inc. mod.	49.95
★ Box of 10 blank discs	14.95

Add 15% V.A.T. (P&P inc.)

### APPLE

	Cost	V.A.T.	Total
★ Apple 111	2545.00	381.75	2926.75
★ Disk 111	385.00	57.75	442.75
Silentyte 111	222.00	33.30	255.30
★ Apple 11 48k. + colour card, modulator	695.00	104.25	799.25
★ Disk Drive + contr.3.3	375.00	56.25	431.25
★ Disk Drive	295.00	44.25	339.25
★ 12" Green Screen Monitor	99.95	14.99	114.94
Programmers Aid	26.00	3.90	29.90
Autostart Rom Pack	33.00	4.95	37.95
★ Versawriter — graphics pad	149.95		
★ Silentyte	195.00	29.25	224.25
★ Tanel (Prestel)	170.00	25.50	195.50
B/W Modulator	14.00	2.10	16.10
Pascal Lang. System	245.00	36.75	281.75
Applesoft Firmware Card	95.00	14.25	109.25
Integer card	95.00	14.25	109.25
16k. Ram Card (48k- 64k.)	95.00	14.25	109.25
Apple Pilot	79.00	11.85	90.85
Apple Fortran	105.00	15.75	120.75
Apple Prototype/Hobby Card	12.00	1.80	13.80
Parallel Printer Interface	65.00	9.75	74.75
High Speed Serial Interf	65.00	9.75	74.75
Centronics Card	65.00	9.75	74.75
Communications Card	103.00	15.45	118.45
Colour Card inc. T.V. mod			
true colours	49.95	7.49	57.44
IEEE-488 Interface	230.00	34.50	264.50
Thermal Paper for Silentyte	2.75	.41	3.16
C.P.S. Multifunction Card (Clock/Printer Card)	135.00	20.25	155.25
Supertalker	140.00	21.00	161.00
Romplus + Keyboard Filter	127.00	19.05	146.05
Rom Writer	105.00	15.75	120.75
AD + DA 16 Channel	210.00	31.50	241.50
Numeric Keypad	75.00	11.25	86.25
Videx 80 col card	185.00	27.75	212.75

### JUST AVAILABLE — NEW PRODUCTS TO ENHANCE YOUR APPLE SYSTEM

Apple 5.25" Winchester from:	1872.00	280.80	152.80
Join up to 127 Apples with "R.O.S."	449.00	67.35	516.35
Micro Modem	169.00	25.35	194.35
The Mill (6809 board)	230.00	34.50	264.50
Expeditor Basic Compiler	79.95	12.00	91.95
Micro Modeller	399.00	59.85	458.85
Micro Planner	695.00	104.25	799.25

### EXCLUSIVE ABC SOFTWARE

DISKIO — Disk program and file recovery system — you'll wonder how you managed without it! Send for full details.

49.95	7.50	57.45
-------	------	-------

INTEGRATED SALES/PURCHASE/NOMINAL LEDGER SYSTEM, WILL SUPPORT 50 — 5000 ACCOUNTS. WRITTEN AND FULLY SUPPORTED BY OUR QUALIFIED STAFF. AVAILABLE INTEGRATED OR STAND ALONE.

Integrated	889.95	133.50	1023.45
Stand Alone	349.00	52.35	401.35

### COMMODORE PETS AT CASH AND CARRY PRICES!!!!!!

Looking for a Pet computer? — try us last — up to 12.5% off list prices PLUS £50.00 TRADE-IN for your Sinclair ZX80 or 81. Pet 4083 (new screen), Pet 8032, Disk Drives, Printers, etc, all in stock.

VIC PERSONAL COMPUTERS — on continuous demonstration at both showrooms.

### CIFER MICROCOMPUTERS

British Made — Twin Z80 (4MHZ) Microcomputer System + CPM 80 column display — 64k. User Memory + 64k. Screen Memory

<b>2600 RANGE</b>	
2683	£1970.00 ex V.A.T.
2684 (400k. integral DD)	£2357.00 ex V.A.T.
<b>1880 RANGE</b> (All integral drives + 1000 x 300 point graphics)	
1886 (2 x 800k. integral DD)	£2700.00 ex V.A.T.
1888 (3 x 800k. integral DD)	£3150.00 ex V.A.T.
1885 (6 to 12 mgb.) from	£4530.00 ex V.A.T.
1887 (1 x 800k. + 1 Winchester)	£4980.00 ex V.A.T.

### PRINTERS

Selection from our vast range:

	Cost	V.A.T.	Total
Epson MX 100	549.95	82.50	632.45
Epson MX 82/F/T	399.95	60.00	449.95
Olympia Scripta K.S.R.	945.00	141.75	1086.75
Olympia Scripta R.O.	775.00	116.25	891.25

### COMPUTER BOOKS + MAGAZINES — GOOD SELECTION IN BOTH SHOWROOMS

Beneath Apple D.O.S.	12.95
Computers for Kids (Apple, Pet, TRS80)	4.95
Introd. to Pascal	11.50
Z80 Assembly	12.80
Basic Applications	7.95
(No VAT — sent by return post — many other titles)	

Note: All goods in stock at time of going to press. We will not be beaten on prices, phone David Anderson for latest prices. Allow 7 days for cheque clearance. Advantageous leasing terms for businesses. Suppliers of Micro Computers to Public Companies — Local Authorities — Educational Establishments etc.



# GOING FORTH

## The final part of our popular series sets out to explain the operation and structure of a working FORTH program.

**W**e have now looked at the main elements of FORTH and, after the initial shock, found it to be a very unusual language which has some significant advantages over 'conventional' languages such as BASIC. In particular, it runs about 10 times faster than your average BASIC and, once you have mastered the knack of thinking backwards, program development time can be considerably shortened. When you add to this the astonishing flexibility of FORTH and the fact that it is ideally suited to structured programming, you start to wonder why you have been wasting your time with boring old BASIC, Pascal et al.

What we have not done so far though, is to put all these wild claims to the test by actually writing a FORTH program! This month we will, by means of the classic 'Towers of Hanoi' problem; there are a number of reasons for this choice:

- It has well-established solutions which allow us to concentrate on writing a program without having to solve the fundamental problem as well.
  - It is a good example to show the sheer speed of FORTH.
  - It is the right size for an article like this.
  - Last, but not least, the Editor suggested it!
- Remember that, where there might be any confusion, FORTH words and groups of words will be enclosed in square brackets — [ ]. The brackets themselves are not part of the language.

### The Towers Of Hanoi

First of all, let me refresh your memory as to just what the 'Hanoi' problem is. There are lots of legends associated with it but in essence, the problem centres on three rods, one of which has a number of discs on it. The discs are of different sizes and are arranged so that any disc always has a smaller one on top of it. Your job is to move the file of discs to another rod, moving one at a time in such a way that a larger disc never lies on top of a smaller one.

Put like that it sounds simple, and it is. It just takes a terribly long time — the minimum number of moves needed to transfer (n) discs is given by  $(2^n - 1)$ . In other words, it would take 1023 moves to shift a

10-disc pile, or 1,048,575 moves for 20 discs. Definitely a job for a computer.

There are many ways of solving the problem on a computer but the neatest, and perhaps the best known, uses a recursive algorithm. Recursion is a bogey word to some people but it really is nothing to be afraid of — all it means is that a subroutine can call itself. Usually each call nibbles away at the problem until, at the end of a whole series of nested calls, the problem is solved and the system backs its way out of the calls. For example, a recursive pseudo-language procedure to drink a glass of beer is:

```
Procedure DRINKBEER
Begin
  Take a swig
  If glass not empty then
    DRINKBEER
  End
```

Easy, isn't it — it makes you keep taking a swig until the beer's all gone and then you stop.

Suppose now that your 'Hanoi' set has three rods, numbered 0, 1 and 2. A recursive routine to move N discs from rod 'SOURCE' to rod 'DEST' is:

```
Procedure HANOI(N,SOURCE,DEST)
Begin
  If (N>1) then HANOI(N-1,
    SOURCE,(3-SOURCE-DEST))
  Move disc N from SOURCE to DEST
  If (N>1) then HANOI(N-1,
    3-SOURCE-DEST,DEST)
End
```

The bracketed variables after the function name (HANOI) merely imply a mechanism for passing data into the routine.

I do not intend to go into the how and why of the procedure since that is not the object of this article; I simply ask you to accept that it does work. If you want to know more about its action, try running through it with a pile of counters, a pencil, and some paper.

### Specifying The Program

What else must the program do? As well as implementing the algorithm, it must do a number of other things — in particular, it must give ways of starting, repeating and stopping the run.

Futhermore, it must also output the moves it is making. Since it is being written for a TRS-80 or Video Genie, both of which have reasonable pixel graphics, the pro-

gram should show the discs actually moving from rod to rod, and also print out which disc is being moved at any time. Finally, the program should be able to handle up to 20 discs and as there is no point in moving less than two, this implies a need for some sort of input checking.

### Programming The Solution

After the build up, take a look at Listing 1. You will see instantly just how odd a FORTH program can look. The listing fills six MMSFORTH blocks and I have numbered them 100-105. The operating system accesses blocks by number and 100+ is convenient.

Remember that FORTH programs, like Pascal ones, are constructed from a series of building blocks with the simpler words being compiled first so they can be used to form more complex words. You should therefore start reading the program at the end of Block 105 where you see the word HANOI on its own. This is clearly being used in the immediate mode — it is not in a colon definition — and its job is to run the whole program automatically as soon as it has been compiled. In this way it is easy to give FORTH programs an auto-start capability.

HANOI is defined in line 12 of Block 105 and is formed from four major new words: TITLE, INIT, SHIFT and AGAIN. The last three are nested in a BEGIN...END loop to allow you to repeat the program as often as you like. INIT simply sets up the system, AGAIN checks to see if the program is to be run again, while SHIFT is the FORTH implementation of the algorithm above.

Before we go on to look at the four words of HANOI, study Block 100 which contains a number of utility words used throughout the program. The block starts with a TASK definition defining the start of HANOI in the system dictionary; this allows you to erase the whole program with a FORGET TASK.

Virtually all the program's calculations are performed on the stack but I found the need for a three element array holding the number of discs on each rod. Normal FORTH does not provide arrays so I had to extend the language to add them. The variable definition of



That is fine but we still need a way of implementing each element and, in particular, of getting any element onto the stack or of putting <TOS> into any element. Suppose that we wish access element <n> by [n PILETOTAL]. Remembering that executing the word PILETOTAL puts the address of the first of the six bytes in <TOS>, I hope that you can see that AGET, defined as [SWAP 2\* +], converts that address and <n> into the address of the first byte of array element <n>. Think about it anyway. Having defined AGET — [A!] and [A@] are easy.

Block 100 also contains three other utility routines: 2DUP, 2OVER and [1>]. They are all very simple and 2OVER shows a typical application of <R and R>.

Wrapping-up Block 100, CHECKNO is used to adjust the value at TOS to lie in the range 2-20 inclusive. I described a similar word last month.

and checks the number of discs to be moved. It also puts 2 and 0 at <30S> and <20S> respectively to define that discs will move from Rod 0 to Rod 2.

SETPILE'S only job is to set the three elements of PILETOTAL to the initial totals of discs on each rod. Rod 0 obviously receives the number at <TOS>, the number to be moved, while the other two are initialized to zero.

STACK ↑										
1	2	2	42	42	38	10	1	1	42	20
2	1	1	1	1	1	38	10	10	10	10
10	10	10	10	10	10	1	38	38	38	38
	SWAP	42	SWAP	2*	—	ROT	ROT	42	*	20
62	10	52	52	52	10	20	2	22		52
10	62	10	10	10	52	52	52	52	74	74
38	38	38	38	38	38	38	38	38	38	38
+	OVER	—	DUP	<R	SWAP	2*	2	+	+	R>

COMPUTING TODAY APRIL 1982



# GOING FORTH

DISKDRAW uses a MMSFORTH graphics extension, ESET. It works in a similar way to the Level II graphics commands; for instance, `[y x ESET]` is identical to BASIC's `SET (x,y)`. Later on we will meet `[ECLR]`, equivalent to L II's `RESET ()`.

## Shifting It

The most important new word in the program is, of course SHIFT, which implements the 'Hanoi' algorithm. The word is defined by lines 3-6 of Block 105; to follow it, you must recall that the 'N', 'SOURCE' and 'DEST' of the definition above are at <TOS>, <2OS> and <3OS> respectively whenever SHIFT is accessed. At least, the word assumes that the top three items of data on the stack represent that information.

With that data, it should be fairly easy to relate the sequence of SHIFT to the pseudo-language definition. Because all the data for the word is passed on the stack, the two words 1RECURSE and 2RECURSE are used to adjust the top three items to the values demanded by the algorithm. In fact, they both put three new items on top of the existing stack because each recursive call of SHIFT must preserve the existing parameters against the time that the program takes to work its way back down the nested list of calls. Figure 3 shows the action of 1RECURSE on a stack whose top three items are 8, 1 and 2. Since each call of SHIFT preserves the stack parameters, its final act must be to get rid of the top three items on the stack; if it did not do this, the stack would eventually overflow and crash the system.

SHIFT itself is not very complicated but one of its constituent words, MOVE, does quite a lot. This word actually shifts the discs around on screen and updates the program's counters. It does its work in the four stages implicit in the four words making it up.

The first job is to blank out the top disc on the 'SOURCE' (ie <20S>) rod. BLANKDISK sets the height of the disc from the relevant element of PILETOTAL and converts the height (the number of discs in the pile) to screen-based co-ordinates. Using a DO . . . LOOP, it then blanks out a line of 44 pixels at that height, centred on the rod. Since the maximum disc width is 42 pixels ((disc No. 20) \* 2 + 2), this guarantees to remove the disc from the display.

									1	
								8	8	7
STACK ↑		3	2		1		1	1	1	1
	2	2	3	1	1	0	0	0	0	0
8	8	8	8	8	8	8	8	8	8	8
1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2
	2OVER	3	SWAP	—	2OVER	—	2OVER	2OVER	1	—

Fig. 3. The stack building under the recursive use of lRECURSE.


DRAWDISK then draws the same disc as the top element in the pile on the DEST (<30S>) rod. The word sets the numbers of the disc (and hence its size) and the destination rod (and hence the horizontal position) off the stack; the height of the new disc comes from a look at PILETOTAL(DEST). The disc is actually drawn by the DISKDRAW word which we met earlier; all the rest of DRAWDISK is concerned with setting up the stack to get the disc in the right place.

The third element of MOVE is ALPHA, which writes out the values of 'N', 'SOURCE' and 'DEST' in the right places in the progress line in the last line of the screen. The word pulls the relevant data off the stack, without disturbing the top three, or any other items. The [DUP 10 < IF SPACE THEN] in ALPHA is used to line up the 'units' digit of the disc number in its field.

Finally, UPDATE adjusts the relevant elements of PILETOTAL to decrement the number of discs on the 'SOURCE' rod and increment the 'DEST' total. Its action should be clear from the code.

If you have kept up so far, Fig. 4 will come as no surprise. For the rest of you, read the description of the program again (a recursive read?) before you look at the photography illustrating the display on the screen part-way through a run of the program. As you see, it shows the discs and where they are as well as displaying which disc is being moved.

At the end of a run on the program, AGAIN is used to create a display like that of Fig. 5. The system is waiting for a yes/no response and, depending on the answer, the BEGIN...END loop of HANOI will repeat the whole sequence or shut the system down.



**Fig. 4. The screen display while discs are being transferred.**



## The Program In Use

That then, is a typical FORTH program. It is compact (most of the listing is blank space and/or comment and the compiled code occupies 1037 bytes) and it runs very, very fast. As an indication of its speed, it can transfer a 12-disc pile in 232 seconds. To put that in perspective, I wrote an equivalent BASIC program which was reasonably optimised to run quickly; it took 2220 seconds to move the same 12-disc pile. The program is so fast that it is quite impossible to see the individual discs moving. During its development I wished to see just what was going on and to do this, I needed to modify the second line of SHIFT to:

```
MOVE 1280 0 DO LOOP
```

to get it run slowly enough to follow.

In fact, most of the program's run is taken up with driving the graphics display which could be eliminated by altering MOVE to:

```
: MOVE ALPHA UPDATE ;
```

The 12-disc pile was then shifted in 100 seconds! A similar amendment to the BASIC version produced a run time of 530 seconds.

## Conclusions

In this series, we have taken an introductory look at FORTH and the way that it should be used to write programs. This month's 'Towers of Hanoi' example gives a good idea of language might look like. It is not limited to gaming however, although its great speed makes it much more useful than BASIC for dynamic games. The language is becoming widely used for process control in such applications as machine-tools and astronomical equipment, where its speed, easy development and compactness make it very attractive.

In the future, we are likely to see a much wider use of FORTH as a personal computer language, bringing the advantages of structured programming and modular development to those who cannot afford the discs, etc needed to support the great god Pascal. There are already versions of the language available for virtually all common micros and most system owners can, in fact, choose from several implementations.

Those of you who have seen FORTH before will have realised that in this series, I have only skimmed the surface of it. I have not

```
0 ( BLOCK 100 1 OF 6 TOWERS OF HANOI 7/12/81 )
1 ( A PROGRAM IN MMSFORTH )
2 ( REQUIRES MMSFORTH GRAPHICS COMMANDS FOR TRS-80 )
3 ( TASK ; )
4 ( VARIABLE PILETOTAL 4 H +1 ( PILETOTAL IS 3 ELEMENT ARRAY )
5 ( AGT SWAP 2* + ; ( GET THE <20S> ELEMENT ONTO STACK )
6 ( A1 AGT 1 ; ( ARRAY EQUIVALENT OF 1 )
7 ( A2 AGT 2 ; ( ARRAY EQUIVALENT OF 2 )
8 ( 2DUP OVER OVER ; ( DUPLICATE <TOS> AND <2OS> IN ORDER )
9 ( 2OVER <R OVER R> SWAP ; ( PUT A COPY OF <3OS> ON <TOS> )
10 ( 1 ) DUP 1 > ; ( SAVE <TOS> AND TEST FOR BEING >1 )
11
12 ( TITLE CLS 23 ECHO 4 1 PTC ( SELECT DOUBLE WIDTH CHARS )
13 " WELCOME TO THE TOWERS OF HANOI"
14 20000 0 DO LOOP ; ( A SHORT PAUSE )
15 ( CHECKNO 2 MAX 20 MIN ; ( PUT <TOS> IN RANGE 2 - 20 )

0 ( BLOCK 101 2 OF 6 TOWERS OF HANOI 7/12/81 )
1
2 ( DRAW THE BASE LINE ON WHICH DISCS WILL BE MOVED )
3 ( PUT 133 ECHO <# # > TYPE 138 ECHO ; ( DRAW ROD NUMBERS )
4 ( LINEDRAW CLS 143 16256 64 FILL 14 9 PTC 0 PUT
5 14 30 PTC 1 PUT 14 51 PTC 2 PUT ;
6
7 ( INPUT AND CHECK THE NUMBER OF DISCS WHICH ARE TO BE MOVED )
8 ( GETNO CLS 2 0 6 5 PTC ( 2, 0 DEFINE TO, FROM )
9 " HOW MANY DISCS DO YOU WANT TO MOVE (2-20)"
10 #IN CHECKNO ; ( EXIT WITH NUMBER ON <TOS> )
11
12 ( INITIALISE ROD TOTALS - ALL DISCS ON ROD 0, OTHERS EMPTY )
13 ( SETPILE DUP 0 PILETOTAL A1 0 1 PILETOTAL A1
14 0 2 PILETOTAL A1 ;
15 ( LINECLEAR 32 16320 64 FILL ; ( CLEAR BOTTOM LINE )

0 ( BLOCK 102 3 OF 6 TOWERS OF HANOI 7/12/81 )
1
2 ( WHEN TOS=A, 2OS=B, 3OS=C, DRAW DISC 'C' HEIGHT 'B' ON ROD 'A' )
3 ( SET UP THE STACK FOR DISKDRAW )
4 ( TOS=XSTART OF DISC, 2OS=XFINISH OF DISC, 3OS=YPOSITION )
5 ( SETUP SWAP 42 SWAP 2* - ROT ROT ( YPOSITION=42-2*B )
6 42 * 20 + OVER - DUP <R ( XSTART=42*A+20-C )
7 SWAP 2* 2 + + R ; ( XFINISH=XSTART+2*C+2 )
8 ( DISKDRAW SETUP DO DUP 1 SET LOOP DROP ; ( DRAW THE DISC )
9
10 ( DRAW THE TOTAL NUMBER OF RODS TO BE MOVED ON ROD 0 POSITION )
11 ( PILEDRAW DUP 0 DO DUP 1 - 1 1 + 0 DISKDRAW LOOP ;
12 ( WAIT UNTIL READY TO START, AND SET UP BOTTOM LINE )
13 ( WAIT BEGIN LINECLEAR 15 26 PTC " READY" Y/N NOT END
14 LINECLEAR 15 14 PTC
15 " MOVE DISC FROM ROD TO ROD " ;

0 ( BLOCK 103 4 OF 6 TOWERS OF HANOI 7/12/81 )
1
2 ( INIT GETNO SETPILE LINEDRAW PILEDRAW WAIT ; ( INITIALISE )
3 ( ADEC AGT -1 SWAP +1 ; ( DECREMENT AN ARRAY ELEMENT )
4 ( AINC AGT 1 SWAP +1 ; ( INCREMENT AN ARRAY ELEMENT )
5 ( UPFROM OVER PILETOTAL ADEC ; ( DECREMENT THE 'FROM' ROD )
6 ( UPTO 2OVER PILETOTAL AINC ; ( INCREMENT THE 'TO' ROD )
7 ( UPDATE UPFROM UPTO ; ( UPDATE RECORD OF JTY ON EACH ROD )
8 ( PRINT WHICH DISC IS MOVED, AND THE MOVE THAT IT MAKES )
9 ( ALPHA 15 23 PTC DUP DUP 10 < IF SPACE THEN ( DISC )
10 15 35 PTC OVER . 15 44 PTC 2OVER . ; ( RODS )
11
12 ( DRAW THE MOVED DISC IN ITS NEW POSITION )
13 ( DRAWDISK 2OVER SWAP DUP ROT DUP PILETOTAL A#
14 1+ SWAP DISKDRAW ;
15


0 ( BLOCK 104 5 OF 6 TOWERS OF HANOI 7/12/81 )
1
2 ( BLANK THE DISC THAT IS TO BE MOVED FROM ITS OLD ROD )
3 ( BLANKDISK OVER DUP PILETOTAL A# 2* 42 SWAP - ( YPOSITION )
4 SWAP 42 * DUP 44 + SWAP ( XSTART AND XFINISH )
5 DO DUP 1 ECLR LOOP DROP ; ( BLANK IT OUT )
6
7 ( MOVE THE TOS DISC FROM 20S ROD TO 30S ROD )
8 ( MOVE BLANKDISK DRAWDISK ALPHA UPDATE ;
9
10 ( ADJUST STACK FOR RECURSIVE CALLS OF SHIFT (SEE TEXT) )
11 ( BOTH THE WORDS PRESERVE THE DATA ALREADY ON THE STACK )
12 ( 1RECURSE 2OVER 3 SWAP - 2OVER - 2OVER 2OVER 1 - ;
13 ( 2RECURSE 2OVER 2OVER SWAP DUP ROT +3 SWAP - 2OVER 1 - ;
14
15

0 ( BLOCK 105 6 OF 6 TOWERS OF HANOI 7/12/81 )
1
2 ( SHIFT IS THE WORD THAT ACTUALLY CALCULATES THE HANOI SEQUENCE )
3 ( SHIFT 1) IF 1RECURSE SHIFT THEN ( RECURSIVE CALL )
4 MOVE ( ACTUALLY MOVE THE RIGHT DISC )
5 1) IF 2RECURSE SHIFT THEN ( RECURSIVE CALL )
6 DROP DROP DROP ; ( TIDY UP THE STACK )
7
8 ( OFFER THE CHANCE FOR ANOTHER RUN, AND ACCEPT THE ANSWER )
9 ( AGAIN LINECLEAR 15 26 PTC " AGAIN" Y/N ;
10
11 ( FINALLY, HANOI IS THE WORD THAT FORMS THE WHOLE PROGRAM )
12 ( HANOI TITLE BEGIN INIT SHIFT AGAIN END ;
13
14 HANOI ( RUN IT! )
15
```

Listing 1. The complete MMSFORTH listing of the solution to 'The Towers Of Hanoi' problem. The 'screen' format has been retained.



# GOING FORTH



even looked at how strings and double-precision and/or floating-point numbers could be provided; neither have I given any indication of how to provide the essential feature for all gamesters, a random-number generator. Most commercial FORTHS include such features but, when they do not, it is always easy to add them.

The language is not just limited to defining new words from old, powerful though that feature is. With only a little more effort, we can create whole new classes of words by defining new defining words. With such a facility we could, for instance, have created a new word type called ARRAY allowing us to access any element of an n-dimensional array without the fiddling about we had to use in HANOI.

FORTH is truly limited only by your own imagination. I hope that some of you will want to sample it further and join the ranks of those who GO FORTH.

**Fig. 5.** All done! The program will let you repeat the sequence using a different number of discs if you wish.

## COMPUTING TODAY BINDERS



Join the great conservation movement and protect your copies of Computing Today with one of our smart red and black binders. Unlike our competitors you can still squeeze a full year's worth of the magazine into each one and it'll only cost you £4.25.

They look good on any bookshelf and, by keeping all your issues in one place, create a valuable reference library of programs and information.

To order just send your cheque or Postal Order (made payable to ASP Ltd) to:

**BINDERS,**  
Computing Today Binders,  
513 London Road,  
Thornton Heath,  
Surrey CR4 6AR.

If you wish to pay by Access or Barclaycard just fill in your card number and sign the form, **do not send your card.**



### Order Form

Please send me .... binders @ £4.25 each.

I enclose a cheque/PO for £..... (Payable to ASP Ltd)  
I wish to pay by credit card

Name .....

Address .....

Access ☐ Barclaycard ☐

Signature .....

Please allow 21 days for delivery.

**COMPUTING TODAY  
BINDERS**



# HENRY'S

## COMPUTER KIT DIVISION

## TANGERINE COMPUTER SYSTEMS

LONDON & HOME COUNTIES STOCKISTS

ALL PRE-PAID  
ORDERS  
POST FREE


RETAIL SALES  
AND DEMONSTRATIONS

404 EDGWARE RD. LONDON, W2 1ED TEL: 01-402 6822

### TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE

## MICROTAN 65

Microtan 65 is the most advanced, powerful, expandable micro-computer available - it also happens to be the most cost effective!



Electronic Today International held a mammoth survey of kits. The result: Microtan 65 WINS COMPUTER CLASS!

### MICROTAN 65 CONTENTS

High quality, plated thru hole printed circuit board, solder resist and silk screened component identification. 6502 microprocessor. 1K monitor. TANBUG. Now with 'V' Bug. 1K RAM for user programme, stack and display memory. VDU alphanumeric display of 16 rows by 32 characters. MICROTAN 65 system file binder. 136 page, bound, users hardware/software manual with constructional details and sample programmes. Logic and discrete components to fully expand MICROTAN 65.

KIT FORM **£69.00** + V A T

MICROTAN 65 assembled and tested. Specification as above, but assembled and fully bench tested by ourselves. **£79.00** + £11.85 V A T, total £90.85

## TANGERINE DISC SYSTEM

Z&C CONTROLLER CARD **£150.00** + V A T

DOUBLE SIDED DOUBLE DENSITY DRIVE

**£215.00** + V A T

CP/M DISK OPERATING SYSTEM

**£80** + V A T



## MICRON COMPUTER

FULLY BUILT, TESTED, and housed in ATTRACTIVE CASES.



**£395**  
inc. V A T, P & P

6502 based microcomputer VDU alpha numeric display. Powerful monitor TANBUG. 8K RAM. 32 parallel I/O lines. 2 TTL serial I/O lines. Four 16 Bit counter timers. Cassette interface. Data bus buffering. Memory mapping control. 71 key ASCII Keyboard, including numeric keypad. Includes power supply. Also includes the first '10K MICRO. SOFT BASIC' available in the U.K. All the usual BASIC commands.

## NEW MICROTANTEL POST OFFICE APPROVED PRESTEL - VIEWDATA

• FULL COLOUR GRAPHICS • MICROTAN OWNERS CAN COMMUNICATE WITH EACH OTHER • CAN STORE PRESTEL • CAN BE USED AS AN EDITING TERMINAL • CAN BE INTERFACED WITH PET, APPLE etc.

Just connect to the aerial socket of any colour or black and white domestic T.V. receiver and to your Post Office installed jack socket and you are into the exciting world of PRESTEL. Via simple push button use you are able to view 170,000 pages of up to the minute information on many services, order goods from companies - all this without leaving your armchair!



**£170**  
+ V A T

## TANEX £43.00

Minimum  
Config Kit


+ V A T £6.45, total £49.45

### CONTENTS

High quality plated thru hole printed circuit board, solder resist and silk screened component identification. I.C. sockets for maximum expansion. 64 Way D.I.N. edge connector. 1K RAM. cassette interface. 16 parallel I/O lines. a TTL serial I/O port, two 16 bit counter timers, data bus buffering, memory mapping, logic and discrete components for maximum expansion. TANEX users manual.

TANEX (Minimum configuration) Assembled

**£53.00** + V A T, £7.95, total £60.95



## TANRAM

AVAILABLE NOW TANRAM - 40K Bytes on one board! 12 slot SYSTEM MOTHERBOARD, supports 277K Bytes SERIAL & PARALLEL I/O boards. High Definition COLOUR GRAPHICS. Single board of bulk memory offering 7K Static RAM (2114), and 32K Dynamic RAM (4116). Onboard refresh is totally transparent to CPU operation and is unaffected by normal DMA's. TANRAM fully expands the available address space of the 6502 microprocessor. MICROTAN, TANEX and TANRAM together provide 16K RAM, 48K RAM, and 1K I/O - that's a lot of memory and a lot of I/O! Built and tested. TANRAM ASSEMBLED.



40K RAM CARD with 16K DYNAMIC RAM **£76** - V A T

CONTENTS: High quality plated thru hole printed circuit board, solder resist and silk screened component identification. Full complement of I.C. sockets for maximum expansion. 64 Way D.I.N. edge connector. 1K RAM (2114). Data bus buffering. TANRAM users manual.

### EXTRA RAM:

1K STATIC (2114) **£2.95** each. 16K DYNAMIC (4116) **£1.50** each

TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE

Stockist Enquiries on headed notepaper to:

COMPUTER KIT LTD. (Principal Distributors in U.K.)

11/12 Paddington Green, London, W2. Tele: 01-723 5095

Telex: 262284 Ref. 1400 TRANSONICS

All orders pre-paid and official advertised here and elsewhere

in this magazine by TANGERINE to be forwarded DIRECTLY to

COMPUTER DEPT., 11/12 PADDINGTON GREEN, LONDON W2

SEND FOR  
FREE BROCHURE

PROGRAM  
POWER

## NASCOM 1 & 2

### NASPRINT 80

2K extension to NASPEN. New functions incl. Pagination, page no. & title output, title centering & text re-formatting with embedded control codes-change line length, spacing & margins; centre line between margins; - new page; output printer control codes. Contains parallel printer routine for MX80. Use with serial or other parallel catered for. Special routines facilitate operation with ZEAP, NAS-DIS, DEBUG, NAS-SYS & ROM BASIC. In Eproms £14.95

### AY-3-8910 SOUND CHIP

INVASION EARTH with INCREDIBLE SOUND EFFECTS (MC/G) **£10.95**  
SOUND CHIP - Program up to 3 independent channels with music & sound effects! Data sheet incl. **£6.45**

SOUND CHIP INTERFACE BOARD - Designed to interface between the PIO & the chip. Ready built - plugs straight onto PIO. Nascom 1 connectors available. Sound generation illustrated in MC. & Basic. (chip not incl.) **£13.50**

DEMO PROGRAM (MC) 1st mode - direct entry to chip register making experimentation simple. 2nd mode - turns keyboard into 7 octave 'piano', giving state of registers & notes played. **£5.95**  
DATA MANUAL (60 pages) No VAT **£2.25**

### GRAPHIC GOLF (16K/B/G)

18 hole course, driver, 9 irons & putter, variable wind speed & direction, swing control, super graphics. Beat the par 72. **£7.95**

### THE KEYS OF KRAAL (24K/B/G)

Superb adventure game PLUS exciting graphics. Fight the monsters & demons in real time. Swords flash, arrows fly & spells home-in. Endless hours of enjoyment. Save on tape. **£8.95**

### "MICRO-POWER" - Magazine

Series Article on hardware & software news from clubs, letters point of views, questions & answers. Now available issues 1-4 **£3.95** (Europe **£6.60**) & overseas **£7.90**. 1982 Subscription (six issues **£5.95**), (Europe **£9.80**, overseas **£11.80**).

### THE NEW SPACE ERA

STARSHIP COMMAND (16K/B/G) - 3D galaxy (9x9x9). 6 levels from Commodore to Space Marshall. Excellent combination of galactic search and M/C code battles. **£9.95**

MOON RAIDER (MC/G) - 'Scramble' type game with superb SOUND EFFECTS through Keyboard Port. Raid enemy dumps, blast asteroids & defending ram-ships. Limited fuel. 4 skill levels. **£8.95**

JAILBREAK IN SPACE (16K/MC/G) - Fast arcade game. Beat off the alien rescue ships attacking your jail. Hold onto your high security prisoners as long as possible. **£8.95**

NEW FASE 16K/MC/G) - Action packed invaders prog. 4 different enemy fleets, individual motion, direct & 'truly' angled missiles. **£7.95**

(State NASCOM).

### BASIC FILE HANDLER (MC) for cassette-based systems.

PAYROLL, SALES & PURCHASE LEDGERS, PRICE LISTS etc. - NOW you can write them! Save complex data files on cassette - any combination of strings, string variables, string arrays, constants, expressions, variables or arrays. Definable block size. At 2400 BAUD using 1K blocks, 1000 numbers can be stored/accessed in less than 1 min. Comprehensive manual & circuit for optional automatic cassette drive control supplied. **£17.50**

\*\*\* NASCOM 1 - Cottis Blandford cassette interface for N2 format, reliability & fast load **£14.90**

- 8K RAM required unless otherwise stated.

- Please state if Nascom TAPE Basic required.

ALL PROGRAMS SUPPLIED ON CASSETTE IN CUTS/KANSAS CITY FORMAT.

BARCLAYCARD

VISA

Please add 55p/order P & P + V A T @ 15%. Large (15½p) Sae for FULL CATALOGUE.

PROGRAM POWER  
5, Wensley Road,  
Leeds LS7 2LX.





**SPECIAL  
ANNOUNCEMENT**

## Acorn Atom

### PROGRAMMER'S TOOL-BOX

A packed 4K EPROM (fits Utility Socket) containing:-  
1200 BAUD CASSETTE OPERATING SYSTEM  
Visible Load and Save routine

- PLUS**
- \*TRACE(X) — controlled execution, line no. display
  - \*STEP — single step execution
  - FIND — any string of chars. in program
  - VAR — list variables
  - LVAR — print variables
  - AUTO X,Y — automatic line numbering (any start, any step)
  - RENUMBER X,Y — any start, any step
  - DELETE X to Y — any range to line nos.
  - (\*VIA chip required) HEX — Hex and ASCII Dump.
  - IHEX — Hex Dump in Instruction format.

- PLUS Additional BASIC statements**
- READ, DATA & RESTORE
  - KEY X — scans keyboard-input to variable
  - INKEY \$X — scans keyboard-input to string variable
  - IF... THEN... ELSE
  - WHILE... ENDWHILE
  - CURSOR X,Y — position cursor as required
  - ON ERROR
  - BEEP X,Y — sound a note-any duration, any pitch
  - ZERO — zeroes all basic variables
  - POP — close out sub-routine
  - STOP — Useful debugging instruction.

Suitable for any memory size. Greatly enhances the Atom's existing facilities.

Real Value at £24.50 + VAT & 25p P&P

5, Wensley Road, Leeds LS7 2LX  
Tel. (0532) 683186

Send S.A.E. for details  
& full catalogue.  
(State Atom)



**PROGRAM  
POWER**



## ATOM ADVENTURE

ALL THE EXCITEMENT,  
INTRIGUE AND FRUSTRATION  
OF A MAIN-FRAME ADVENTURE!

**CRAMMED INTO A 12K ATOM**



Explore the tortuous forests, dark caverns & castle dungeons.  
Beware the maze of twisting tunnels and the desert wastelands.  
Outwit the predators. Rescue the PRINCESS and carry off the treasures.

Great skill & imagination are required to play this excellent game  
& you may still never exhaust all the possibilities. By devising  
methods of condensing messages, the author has been able to  
include many features which would otherwise be available only  
on much larger computers.

Start your Adventure now — **£8.95**  
(+ VAT & 55p P & P)

from:

### PROGRAM POWER

5, Wensley Road,  
Leeds LS7 2LX.  
(Tel. 0532 683186)



### SPACE FIGHTER

(6K + 3Kgr)  
Super High-speed "Defender"  
game. 5 types of intelligent aliens.  
Repeating laser cannon, smart  
bombs, hi-score, rankings, bonus  
pts., 6 skill levels. Exciting  
sound effects. **£8.95**

### COWBOY SHOOT-OUT

(12K)  
Full feature, two-player, arcade  
shooting game. Cactus plants,  
moving chuck wagons, animated  
cowboys. Superb graphics &  
sound. **£8.95**

### WARLORDS (12K)

Another hi-speed arcade game with  
the medieval touch. Defend your  
castle & destroy your opponent's.  
Play against computer or other  
player. Exciting graphics. **£8.95**

### MUNCHYMAN (6K)

Outrun the munchers (or puckmen).  
Eat your way to a high points score  
and confrontation with the SUPER-  
MUNCHERS!! **£4.95**

### ATOMSTORE (12K+)

General purpose 'database' filing & printing  
program. User-defined fields. Variable field & record  
length. Highly economical. Use for names & ad-  
resses, product lists, price list — any data file. File  
search, printing & saving options. **£8.95**

## ACORN ATOM

### CHESS (12K)

Improved graphics, plays back or white, mid-game  
level changes, look ahead up to 8 moves, offen-  
sive, normal & defensive play. 10 sub-levels, cast-  
ling, "En passant" by player. Rejects illegal moves.  
Take back moves & action replay with take-over.  
Set up problem games. **ONLY £9.95**

### ASTROBIRDS (12K)

NEW version of this incredible  
GALAXIAN style type game. Fan-  
tastic sound effects! Screaming  
missiles & swooping bird-men.  
NOW DOUBLE SPEED OPTION.  
The best game on the market. **£8.95**

### INVADER FORCE (12K)

Terrific version of 'Space Invaders'  
4 types of invaders, mother ship,  
great sound, hi-score, 6 skill levels. **£8.95**

### LUNAR LANDER (12K)

Superb version of this arcade game,  
incl. long & short range scan,  
limited fuel supply. **£8.95**

### 3D ASTEROIDS (6K + 2Kgr)

Steer through the rolling, hurtling  
asteroids. Excellent real life  
graphics. **£8.95**

### MARTIANS (12K + VIA)

Use your force field to stop them  
landing. Beware the imposters.  
Needs quick reactions. **£7.95**

### CONSTELLATION

(12K + Fl.Pt)  
Turn your ATOM into a telescope.  
View the stars from any point in the  
N.Hemisphere. 448 stars in 50 con-  
stellations instantly plotted against  
the night sky. Zoom in & out, raise  
& lower angle, rotate clockwise &  
anti-clockwise. **£8.95**

**EXTRA MEMORY** — Low power chips  
as recommended by Acorn 2 x 2114L — **£3.75**

WRITTEN ANY PROGRAMS? — WE PAY 20% ROYALTIES!

\*\*\*SPECIAL OFFER — Deduct £1 per cassette  
when ordering 2 or more.\*\*\*

Please add 55p/order P & P  
+ VAT @ 15%

Send Sae for FULL CATALOGUE

### PROGRAM POWER

5, Wensley Road,  
Leeds LS7 2LX.  
Tel. (0532) 683186.






ACORN

ATOM

SOFTWARE


Acorn Atom  
INVADERS

"The best excuse to expand your Atom. It is a superb version of the standard game, tough and fast". Your Computer Nov '81 12K, graphics mode 4  
ONLY £8.00

Acorn Atom  
FRUIT MACHINE

"A brilliant, incredibly fast model with lovely sound & graphics."  
Your Computer Nov '81 ONLY £4.00  
8K, graphics mode 2.

## CHESS



**THE PROGRAM YOU'VE BEEN WAITING FOR!**  
Fantastic machine code chess game for the 12K Atom. Features include: split screen (high res. + alphanumerics); many levels of play; castling & en passant; computer plays black or white. Supplied on cassette with instructions.  
PRICE ONLY £9.00

DON'T FORGET - OUR PRICES INCLUDE VAT &amp; POSTAGE



## 747

FLIGHT SIMULATION  
PROGRAM FOR THE 12K ATOM

Written for Bug-byte by a 747 pilot. Accurate simulation of a 747's cockpit display (airspeed, altitude, rate of climb, attitude, flaps, etc., and graphic display of horizontal situation and attitude); allows you to guide your craft to the landing strip. On making your final approach the display changes to a high-resolution 3D representation of the runway coming up to meet you. A real test of skill. Finding the runway is quite a challenge - landing safely is even more difficult. If you succeed, you are awarded a skill rating and the chance to take off and try again.  
REQUIRES FLOATING POINT ROM PRICE ONLY £8.00



## GALAXIAN

Fantastic high-resolution (mode 4) arcade game with fast-swooping aliens, excellent sound effects, and high score. 12K  
PRICE £8.00

## LABYRINTH (12K, F.P., BASIC, GR. Mod2A, sound)

High-resolution colour graphics (also effective in Black & White) make this 3D maze program one of the best versions available. To help you find your way through the bewildering array of corridors of the 30 x 15 cell random maze, you can call up to a 20-map of the maze. In the harder game option, this map shows only the portions of the maze which you have explored.

Your task is to find your way to the treasure room at the centre of the maze and then escape through the exit. To make things more difficult, several monsters (including the dreaded Minotaur) are loose in the maze, and you will have to fight your way past them. The types of monsters present, and their weapons can be altered by the user, if required.

REQUIRES THE FLOATING POINT ROM £7.00

## LUNAR LANDER (12K, BASIC &amp; s.c., Gr. Mod4)

A highly addictive arcade style program. A rugged lunar landscape is drawn out and you have to attempt to land your craft safely on the flat areas, by varying the thrust of your main & steering rockets. If you succeed, the ship takes off, and you have to try to land it again, under slightly more difficult conditions. This continues, until you have reduced 3 ships to heaps of rubble.

On screen readout of fuel and score. Several skill levels. A record is kept of the high score. If you are a sufficiently expert pilot, you will be rewarded with extra ships. Definitely a cut above the average lunar lander!

£5.50

## GOLF (6K, F.P., BASIC)

An 18 hole, par 72 course, complete with fairways, rough, bunkers, trees, streams & greens. Skill and careful club selection are required to get round with a good score. To make things more difficult, you have to specify a fault in your game, which the program will reproduce, and your handicap. At the end of the round, the program produces your scorecard for the round.

A highly entertaining program, which is likely to have you up late into the night straining for a par!

REQUIRES THE FLOATING POINT ROM £5.00

## BACKGAMMON (7K, basic)

The program draws out a representation of a backgammon board and allows you to play the standard game against the computer. Playing instructions are not included, but if you can't already play the game, there are several books available to teach you, and the Atom makes an ideal, ever willing partner to build up your playing strength against.

Computer responses are rapid (approximately 10 seconds) and the program will not accept illegal moves. Dice throwing is controlled by the computer.  
£7.00

## ALL OUR PRICES ARE INCLUSIVE!

Please cross cheques / POs & make them payable to "Bug-byte".

Payment may be made by Access or Barclaycard, and there is a 24hr answering service on 051 227 2642

GENEROUS DISCOUNT AVAILABLE FOR  
DEALERS - PHONE FOR DETAILS

BUG-BYTE


SOFTWARE

98-100 THE ALBANY,  
OLD HALL STREET,  
LIVERPOOL L3 9EP

# AT LAST! VIC SOFTWARE


## VICMEN

A full-feature version of the popular "Puckman" arcade game for the UNEXPANDED VIC. Written entirely in machine-code for fast action.  
SUPPLIED ON CASSETTE @ £7.00



## VICGAMMON

Standard Backgammon game for the VIC with 3K expansion. Rapid computer responses. Instructions on how to play are included.  
SUPPLIED ON CASSETTE @ £7.00



More VIC software will be available by the time you read this. Phone 051 227 2642 for details. Generous DEALER DISCOUNTS available - phone Dave on 051 227 2299 for details.

## Sinclair ZX81 NEW RELEASES \* DICTATOR

Another great adventure game from Bug-byte for the 16K ZX81. This time, you are the president of a small state. The object of the game is to avoid revolution, escape assassination attempts, and maintain your popularity, while managing the secret police and army, and maintaining a secure economy. This is a very complex simulation, utilising the whole 16K, and the cassette comes with an 8-page booklet giving full instructions and hints on how to survive. Can you stand up to the pressures of life as a dictator, and prevent unrest from spreading before it's too late?

PRICE £9.00

## CONSTELLATION

Turn your ZX81 into a telescope! This program will produce a simulation of the night sky as seen from any chosen point on earth at any time this century. You can point your "telescope" in any direction, move it up, down, left and right, zoom in or pull out, and display the stars by magnitude or constellation.  
PRICE £8.00

## OTHER ZX81 SOFTWARE FROM OUR RANGE:-

ZXAS assembler	£5.00	INVADERS	£4.00
ZXDB disassembler/debug	£6.50	3D OXO & MARS RESCUE	£4.50
MULTIFILE filing system	£17.50	VIEWTEXT	£7.00
THE DANSEL & THE BEAST	£6.50		
STARTREK	£5.00		

ACCESS/BARCLAYCARD orders accepted on 051 227 2642 (24 hrs)

BUG-BYTE

SOFTWARE

98-100 THE ALBANY,  
OLD HALL STREET,



# BACKNUMBERS

## July 1980

Battle of Britain simulation, Multiple choice exam program, Address list program, Kingdoms game.

## November 1980

A special graphics issue containing: Graphic Details, Interactive Graphics, Results Plotter, Space Invasion game.

## June 1981

ZX81 reviewed, What's a Floppy Tape?, BBC BASIC specification, Bubble memories explained.

## August 1981

Rubik's Cube simulation, DAI colour computer reviewed, Micro Assembler in BASIC, Micro sound effects unit.

## September 1981

Football pools prediction Pt.1, Connecting a printer to your micro, VIC reviewed, Upgrading PETs to 32K, Gladiator simulation program.

## November 1981

Adler's Alphatronic examined, Teletext explained, Speech synthesis board reviewed, New beginners guide to BASIC.

## December 1981

Micros in the classroom, Exidy's Sorcerer revisited, DIY DOS for NASCOM, Digital 'scope simulator, Making sense out of Reverse Polish, Viewdata explained.

## January 1982

Superbrain revisited, PC 1211 programming, Programming in the FORTH language, Tandy and Sinclair printers reviewed.

## February 1982

The Computer Programme investigated, Graphics for Apple, Sorcerer and Tandy, Telesoftware explained, User programmable graphics for the ATOM.

Last month's issue is still available as well but has not yet reached the end of its 'shelflife' and is not included for this reason.

If you are thinking of trying to plug some of the holes in your collection of Computing Today then some fast action is required. Stocks of past issues are running extremely low, we only have the issues shown remaining in stock. If you are missing one of these then **now** is the time to order it because the chances are that it won't be in the list next month. All backnumbers cost £1.25 each. For those of you who want copies of articles that are located in issues not available we do offer a photocopying service. Each copy costs £1.25 and information as to its title and publication date should be given. Ordering backnumbers and photocopies could hardly be easier, just fill in the coupon, cut it out and send it to the appropriate address given below.

**Computing Today Backnumbers,**  
513 London Road,  
Thornton Heath,  
Surrey CR4 6AR

**Computing Today (Photocopies)**  
145, Charing Cross Road,  
London WC2H 0EE

### BACKNUMBER ORDER FORM

Please send me the following items:

NAME .....

ADDRESS .....

.....

.....

.....

Back issues ..... at £1.25 each

I enclose £.....

Cheques and Postal Orders should be made payable to ASP Ltd

### PHOTOCOPY ORDER FORM

Please send me the following items:

NAME .....

ADDRESS .....

.....

.....

Photocopies of ..... in the

..... issue at £1.25 each

I enclose £.....

Cheques and Postal Orders should be made payable to ASP Ltd



## ZX81 CASSETTE ONE

"I had your Invaders/React cassette. I was delighted with this first cassette"

— P. Rubythorn, London NW10

"I have been intending to write to you for some days to say how much I enjoy the games on 'Cassette One' which you supplied me with earlier this month. Please let me into the secret of your first time load every time!"

— E.H. London SW4

### CASSETTE ONE SIDE ONE 1K MACHINE CODE PROGRAMS

React, Invaders, Phantom aliens, Maze of death, Planet lander, Bug splat, Bouncing letters

### CASSETTE ONE SIDE ONE 1K BASIC PROGRAMS

I Ching, Mastermind, Basing hangman, Robots

### CASSETTE ONE SIDE TWO

has large screen versions of Invaders and Maze of Death, ready for when you get 16K.

All on Cassette One for £3.80

### CASSETTE TWO

— just out, ten 16K Basic games.

OTHELLO	CRASH
AWARI	ROULETTE
LASER BASES	PONTOON
WORD MASTERMIND	PENNY SHOOT
RECTANGLES	GUN COMMAND

All on Cassette Two for £5

Recorded on quality cassettes, sent by first class post. From:  
Michael Orwin, 26 Brownlow Rd., Willesden,  
London NW10 9QL

## PUT YOUR MICRO TO WORK!



YOUR  
MACHINE

### CONTROL MACHINES, ROBOTS, FACTORY OR HOME

Have you ever wanted your MICRO to control a machine for you, or manage your house? If so, the MDR 'MICROCOMPUTER CONTROL INTERFACE' will give you isolated channels of OUTPUT (8A @ 250 volts) and switch sensing INPUTS.

Available now for connection to PET USER, PORT, RS232 and IEEE488, allowing expansion up to more than 900 channels.

Supplied complete with connecting cables, full data and guarantee from £12.54 per channel. Complete preprogrammed systems or individual components available. Write or phone for details.

### M D R (INTERFACES) LTD.

Little Bridge House, Dane Hill,  
Nr. Haywards Heath, Sussex RH17 7JD.  
Telephone: 0825-790294.

## Wordwise

### THE WORD PROCESSOR FOR THE BBC MICRO

A professional word processor written specially for the Model B Micro. Making full use of many of the unique facilities on this machine such as the function keys and different graphics modes.

While writing or editing the cursor can be moved to any part of the document, with rapid scrolling either up or down, where corrections, deletions & insertions can easily be made, automatically avoiding the splitting of words from one line to the next. The top line of the display continually shows the exact number of words in the document and how many bytes of memory are free. The Micro has space in its memory for about 27,000 characters, but with discs or cassette in can deal with documents of much greater length.

A large range of commands can be embedded in the text as it is written. These formatting commands (which aren't themselves printed) control the exact layout of the final printed document — margin alignment, centring, tabulation, indents etc. etc.

Wordwise is supplied in ROM chips, to be fitted inside the case. It also comes with a spiral bound manual explaining in plain English how to operate the program and giving a step by step guide to fitting the ROM chips. Available from the end of March for £65 + £1.50 p&p + VAT. Phone or write for our leaflet describing WORDWISE in detail. Dealer enquiries welcome.

We will have the largest range of high quality software available for the BBC machine. We pay excellent royalties (or cash) for any software that meets our standards.

**COMPUTER  
CONCEPTS**

Dept CT5  
16 Wayside  
Chipperfield  
Herts. WD4 9JJ  
Tel. (09277) 62955

## ZX80 LEARN QUICKLY WITH PROGRAM INTERCHANGE CLUB

£1.00 tape and 50p manuscript exchange. Increase your program library fast, by joining P.I.C. Tape or manuscript program interchange service — programming aids — binders — indexes — free competitions for Club members. Send cheque/postal order £5.00 annual membership — rules — full details and free samples — payable to:-

### PROGRAM INTERCHANGE CLUB



2 NEWTOWN, CHICHESTER  
WEST SUSSEX PO19 1UG  
DEPT 091

**If you find an ad  
unacceptable,  
don't turn the page:  
turn to us.**

**The Advertising  
Standards Authority.**

A S A Ltd., Brook House, Torrington Place, London WC1E 7HN






# VISI+



## THE CONSOLIDATION PROGRAM FOR VISICALC™



If you are using Visicalc™ then you will probably need to consolidate your electronic sheets quite frequently, that is to say, you need to add the results of 4 weekly reports to know the monthly total, or add 3 months for the quarter, 12 months for the total year etc. Up to now this involved keying in again all the individual sub-totals etc. of all the sheets to be added up – often taking as much time as calculating those in the first place! Visi+ eliminates all this extra work, giving you consolidations in seconds or at most minutes – and it does it virtually without supervision.

Please specify DOS 3.2 or 3.3

VISCALC IS THE TRADEMARK OF PERSONAL SOFTWARE INC.

See your local dealer, or order direct  
Access or Visa accepted.

Add £1.50 P & P. VAT excluded.

### VERGECOURT LTD



DDP RESEARCH & MARKETING

Reg Office: 17 Nobel Square,  
Basildon, Essex SS13 1LP.  
Telephone: 0268 728484.  
Telex: 995323

- ★ VISI+ is menu driven, if you can use Visicalc™ then you can use VISI+.
- ★ VISI+ can consolidate (add to each other) any number of Visicalc™ files.
- ★ VISI+ lets you add files in a manual mode, where you enter the particular file names individually, say 2 or 3 files.
- ★ VISI+ can consolidate automatically, where you may enter a large number of file names at the start, which VISI+ will then recall and add up one after the other. It will even prompt you to change disks if the files are on more than one data diskette.

- ★ VISI+ caters for all the column widths, rows, and columns of Visicalc, e.g. 64 by 254, with a column width of 3 to 27.
- ★ VISI+ gives you the option to skip any one or more columns or rows, that is it will not add these up.
- ★ VISI+ can consolidate half a dozen Visicalc™ sheets of a matrix size 3 columns by 20 rows in approximately 60 seconds and takes only 1 minute each to add sheets of 12 columns by 40 rows – saving hours of manual calculation and keying effort.
- ★ VISI+ can handle any matrix size which you are able to save with Visicalc™. For very large consolidations, say 52 sheets of a size 24 columns by 50 rows, you may speed up the process by using a RAMEX card and the 'Manager' DOS relocater.

# It's easy to complain about advertisements.

Every week, millions of advertisements appear in the press, on posters or in the cinema.

Most of them comply with the rules contained in the British Code of Advertising Practice and are legal, decent, honest and truthful.

But if you find one that, in your opinion, is wrong in some way, please write to us at the address below.

We'd like you to help us keep advertising up to standard.

**The Advertising Standards Authority.** ✓  
**If an advertisement is wrong, we're here to put it right.**

A.S.A. Ltd., Brook House, Torrington Place, London WC1E 7HN.



# ZX81 HEWSON CONSULTANTS ZX81

## HINTS AND TIPS for the ZX81

£4.25

"Good value and quite fascinating... a very inexpensive way of acquiring months of programming experience" YOUR COMPUTER  
"Excellent... very good value for money" SYNC  
Saving Space... Understanding the Display File... Covering ZX80 Programs... Chaining Programs (pass data between programs, call subroutines from cassette, establish data files)... Machine Code programs (write, load, edit, save and debug machine code).  
Routines and programs are scattered liberally throughout the text and the final chapter consists of twelve useful, interesting and entertaining programs.

## 16K RAM PACK

£37.50

A Top Quality add-on 16K dynamic memory specially designed for the ZX81. Simply plugs into the port at the back of your Sinclair. Can be used in conjunction with the ZX printer. Neatly packaged in a black plastic shell to match your ZX81. Incredible value, why pay more?

## Z80 OP CODES

£1.45

A must for the beginner and the experienced programmer alike. This handy ready reckoner lists all 600 plus Z80 machine code instructions in decimal and hexadecimal with their mnemonics. Each Op code is succinctly explained and cross-referenced. Supplied in a protective transparent wallet for easy reference and durability.

## 64K MEMOPACK

£79.00

Developed by Memotech this amazing 64K RAM needs no extra power supply. Simply plugs neatly and firmly into the rear port of your ZX81. Can be used in conjunction with the ZX printer and other add-on hardware. Just look at these features.

- \* 8-16K can be switched in and out in 4K blocks to leave space for memory mapping.
- \* 12-16K can be protected against overwriting during loading from cassette.
- \* Directly addressable and user-transparent. \* Up to 15K of basic program area.
- \* 32K or more of variable area.

## STATISTICS 1K

£3.75

Three programs on the one cassette.

- i) Prints the current mean and standard deviation after each value is entered.
- ii) Regression — prints the current mean and standard deviation of the y and x values and the intercept and slope of the regression line.
- iii) Trend — prints the current mean and standard deviation of the x and y values and the intercept and slope of the trend line.
- 2) CHI SQUARED TEST — prints the current value of the chi squared statistic and the current sample size.
- 3) GRAPH PLOT — plots a graph of data entered from the keyboard.

Cheque with order or quote Access or Barclaycard number to: HEWSON CONSULTANTS Dept CT, 7 Grahame Close, Blewbury, Oxon OX11 9QE.  
TEL: (0235) 850075.

## SPACE INTRUDERS 16K SOFTWARE

£4.95

40 alien ships in each squadron. All action display. Automatic option, the machine plays itself, can you do better? Written in machine code for super fast fun. Squadron after squadron attack your position. Three laser bases. Full score display.



## PROGRAMMERS TOOLKIT

£6.50

Are you writing your own programs for your ZX81? Then use our TOOLKIT to do the donkey work. Copy into RAM before you start work and then you will have it at your fingertips. Comprehensive LINE RENUMBER including GOSUBs and GOTOs; LOAD, EDIT and RUN machine code programs; INSPECT the ZX81 system routines; COPY them into RAM and PATCH and/or EXTEND them; FIND a given piece of Basic code and REPLACE all occurrences of it; move blocks of Basic lines with EDIT.

## LANGUAGE DICTIONARY

£3.75

Now you can construct your own English/French, English/Anything dictionary with our LANGUAGE DICTIONARY. UPDATE the entries, SEARCH for a word, CREATE a new dictionary and SAVE it on tape all with the same fully-detailed program.

## MINI SPACE INTRUDERS 1K SOFTWARE

£3.95

An incredibly fast moving game. Dodge left and right to avoid the falling missiles. Fire salvo after salvo at the attacking alien squadron. More aliens join the squadron all the time. Count how many laser bases you lose before you have cut them down.

## PLANET LANDER

£3.75

Four programs on one cassette

- 1) Planet lander — burn your fuel wisely to make a safe landing. If you are careless you could run out of fuel and crash, or hit the surface too hard and be smashed.
- 2) Space docking — Dock your spacecraft with the space station, watching your fuel and speed all the time so as not to crash, or go drifting off into space.
- 3) Stopwatch — Measure elapsed time with stopwatch.
- 4) Clock — Watch time pass on your Sinclair.

Send SAE for full catalogue;



NEW & USED  
COMPUTERS  
MICROS & MINIS BEST  
PRICES

## APPLECASTLE LTD

ARE PLEASED TO ANNOUNCE THE NEW ICL WHITE BOX MICRO COMPUTER (TRADER POINT)

ORDER NOW — DISCOUNTS ON BULK PURCHASE TRADINGS ALLOWED ON OTHER COMPUTERS.  
BUY ICL. BUY BRITISH, BUY THE BEST FOR FURTHER INFORMATION  
Wirte, phone or Telex.

Applecastle Ltd  
International Business Centre  
1-3 Mortimer Street  
London W1.

Phone: 01-637 5277 Telex: 299230 IFCENT G



## FOR ATOM USERS

**GO104 CYLON ATTACK:** Intercept the invading Cylon fleet: Fast moving 3D action: Constant instruments displayed includes — Long range scanner-Fuel & Laser energy: Features: Score-High Score & Full Sound Effects 5K Text 6K Graphics £4.95

**GO100 POLECAT:** Avoid being eaten by the Polecat searching the maze for your 5K Text 6K Graphics £4.95

**GO101 EARLY WARNING:** Destroy the attacking ICBM's using a realistic radar display & intercept missiles. 48 levels: Sound: Score & Screen Counters 4K Text 6K Graphics £4.95

**GO102 MINEFIELD:** Watch out for chain-reactions as you clear the mines with your tank. Each mission becomes harder! Sound: Score & High Score: 5K Text 1/2 K Graphics £4.95

**GO103 TANGLED:** Challenge your friend or the atom to this game, the more you score the harder you find the game. 4 Skill Levels: Individual & Highest Scores Displayed 5K Text 1/2 K Graphics £3.95

**DO100 Polecat/Early Warning** £8.50

**DO105 Minefield/Tangled** £7.50

**DO106 Polecat/Early Warning/Minefield** £10.00

**DO111 CYLON ATTACK/EARLY WARNING/POLECAT** £10.00

**SPECIAL OFFER ANY 4 GAMES ONLY** £12.00

**T0101 pack of 10 Personal Computing Cassettes** £7.95 (C30)

We pay 25% royalties on your programs — Phone for details.

To: A&F Software, 10 Wilshire Ave., Longsight, Manchester M12 5TL.

## NOW AVAILABLE FOR UK101/SUPERBOARDS 2K RAM BASIC TOOLKIT

This toolkit adds nine new basic words for you to use. The tape loads from basic with or without another program present. It loads directly into the top 2K of Ram independent of the ram size and secures its own boundaries.

Features: Fast load in under 2 mins, compatible with all popular monitors and basics.

New commands: Auto, Help, Find, Dump, Step, Trace, Off, Delete & Renumber  
Excellent Value at £7.95

\* Disables Basic 5 commands (Please state machine/monitor when ordering)

Orders to: A&F Software, 10 Wilshire Ave., Longsight, Manchester, M12 5TL  
24 Hour telephone orders on (061) 248 7195 B/C A/C

Orders normally dispatched within 72 hours

Please enclose a SAE with enquires

Co. Reg. No. 2771093



# nascom

## FULLY BUILT AND TESTED SYSTEMS

**CARRY ONE YEAR GUARANTEE**

### NASCOM 2

16K in Microtype Case, Graphics and Sound

**£395.00**

48K in Kenilworth Case, Nas-Sys 3 and Graphics Sound

**£499.00**

### NASCOM 3

8K in Nascom Case, Graphics, Nas-Sys 3

**£416.00**

16K in Nascom Case, Graphics, Nas-Sys 3

**£476.00**

### NASCOM

Single Disc Drive

**£470.00**

Dual Disc Drive

**£685.00**

### NASDOS

Disc Operating System

**£45.00**

### CP/M 2.2

Disc Operating System

**£100.00**

**PRINTERS** Epson MX80 F/T dot matrix printer. Olympia daisy wheel printers – RO or KSR. Telephone for further information and prices.

**SHARP MZ80B** Now on demonstration with WORDSTAR and CALCSTAR.

*All the above prices exclude VAT*

## Business & Leisure Micro Computers

16, The Square, Kenilworth Tel: (0926) 512127



## ZX 81 GAMES

FED UP WITH BEING RIPPED OFF?  
HAVE YOU BROUGHT  
BORING/WORTHLESS/RUBBISH GAMES?  
DON'T DESPAIR, TRY THESE!

### GAMESTAPE 1, for 16K only £3.95

10 Games incl. ASTEROIDS, UFO, CODE, BOMBER GUILLOTINE, etc  
PROBABLY THE BEST VALUE 1K TAPE AVAILABLE!

### GAMESTAPE 2, for 16K only £4.95

\*STARFIGHTER... You are fighting at the end of the Universe, how many Enemy Craft can you destroy, before your energy runs out!

PYRAMID... Can you move the PYRAMID? one mistake and it will collapse! A Thinkers Game.

ARTIST... Draw on the screen, then use the 10 Memories to Store your drawings. Incl. SAVE, COPY, etc.

### GAMESTAPE 3, for 16K only £5.95

\*CATACOMBS... A Multi-Level Graphics Adventure. You are alone and lost in the CATACOMBS, how much Gold can you find? How long can you survive, before you starve to death, or one of the many Monsters gets you!

Strange things can happen, but it's up to you to discover the Secrets of the CATACOMBS!

### GAMESTAPE 4, for 16K only £5.95

\*3D MONSTER MAZE... UNBELIEVABLE GRAPHICS. Can you find your way through the Maze? The Exit is there somewhere, but then so is a T.Rex, and it's after YOU! ALL IN 3D, YOU'VE NEVER SEEN ANYTHING LIKE THIS BEFORE!

THE FINEST QUALITY SOFTWARE AVAILABLE.  
(ABSOLUTELY NO RUBBISH)  
Games Marked \* incl. Machine Code.

DEPT C.T. Cheque/P.O.s to

**J.K. GREYE SOFTWARE**

16 PARK STREET, BATH, AVON, BA1 2TE

## io systems ltd.

### A/D BOARD FOR NASCOM

- ★ 8 Bit resolution
- ★ 8 Input channels
- ★ 30 microsecond conversion
- ★ Prototyping area
- ★ Sample and hold
- ★ Overvoltage protection
- ★ Full flag/interrupt control
- ★ Built and tested

Price £135

+ 15% VAT (post free)

### EPROM PROGRAMMER

- ★ Programs 3 rail: 2708/2716
- single rail: 2508/2758, 2516/2716, 2532/2732
- ★ Zero insertion force socket
- ★ Built and tested

Price £63

+ 15% VAT (post free)

### GRAPHICS BOARD FOR NASCOM

- ★ 384 (H) x 256 (V) very high resolution graphics display
- ★ Fully bit-mapped
- ★ Full software control
- ★ Graphics software supplied
- ★ Mixed text and graphics
- ★ NASCOM 2 or 4mhz
- ★ NASCOM 1
- ★ Built and tested

Price £55

+ 15% VAT (post free)

### GRAPHICS BOARD SOFTWARE

- ★ Lunar lander: £6 + VAT (post free)
- ★ Graphdraw: £8 + VAT (post free)

### DUNCAN

- ★ Fast real time interpreter/control language for NASCOM 1 or 2 (please specify machine)

Price £12

+ 15% VAT (post free)

### MONITORS

- ★ BMC 12" green phosphor
- ★ 18 mhz bandwidth

Price £175

+ 15% VAT (carriage extra)

### MEMORIES

- ★ 4116 - 150ns 95 pence each + VAT (min order 8)
- ★ 64K - 200ns £10 each + VAT

6 LALEHAM AVE, MILL HILL, LONDON NW7 3HL

TEL: 01-959 0106





# SILVERSOFT

personal computer software

## 16K/ZX81 SOFTWARE "STARTREK"

**16K STARTREK:** Exciting space adventure game. Klingon starbases, phasors, 8x8 galaxy etc.

## "SUPER WUMPUS"

**16K SUPER-WUMPUS:** Can you hunt and catch the mysterious wumpies in his underground labyrinth. Intriguing underground adventure.

## "GRAPHIC GOLF"

**16K GRAPHIC GOLF:** Test your golfing skills on SILVERSOFTS 18-hole golf course. Many hazards including lakes, trees, streams, rough etc.

## "3D-MYSTERY-MAZE"

**16K 3D MYSTERY MAZE:** Amazing 3 dimensional maze, uses fast m/c display. Hundreds of different mazes.

## "GAMES PACK 1"

**16K GAMES PACK 1:** Fantastic value for money, nearly 50K of programs on 1 tape. Five games; including "Real-time graphic", Lunar Lander, Starwars, Hammurabi, Minefield & Mastermind.

£4.95 per cassette. £8.95 any two.  
Coming soon "HOME ACCOUNTS"  
Send S.A.E. for our catalogue

**SILVERSOFT**  
40 Empress Avenue  
Ilford, Essex  
01-518 0877

## SINCLAIR ZX81

ZX81 built + mains adaptor £60.83 (Post £2.95 extra).

## PRINTERS

Buy any of the below and get a free interface kit and word processor program for UK101 or Superboard. Seikosha GP80A £199. Centronics 737 £335. OKI Microline 80 £295. OKI Microline 82A £399. Epson MX70T £259. Epson MX80T £359. Epson MX80F/T1 £399. Epson MX80F/T2 £449.



## SHARP COMPUTERS

MZ80K 48K £345. PC1211 £82. 46 sample programs for £15. We can supply any Epson printer to run direct from the MZ80K without I/O box for £39 plus printer price.

## VIC 20 COMPUTER

VIC 20 with free kit to allow use of a normal cassette recorder £165. Kit by itself £6. New low cost memory board. No need for a mother-board. Comes with 3K high resolution area + socket for a ROM + sockets for 24K of ultra low current Nmos RAM (Just plug in chips to expand memory) £49. Extra memory chips £39 per 8K. Vic printer £199. Joystick £6.52.



## 5V POWER KITS

Fully stabilized 5V computer and TTL power kits. Short circuit and over-voltage protection 1.5A £7.83, 3A £12.17, 6A £20.

## SWANLEY ELECTRONICS

Dept CT, 32 Goldsel Rd,  
Swanley, Kent BR8 8EZ,  
Tel Swanley (0322) 64851

## UK101 AND SUPERBOARD

UK101 with 1K and free power supply and modulator built £149. The below accessories suit both the UK101 and Superboard: Extra ram £2.10 per K. 16K memory expansion complete kit £50, built £58. 32K memory expansion kit £74, built £82. Cassette recorder £19. Cegmon £22.50. Wemon £19.95. Assembler/Editor tape £25. Word processor program £10. Centronics interface kit £10. 610 expansion board £179. Cased minifloppy disc drive with DOS £275. Cassette recorder £19. The below suit only Superboard: Colour adaptor board built £45. Guard band kit £10. Series 1 only 30 lines x 50 characters display expansion kit £14. UK101 display expansion kit £14.

## ACORN ATOM

8K rom + 2K ram Kit £120, built £150. 12K rom + 12K ram kit £168, built £198. 4K expansion rom £25. Power supply £10.20.



## NEW GENIE 1 £299

EG3014 Expansion box with 16K/32K ram £199. £213. Disk drive £220. Ldos £88. Newdos - £49. Ajedit disk word processor £44. Colour board £36. Parallel printer interface £36. Monitors: EG100 white £69. OVM9PGR green £99. Colour gene poa. Genie 3 poa.



Postage £3.50 on computers, £4.50 on printers and 45p on other orders. Lists 27p post free. Please add VAT to all prices. Official credit orders welcome.

# COMMAND-O ON TRIAL!

If you own a PET or CBM computer with disks then you ought to have a COMMAND-O chip. It's got all the facilities of that other chip (can't hink of the name), plus BEEP, EXECUTE, INITIALIZE, PRINT USING, AUTO-REPEAT — and you can scroll a program listing up and down the screen! There are lots more functions, but perhaps the best way to learn about COMMAND-O is to use one. If you order a COMMAND-O chip from SUPERSOFT before 31st March you'll qualify for our special money back offer. Just return it in good condition within 10 days and we'll refund your money in full! COMMAND-O is for Basic 4 users only and costs £59.95. It fits in the UD3 or UD12 socket and comes with a comprehensive, but readable manual.

ARROW is a chip that will be of particular interest for committed tape users — because it will LOAD, SAVE and VERIFY at 7 or 8 times normal speed! There are lots more features for just £30, but since we're making the same money back offer why not try it out. Don't forget to tell us which machine you own (it works on all models except the original Old Roms) and which socket is available.

## FREE TO PET OWNERS

Our 1982 catalogue is now available (and it's free to PET owners), but one or two items arrived too late to be included. COSMIC ALIENS (£8) is the best arcade game we've seen, based on SPACE INVADERS PART II but with additional features from other games! Naturally it's in 6502 machine code and has superb sound. PRINTUSING (£12) is also in machine language and makes formatting to screen or printer really simple.

ADD VAT TO ALL PRICES — PREPAID ORDERS ARE POST FREE

# SUPERSOFT

First floor, 10-14 Canning Road,  
Wealdstone, Harrow, Middlesex  
Phone: 01-861 1166.







# COMPUTAMART

AT A GLANCE...AT A GLANCE...AT A GLANCE...AT A GLANCE...AT A GLANCE...AT A GLANCE...

## AVON

**DATA LINK MICRO COMPUTER SYSTEM LTD**  
10 Waring House, Redcliffe Hill,  
Bristol. Tel: (0272) 213427.  
Open: 6 days 9.30am-5.30pm (Sat 1pm).  
Retail and Wholesale (C.R.A. member)

## MicroStyle

29 Belvedere, Lansdown Road,  
Bath.  
Tel: 334659.  
Open: 6 days 9am-5pm, late night Thur 9pm.

## radan COMPUTATIONAL LTD

Commodore Computer Centre  
19 Belmont, Lansdown Road,  
Bath. Tel: 318483.  
Open: Mon-Fri 9am-5.30pm

## BEDFORDSHIRE

**BROADWAY ELECTRONICS**  
1 The Broadway, Bedford.  
Tel: 0234 213639.

Open: 6 days 9am-5.30pm. (lunch  
1.30-2.30 1/2 day Thur). We supply  
ACORN ATOM computers.

## CAMBRIDGESHIRE

**PET (8K)/ZX81 (16K)**

Rubik cube solution £3 on C60 cassette £3.  
PET (8K) - 6 games (full graphics) on C60  
£5. Missile Attack, Space Chase, Treasure  
Island, Top Marksman, Air Traffic,  
Zygons. 9 Rickard Close, Cambridge.

## CHESHIRE

**northern computers** Churchfield  
Road,  
Frodsham.



Tel: (0928) 35110.  
Open: 6 days 9am-6pm.  
Retail & Wholesale.

## CLEVELAND

**BRIERS COMPUTER SERVICES**  
Polytechnic Bookshop (at the Poly)  
1 King Edward Square,  
Middlesbrough.

Tel: 0642 242017.

"Everything for the Genie computer"

## ESSEX

## EMPRISE

EMPRISE - TANDY  
58 East Street, Colchester, Essex.  
Tel: 0206 865926

Open: Mon-Sat 9.00am-5.30pm.  
Branches at: Chelmsford



J. M. PICKARD  
Micro Computer Services  
22 Holland Rd, Clacton-on-Sea  
Essex CO15 6EQ  
Tel: 0255 29018  
apple genie  
video genie centre.  
Demonstration by appointment.

## HAMPSHIRE

## XITAN SYSTEMS

23 Cumberland  
Place, S'hampton

Tel: (0703) 38740. (C.R.A. member)

Open: Mon-Sat 9.30am-5.30pm (Sat 1pm)  
OSBORNE in stock.

## HERTFORDSHIRE



**ALPHA  
BUSINESS SYSTEMS**

Church St., Industrial Area, Ware.

Tel: 0920-68926/7.

(C.R.A. member).

Main Commodore Systems Dealer.

## COMPUTER PLUS

47 Queens Road, Watford.

Tel: 0923-33927.

Open: 6 days, 9.30am-5.30pm (Sat 9am).

Specialists in:

Commodore, Acorn, Sharp, Texas.

## HUMBERSIDE

**JEL COMPUTER SERVICES**

3 Kings Road, Cleethorpes DN35 0AJ

Tel: 0742-693742.

Consultancy and Software Services

Scientific and Commercial

Proprietor: James E. Latty, B.Sc., F.R.S.C.

## 3-LINE computing

36 Clough Road, Hull.

Tel: 0482 445496.

Video Genie; TRS80 + ZX81 software

Open: 6 days 9 to 5.30.

## LANCASHIRE

## CTS

31/33 Church St., Littleborough.

Tel: (0706) 79332/74342/73840.

Open: Mon-Sat 9am-5pm. Tel. anytime.  
Ohio, Apple, PET + CPM machines.

**HARDEN MICROSYSTEMS**

28-30 Back Lord Street,  
Blackpool.

Tel: 0253 27590.

Open: 6 days 9am-5pm. TRS80/Video Genie  
peripherals at discount prices.

## NSC COMPUTER SHOPS

29 Hanging Ditch, Manchester.  
Tel: 061 832 2269

Open: Mon-Fri 9.30am-5.30pm.  
Sat 10-5. Retail and Wholesale.

## LINCOLNSHIRE

**SHARP CENTRE**

16 Melville Street,  
Lincoln.

Tel: Lincoln 32379.

Open: 9am-5.30pm closed Wed.

## LONDON

## BYTESHOP COMPUTERLAND

324 Euston Road, NW1.

Tel: 01-387 0505.

Open: Mon-Fri 9am-5.30pm.  
(C.R.A. member)

Personal  
Computers  
Limited

194-200 Bishopsgate,  
EC2.

Tel: (01) 626 8121.

Open: Mon-Fri 9am-6pm  
Retail and Wholesale.

## MERSEYSIDE



66 Lime St.,  
Liverpool.

Tel: (051) 708 7100.

Open: 6 days 9am-5.30pm. Video Genie,  
Acorn, VIC 20, Texas. Hardware and  
software (including ZX81).

## BUG-BYTE

98-100 The Albany, Old Hall St.,  
Liverpool 3. Tel: (051) 227 2642.

Mail order (callers by appointment) ZX81,  
ATOM and VIC software. Retail and  
Wholesale

## MIDDLESEX

**L.B. ELECTRONICS**

11 Hercies Rd, Hillingdon.

Tel: Uxbridge 55399 (24hr ans. service)

Open: 6 days, 9.30am-6pm, lunch 1-2.15 except Sat  
Surplus equipment, memory, EPROMs etc. Also  
established mail order service

## W. MIDLANDS

**CAMDEN ELECTRONICS**

462 Coventry Rd, Small Heath,  
Birmingham.

Tel: 021-7738240. Telex: 335909.

Open: 6 days, 9am-5.30pm.  
Retail & Wholesale (C.R.A. member)



# COMPUTAMART

AT A GLANCE... AT A GLANCE... AT A GLANCE... AT A GLANCE... AT A GLANCE... AT A GLANCE...

## campaign computing

7 Carisbrooke Rd., Edgbaston,  
Birmingham B17 8NN.  
Tandy TRS80 Level 2 Software  
Mail Order Only.

## CROYDON COMPUTER CENTRE

29A Brigstock Road, Thornton Heath  
Tel: (01) 689 1280

Open: 9am-6pm, late nights Mon, Tue & Wed  
Everything for the microcomputer user.  
Phone for free catalogue. Unsure what  
to buy? Why not hire and try?



## WARWICKSHIRE

**BUSINESS & LEISURE  
MICROCOMPUTERS**  
16 The Square, Kenilworth.  
Tel: Kenilworth 512127.

Open: Mon-Fri 9am-5pm. ½ day Thur  
(lunch 1-2). Retail and Wholesale.



## MACRONICS

(ZX80/81 Software/Hardware)  
26 Spiers Close, Knowle,  
Solihull B93 9ES.

16K RAM Pack — 3 weeks delivery. Disc Drive —  
send S.A.E. for details. Mail Order Only.

## SUSSEX

### BEAVER ELECTRONICS

12 Beach Rd., Littlehampton.  
Tel: (09064) 22461.

Open: 9am-5.30pm. Closed Wed + Sat 12.30.  
Triumph, Adler & Superbrain  
computers. Hardware, Software.

**COMPUTING TODAY  
TELLS YOU WHERE YOU  
CAN SHOP TOMORROW.**


## NORFOLK

### ANGLIA COMPUTER CENTRE

88 St Benedicts Street,  
Norwich.

Tel: (0603) 29652/26002.

Open: 6 days 9am-5.30pm.



## YORKSHIRE

### BITS & Pcs

**COMPUTER PRODUCTS LTD**  
4 Westgate, Wetherby.

Tel: 0937-63744.

Open: Tues-Sat 9.30am-5pm.

## SCOTLAND

### COMPUTER AND CHIPS

Feddinch Mains House,  
St. Andrews, Fife.

Tel: St Andrews (0334) 72569.

Open: 9am-7pm.

## CROWN

56-58 South Street,  
Eastbourne.

Tel: Eastbourne (0323) 639983/20496

Open: 6 days 9am-5.15pm.



## GAMER

24 Gloucester Road, Brighton.

Tel: 0273-698424.

Open: Mon-Fri 10am-5.30pm,  
Sat 9am-5.30pm.

## TYNE AND WEAR

### HCCS ASSOCIATES

533 Durham Rd., Low Fell,  
Gateshead. Tel. Newcastle 821924.

Open: 6 days 9am-5.30pm (Sat  
10am-5.30pm). Specialists in: Acorn,  
BBC, Video Genie, VIC 20.

### BRADFORD'S COMPUTER SHOP

at Thomas Wright (Bradford)  
Ltd., Thorite House, Laisterdyke.

Tel: Bradford 668890.

Open: Mon-Fri 8.45-5.30. (Sat 12am)

### VICTOR MORRIS

Tandy TRS 80, VIC 20, Video Genie,  
Apple, Cumana, Epson etc.

340 Argyle Street,

GLASGOW G2. 041 221 8958.

### HOLDENE ENGINEERING LTD

10 Blenheim Terrace,  
Woodhouse Lane, Leeds.

Tel: 45673/461386.

Open: Mon-Fri 9am-5pm.  
Microcomputer repairs and engineering  
services.

## SURREY

### AERCO GEMSOFT



171 Church St. East,  
Woking, Surrey.

Tel: 04862-22881.

Open: Mon-Sat 9am-5.30pm

## WALES

### COMPUTER SUPPLIES (SWANSEA)

80/82 Gower Road,  
Sketty, Swansea.

Tel: Swansea 290047.

Open: Mon-Sat 9am-5.30pm.



### THE LEEDS COMPUTER CENTRE

60-62 The Balcony,  
Merrion Centre, Leeds.

Tel: 0532-458877.

Open: Tues-Sat 9am-5pm.

Please include my business details in the next available issue of Computing Today:

Business Name: .....

Address: .....

Tel. No.: .....

Open Hrs: .....

Contact (Office Use Only): .....

Post To: Computamart, Computing Today, 145 Charing Cross Rd., London WC2H 0EE.







## MICRODATA

4, Greenbarn Way, Blackrod, Lancashire, BL6 5TA.

Telephone: 0204 694265

### ACORN ATOM AND TRS-80 JOYSTICK CONTROLLERS

**ATOMSTIK** — at last a joystick controller for the Acorn Atom!! The Atomstik is based on the famous Atari unit and attaches to the 64 way connector on the rear of your computer. It requires the Versatile Interface Adaptor. It will work with any memory size and requires only Integer Basic. The Atomstik is complete with full user instructions, programming examples and two programs on cassette. Realise the full potential of your Atom for interactive games now!

Prices: Atomstik ..... £22.00 + £1.00 P&P.  
VIA and connector (if required) ..... £12.00 + 50p P&P.

**TANDYSTIK** — did you know that the current releases of Big Five machine code games support joystick input? Play Meteor Mission, Galaxian, Super Nova, Cosmic Fighter and Attack Force as you have never before with a Tandystik! The Tandystik is again based on the Atari unit and connects to your TRS-80 via the expansion connector. It is complete with a cassette of two joystick programs, full instructions and examples for user programming. To make your existing software compatible with the Tandystik we can offer Softstik, a machine code utility which allows existing Basic software to accept joystick input without any program modifications — the joystick simulates keyboard responses. Softstik will also operate with machine code programs which use the ROM keyboard routines.

Prices: Tandystik ..... £26.50 + £1.00 P&P  
Softstik (16k on cassette) ..... £9.50 + 50p P&P  
Softstik (32k or 48k on disk) ..... £11.00 + 50p P&P

### TRS-80 LIGHTPEN

**THE CSL PHOTOPEN** — connects easily to your Model I or III TRS-80 via the cassette recorder and can be used with a Genie equipped with an external cassette recorder. It permits direct communication with your system via the video screen and is absolutely invaluable in educational applications and games. The Photopen is supplied with operating instructions, programming hints, 9V battery and a cassette of four Level Two Basic programs comprising three games and a demonstration program incorporating a simple subroutine to add light pen input to your own programs.

A further cassette of four games, Penpack One, is now available. It comprises Geography Test, Pen Gomoku, Towers of Hanoi and Penpad, which allows sketching on the screen with your Photopen.  
Prices: Photopen ..... £14.99 + 50p P&P  
Penpack One ..... £2.50 + 50p P&P

Access telephone orders despatched same day — ring anytime

# Happy Memories

Part type	1 off	25-99	100 up
4116 200ns	.95	.85	.65
4116 250ns	.90	.80	.60
2114 200ns Low power	1.20	1.10	.95
2114 450ns Low power	1.10	1.00	.85
4118 250ns	3.25	2.95	2.65
6116 150ns CMOS	4.95	4.45	3.65
2708 450ns	1.95	1.85	1.75
2716 450ns 5 volt	2.25	2.15	1.95
2716 450ns three rail	6.40	6.00	4.95
2732 450ns Intel type	4.25	3.95	3.35
Z532 450ns Texas type	4.25	3.95	3.35

Z80A-CPU £4.75 Z80A-PIO £4.25 Z80A-CTC £4.25

### Low profile I.C. sockets:

Pins	8	14	16	18	20	22	24	28	40
Pence	9	10	11	14	15	18	19	25	33

Soft sector floppy discs per 10 in plastic library case:

5 inch SSSD	£17.00	5 inch SSDD	£19.25
5 inch DSDD	£21.00	8 inch SSSD	£19.25
8 inch SSDD	£23.65	8 inch DSDD	£25.50

74LS series TTL, large stocks at low prices with DIY discounts starting at a mix of just 25 pieces. Write or 'phone for list.

Please add 30p post & packing to orders under £15 and VAT to total. Access & Barclaycard welcome, 24hr service on (054 422) 618. Government & Educational orders welcome, £15 minimum. Trade accounts operated, 'phone or write for details. Prices are still tending to drop, 'phone for quote before you buy.

**Happy Memories (CT), Gladestry, Kington, Herefordshire HR5 3NY. Tel: (054 422) 618 or 628.**

# 6809 is HERE!

## HARDWARE

SWTPC and APPLE Distributors.  
77 — 68' Micro Computer Systems  
A single board 6800 or 6809 system, that can be expanded into a full business system. Sold as bare printed circuit boards, with constructional notes.

'6800' CPU	12.00
MON 1 Soft Monitor	12.00
MON 2 ROM Monitor	12.00
'6809' CPU	12.00
CASSETTE High Speed Interface	6.00
4K RAM Static Memory	12.00
DYNARAM 32K Dynamic Memory	12.00
VDU Memory Mapped Screen	12.00
PIO Parallel Interface	12.00
ROM A 8K-16K EPROM Memory	12.00
PROM PROG EPROM Programmer	12.00
DISC CTRL Disc Controller	12.00

## SOFTWARE

FLEX 9 for 6809 Systems, 5 1/4 or 8 inch Disks.

SOFT/MERGE PACKAGE	69.00
DEBUG PACKAGE	69.00
UTILITIES	55.00
TEXT PROCESSOR	69.00
BASIC	62.00
EXTENDED BASIC	90.00
XBASIC PRECOMPILER	48.00
FLEX DIAGNOSTICS	62.00
GENERAL FLEX, incl EDITOR and ASSEMBLER	120.00

## CASSETTE SOFTWARE for 6800.

SWTPC 4K BASIC	15.00
SWTPC 8K BASIC	20.00
TSC TEXT EDITOR	25.00
TSC ASSEMBLER	25.00
TSC TEXT PROCESSOR	30.00
TSC RELOCATOR	20.00

## BUSINESS SOFTWARE

'Visicalc' for the APPLE II. Price £125.00.  
'TABULA RASA' for '6809'. Price £139.00.

Call or send for detailed information sheet and price list. Design Notes £1.00 each.

- Come in and try out any of these systems, or use our Mail Order service.
- All prices correct at time of going to press and include VAT at the current rate.
- Send for our latest catalogue and price list. Access and Visa accepted.
- Store Opening Hours, Monday to Saturday, 9.30 to 5.30.
- The '6809' Hardware and Software Specialist Store.

# STILLING MICROSYSTEMS

241 Baker Street, London NW1 6XE. Telephone: 01-486 7671.

## ZX-80 & ZX-81

THE FINEST MACHINE CODE FAST MOVING GRAPHICS ARCADE GAMES AVAILABLE

### QS-DEFENDER...



UP, DOWN, THRUST, FIRE CONTROLS. FULL SCREEN DISPLAY. 84 fast moving chrs. 10 missiles. Attack waves. Moving surface. Generally considered to be the best arcade type game written for the ZX-COMPUTERS. Requires: 3K RAM; 8K ROM

### QS-ASTEROIDS...



LEFT, RIGHT, THRUST, FIRE CONTROLS. 2 sizes of ASTEROIDS. Wrap-around screen. Full mobility of ship. Bonus ship. QUICKSILVA's latest arcade game. As good as QS-DEFENDER. Requires: 4K RAM; 8K ROM + SLOW MODE

Both programs feature on screen scoring and have software to drive QS SOUND BD.

They are recorded twice on High quality cassettes and have FULL COLOUR cassette inserts of original paintings by 'STEINER LUND'.

## HARDWARE

### QS MOTHER BOARD and QS CONNECTOR

The heart of any expansion system. Features on board 5V regulator + two expansion sockets to take add-on boards. Can be used in two ways.

- 1) ZX COMPUTER-CONNECTOR — ANY SINGLE ADD-ON (but no extra RAM PACK)
- 2) ZX COMPUTER-CONNECTOR — MOTHER BD. (for two extra bds.) — ANY RAM PACK

### QS 3K RAM BOARD (using 2114 I.C.s)

A 3K static Ram bd to fit ZX-80/81. Combines with original 1K to give 4K.

### QS SOUND BOARD (using AY-3-8910)

A 3 channel sound effects and music board easily programmed from BASIC

### QS CHRS BOARD

A programmable Graphics generator giving user control of 128 different chrs. Comes with Demo cassette of M/C routines for easy use. Works with ZX PRINTER (Demo cassette available separately to make use of printers graphics possibilities)

## NEW HARDWARE

QS HI-RES BOARD (available end of Jan.)

256 x 192 PIXELS. SOFTWARE SELECT. 6K ON BOARD RAM. MIXED TEXT AND GRAPHICS. RESIDENT HI-RES SOFTWARE IN ROM. COMMANDS: MOVE x,y; PLOT x,y; DRAW x,y; PRINT XS; COPY; WHITE; BLACK; CLEAR

A MASTERPIECE of ZX design. Resident software in ROM provide extremely fast Hi-res facilities. No tedious cassette loading. No loss of valuable Ram space. Just instant HI-RES GRAPHICS. Screen may COPIED to the printer.

All products fully guaranteed. Fully inclusive prices are as follows:  
QS DEFENDER £5.50; QS ASTEROIDS £5.50; QS CHRS DEMO (separately) £3.50;  
QS MOTHER BD. £12.00; QS CONNECTOR £4.00; QS SOUND BD. £26.00;  
QS CHRS BD. £26.00; QS 3K RAM £18.00; QS HI-RES £85.00  
Cheques should be made payable to "Quicksilva" and sent to the following address.  
Quicksilva, 95 Upper Brownhill Rd., Maybush, Southampton, Hants  
Send S.A.E. for Catalogue and data sheets to above address.



# CLASSIFIEDS

## RATES

1-5 insertions £7.25 per scc  
6-11 insertions £6.75 per scc  
12 insertions £6.25 per scc  
30p per word (Min 15 words)  
Box No. £2.50

All advertisements in this section must be pre-paid

Closing Date:- 2nd Fri. month preceding publication

Advertisements are accepted subject to the terms and conditions printed on the advertisement rate card (available on request).

SEND TO: — CT CLASSIFIED, 145, CHARING CROSS ROAD, LONDON WC2H 0EE. TEL: 01-437 1002 Ext.

...LATEST SCORE...LATEST SCORE...  
...MZ80K...PET...VIDEO GENIE...  
...ZX81 OWNERS...  
**FOOTBALL POOLS PLANS**  
**COMPUTERISED CHECKING CHARTS**  
Superb new programmes now available.  
Write for details — soon you could  
be checking your favourite plan fast!  
  
**POOLSOFT**  
17 Blatchington Rd. Seaford, E. Sussex. BN25 2AB.  
Tel. (0323) 890604

**MICROTAN SYSTEM** includes 7K RAM on Tanex, Icase, graphics, psupply, keypad, built on aluminium chassis, manual and sample programs. £125. Tel: 0282 52003.

**16K ZX81** with 3 Sinclair tapes, 6 games tapes, also tri interface £100 complete. Bognor 864867.

**NASCOM II 16K BACKGAMMON.** Choose from six provocative strategies plus problem option. Another excellent graphics game from FUTURA SOFTWARE, 63, Lady Lane, Chelmsford, Essex. Only £6.95.

**SHARP MZ-80K.** Enhanced BASIC with trace, renumber, delete, append, auto-number etc. Cassette only £9.50. Tape copier £4.50. Monitor ROM listings £3.99. Space invaders £3.99. HTE (Electronics), 50 Milnefield Avenue, Elgin IV30 3EL.

**"ATOM" TOUCH TYPING TUTOR £4.50.**  
**"NASCOM 2" TOUCH TYPING TUTOR £6.50** Both progs on cassette with instructions P&P Free. From: Lloyds, 35, Magheraboy Road, Portrush, Co. Antrim BT56 8NX. (0265) 823101.

## ACORN ATOM UTILITY ROM £29.90

The Willow Software 4K Utility ROM simply plugs into the spare utility ROM socket in your Atom and provides 18 powerful new commands and facilities including: Renumber, Range delete, Find, Auto line numbers, Program compression, Disassembler, True keyboard scanning, Memory dump, Variable dump, Register dump, Keyboard sounder, and much more. The Utilities make the Atom easier to use, and provide a 'toolkit' of facilities for program development in both Basic and Assembler. The ROM Utilities are professionally written and fully tested. All standard Atom facilities are unaffected and no textspace memory is used.

Due to increased demand, we are now able to offer the Utility ROM with full instruction manual at the reduced price of only £29.90 inclusive — post free. Send cheque/PO now for delivery by return of post, or write for further details. Official orders and Dealer enquiries welcome.

**WILLOW SOFTWARE**  
PO BOX 6, CREDITON, DEVON EX17 1DL

## NASCOM ULTIMATE ASSEMBLER

14K under NASDOS @ £50; Other software — 5.7K standard Z80 cassette assembler with Nas resets etc. £12; 3K cassette word processor £18; Card index/catalogue program cassette £15; 4 function decimal arithmetic module to 254 digits, listing £6.50; Lab control BASIC cassette £6; Company order and cost totaliser cassette £16; 2K position independent debug £9 and 2K relocatable disassembler £11 both cassette;

Eprom and extended DDOS/DCSDOS/NASDOS versions of most programs available. Eprom programming & erasing service as well. Details SAE (Please).

**Mr. P. Watson, 101 Village Road,  
Bromham, Bedford MK43 8HU.**

## GRAFIX

ZX81/ZX80 + 8K ROM (16K RAM)  
Image Processor.

No more tedious number-punching! 16 special features including transferable images, image-mixer, "floating text", image-reverser. Cassette £3. Listing £2.

**Nick Godwin, 4 Hukur Crescent,  
Eyemouth, Berwickshire TD14 5AP.**

**ZX81 (16K)SOFTWARE. CHAMPIONS QUIZ** — it's fun for all ages. Four quiz programs on one cassette. All questions use RND function. £4.50. ROSE CASSETTES, 148 Widney Lane, Solihull, West Midlands B91 3LH.

**TANGERINE MICROTAN 65.** Tanex X-Bug power supply unit, manuals etc. £95. Hull 0482 657175.

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

**ACORN ATOM.** 12K + 12K. Printer interface; word ROM; toolkit ROM; extension ROM board; PSU; books; games; etc. £270. Tel. 0484 32835 evenings.

## ASTEROIDS

Only £3.95

For 8K UK101

WITH SOUND FOR  
AY38910/12 PSGs

ON CASSETTE

**ARCADIA SOFTWARE,**  
4 Chestnut Ave, Swansea,  
SA3 5NL.

**ZX81 ARCADE GAMES** 4K machine code. GUNFIGHT for 1 or 2 players, gunmen, stagecoach, bullet display. SPACE INVADERS 49 aliens, flying saucer, deflector shield etc. GALAXY INVADERS independently moving aliens, random directions. SUICIDE MISSION (scramble) three phases, obstacles, missiles, alien installations, bombs and laser. ASTEROIDS blast through asteroid belt. £3.95 per program on tape or send sae for details. J. Steadman, 6 Carron Close, Leighton Buzzard, Beds. LU7 7XB.

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

**NEED EXTRA CASH** for peripherals new micro etc. Just send stamp for existing details on 600 ways to extra cash. From M.A. Harrison, 15 Park Drive, Maldon, Essex.

**BBC COMPATIBLE COMPUTER TO CASSETTE LEADS** — We can supply three types. (1) Computer to 5 pin DIN. (2) Computer to two 3.5 mm plugs and one 2.5 mm plug. (3) Computer to three 3.5 mm plugs. £4.00 each (state (1), (2) or (3)) from Electronics Applied, 4 Dromore Road, Carrickfergus, Co. Antrim. BT38 7PJ.

## NEW BOOK

### 'STRETCHING YOUR ZX81 OR ZX80'

More information on how to improve your programing and get the most from your machine. Only £6.95 from:

**DEPT CTC,  
Computer Publications,  
Unit 3,  
33 Woodthorpe Rd,  
Ashford, Middx.**

## ATTENTION ALL ZX81 ENTHUSIASTS.

Introducing a new dust and dirt cover to protect all the vital electronics in your ZX81 computer, that might cause premature failure. Made in grained and padded PVC with the facility to store all standard leads. Available in **Black, Maroon, Dark Green or Brown** all embossed with the ZX81 motif to give a professional finish, price £2.95. Send cheques to: **Datametrics Ltd, Trout Road, West Drayton, Middlesex.** (U.K. Only).

**ZX-81 16K ROULETTE.** All types of bet, multiple bets on each spin. Moving graphic. **Time Bandits.** Five new games combined into a great adventure. Moving graphics. **Rampage.** A new type of adventure. Relies on skill and logic. Defeat rival computers and the mad programmer to win extra memory. Truly logical. Cassettes £4 each. Newsoft, 12 Whitebroom Road, Hemel Hempstead, Herts.



**\* BIG EARS \*** STOP GO! LEFT! RIGHT!

SPEECH INPUT FOR ANY COMPUTER

Hugely successful Speech Recognition System, complete with microphone, software and full instructions.

**BUILT TESTED & GUARANTEED** ONLY **£49**

PLEASE STATE COMPUTER: UK101, NASCOM2, BBC MICRO, ZX80/81, PET, TRS80, M20K, APPLE II, VIC20, MICRON

**ZX80 ZX81**

MUSIC SYNTHESISER + 16 LINE CONTROL PORT

Play 3-part music, sound effects, drums etc. Full control of attack, decay and frequency. Input/Output lines provide control and monitor facility for Home Security, Robot Control, Model Railway, etc. etc. Works with or without 16K RAM

Add keyboard to make a live performance polyphonic synthesiser! Full instructions/software included.

**AMAZING VALUE AT ONLY £19.50 (KIT)**

Extra connectors £2.50 (£25.50 (BUILT))

**COLOUR MODULATOR** KIT £12 BUILT £18

RGB in, PAL/ULF out

**UK101/NASCOM COLOUR GRAPHICS** KIT £45 BUILT £60

Inc. Modulator. Still the best selling system!

Please add VAT at 15% to all prices. Barclay/Access orders accepted by telephone.

**WILLIAM STUART SYSTEMS Ltd**

Dover House, Billericay Road, Herongate, Brentwood, Essex CM13 3SD. Telephone: Brentwood (0277) 810244

**ACORN ATOM** dust cover. Heavy quality black PVC £2.45 post paid. P. Harris, 1 Monmouth Avenue, Weymouth, Dorset.

**UK 101 & SPRBD SOFTWARE ON TAPE.** Lunar Lander\*, Space Invaders\*, 3D Maze, X-wing Fighter\*, Chess Set (101 only, 2 play), Startrek, 4.00p each, or any three for 10.00p. NEW!! Fantastic Voyage\* (101 only): Adventure for Biology Students!! (Pirates & Imitators beware: I'll sue!) 7.00p. Standard screens 8K. K. A. Spencer, 74 Dovers Park, Bathford, BATH.

**VIPERRAY** for unexpanded Vic. Exciting, fast game using colour and sound. On quality cassette. £4.90 to Alan Panther, 127A Sunningvale Avenue, Biggin Hill, Kent.

**ZX81 — 16K TOLINKA.** Use your computer as a powerful chess game recording machine. As you play with an opponent each move is recorded and the whole game can be saved on tape. Double board so each player sees the board from correct point of view. Auto/manual replay with pause and listing of complete games. (ZX printer not necessary, but extra features if you have it). Cassette & Instructions £3.90 (overseas add £1 P&P) with order to: Second Foundation, 22 Bramber, Belgrave, Tamworth, Staffs B77 2LL.

**ZX81 1K GAMES PACK.** 20 games with instructions on cassette only £2.00. Send SAE + cheque or P/O to A. Hammett, 63 Elizabeth Road, Waterlooville, Hampshire.

**VIC20 GAMES.** Superb splat and cyber-nauts. Colour and sound £2.50 each or both for £4. P&P and cass. included. Arthur 0204 655393.

**ZX80 AND ZX81 ATARI VIC 20, SHARP PC1211 AND ALPHATRONIC SOFTWARE**

First class quality programs. Not to be confused with apparently similar but inferior software offered elsewhere.

Send S.A.E. for full details. Business/household programs include 'Stock Control', 'VAT' and 'Datamanip' — an amazing financial aid. Amongst the games there's our highly rated arcade-style 'Searcher' and 'Bingo'. Also full details on our unique computer and video cassette filing system, plus 'wages' — our brand new ZX81 payroll program for up to 84 employees!

**Introducing Pornomania**

First ZX81 Adults only program cassette. 5 programs of naughty fun, £7.95 inclusive. Not available to under 18 yr olds.

**Zipprint, 418, Poole Rd, Parkstone, Poole, Dorset, BH12 1DF.**

**TRS80 AND VIDEO GENIE** quality software at a fraction of the usual prices. Send SAE for comprehensive lists. C. Wilson, 9 Cotswold Terrace, Chipping Norton, Oxon.

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

**ZX81 SOFTWARE.** Eight 1K animated games, including 'Defender', 'Starwars'. Cassette £3.95. Illustrated listings £1.20 + SAE. Also 16K cassette including 'Midnight Park', 'Grandprix' £3.95. APY (Software), 33 Kings Copse Road, Hedge End, Southampton.

#### ZX81 ASCOT

All the excitement of a day at the races. Full race cards, odds and results. A game for 1-8 players, with super graphics. Needs 16K. Great at parties. Supplied on quality cassette with full instructions for only £4.45, inc. p+p. SAE for catalogue of other games, utility and educational ZX81 software. Orders to:

**D. Smith, 264 Weeland Road, Sharlston Common, Wakefield WF4 1EA.**

#### CSS CHRISALID SYSTEMS AND SOFTWARE

##### TRS80/GENIE SOFTWARE:

**POOLPLAN** — the ultimate in football analysis and pools prediction. YOU set the forecast parameters, based on your own results analysis. Keeps the league records. Works for Aussie and amateur teams. Min system: 16K + printer. 2 tapes and manual. **£29.50.**

**FREEZER MANAGER** — a must for all hoteliers, caterers, schools and the large family. Can save ten times its cost, avoiding "past-date" food. Tape and manual: **£15.75.**

**LUNAR LANDER** — but with a big difference! Pseudo real-time and very exciting graphics. Tape: **£5.50.**

**BUSINESS AND HOBBY SOFTWARE.** GENIE DEALERS — ALL ACCESSORIES ETC. Cheques/PO's to:

**"Chrisalid", 15 Kestrel Close, BERKHAMSTED HP4 2HY.**

#### LUTTERWORTH SOFTWARE

6 Cromwell Close, Walcote, Lutterworth LE17 4JJ

VIDEO GENIE & TRS 80 (Level 2)

\*\*WORDPRO CB80 only £6.00

- A straightforward, elementary wordprocessor
- Cassette based — store and read text
- 80 cpl printout, line-spacing options
- Text movement, line editing, full cursor control
- Single key commands in three modes
- Screen display: 9 (80 cpl) lines + command prompts
- 16K capacity for 120 (80 cpl) lines

\*\*UTILITIES PACK No. 1 only £6.00

Loads into unused area of RAM when running Level 2 (non-disc) BASIC programs. Gives two new commands without using any program space.

\*MERGE — you can now APPEND basic programs or routines on to a resident basic program

\*LOAD — you can load a SYSTEM tape of unknown name and (optionally) run it immediately

Either routine may select 1 or (Genie) 2 cassette

\*\*UTILITIES PACK No. 2 only £6.00

Same format as Utilities Pack No. 1, giving:

- PUT — interrupt a BASIC program with BREAK or STOP and record the whole memory to tape, thus preserving all program variables. Select 16K, 32K, or 48K (16K takes under 5 minutes)
- GET — reads in a tape made by PUT routine and automatically continues run from BREAK point.

Send S.A.E. for full details & catalogue of nearly 30 educational and games programs.

**TANDY LINEPRINTER** 7 serial and parallel interfaces, used twice only, boxed accept £190. Colchester 841293.

**PLANET LOCATION** outputs Rise, Set times and Horizon position of Planets Moon, Mercury, Venus, Mars and Jupiter, given date. STAR CHARTS displays position of over 1300 stars and features over entire sky. Both TRS80/V. Gen. 16K/LII. On tape. £4.99 each. Astroprograms, 2 James Street, Northwich CW9 7DD Cheshire.

#### ACORN ATOM QUALITY MACHINE CODE SOFTWARE

**SPACE ADVENTURE (12K gr. 4 m/c)** .....£6

Real time adventure in an alien spaceship.

**SPACE INVADERS (12K gr. 4 m/c)** .....£6

Full feature version of the arcade game.

**REVERSI (7K gr. 0 m/c)** .....£6

6 levels of play, graphic board, problem setting, etc

**3D LABYRINTH (9K gr. 3 m/c)** .....£6

Find your way out of a 3D maze displayed in 3D.

**AIR STRIKE (9K gr. 3 m/c)** .....£6

Attack the enemy but watch out for flak and enemy planes.

**CHASE (9K gr. 4 m/c)** .....£4

Fast thinking required to beat the robots.

**ROAD RACE (4K gr. 0 m/c)** .....£3

Try staying on the track for as long as possible, but beware of other cars overtaking.

**FIZZLE BRICKS (4K gr. 1 m/c)** .....£3

Moving wall breakout with a difference.

**ELIZA (7K gr. 0 m/c)** .....£3

Converse with your sympathetic computer. With excess of 100 replies.

All prices shown are inclusive, no extras. SAE for catalogue free with each order. All games with sound and supplied on quality C15 cassettes.

**BBC Microcomputer (Proton)**

Software available SAE for details.

**Pro Software,**

121 Tyn-y-Twr, Baglan,

Port Talbot, West Glam SA12 8YE

**WANTED:** High quality ZX81 software. 1K-16K. Top royalties paid. 'Phone SWANSEA 403363, 3.30 to 5.00 PM for more information.

**ZX81** 8K Eprom expansion board. Fast Eprom programming service. SAE details. Eprom Services, 3 Wedgwood Drive, Roundhay, Leeds LS8 1EF (0532) 667183.

**UK101 GAMES SOFTWARE.** Price list from M & I Software, 5 Baldwins, Welwyn Garden City, Herts AL7 2BD or phone 35949.

**TANGERINE NEW EQUIPMENT** Microtan 65 (assem) £93.00, Tanex £63.00, ASCII keyboard £72.00, mini mother board £13.00, Tanel £159 and more. Prices include VAT P and P. Send SAE for list or contact Key Software, 85 Nottingham Road, Nuthall, Nottingham. 0602 272465.

**ACORN ATOM** — £155.00 12K ROM with 12K RAM. Including the power supply and manual. 'Phone either 01-864 1080, 0803 522841.

**ACORN ATOM.** Free Trial Offer of Atom Toolkit (£5). For details of this and other software send SAE to David Jupe Software, Dept. CT4, 6 Hindhead Road, Earley, Reading, Berkshire.

**SUPERIOR YAHTZEE** by professional programmer for 16K VG/TRS-80 including sound and graphics. Hours of family fun for only £3.50. Cheques/PO to:- IF... THEN... Software, 28 Whitecastle, Swindon.

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

#### 70 ZX81 PROGRAMS

Yes 70 1K listings including, Dozens of games, Utility, Home Finance, Calendar, Invaders, Maths, Machine Code Loader, Phone Timer, Telephone Index, Chequebook, Large Word Generator, and Hints'n'Tips.

All for only £4.95. Barclaycard/Visa accepted.

**Sussex Software, Wallsend House,**

Pevensay Bay, E. Sussex.



## NASCOM 1&2

Quality Software

**Extension Basic** enhances Nascom ROM BASIC with 30 new keywords used as an integral part of BASIC. NO mucking about with USRs! EB can be used as a superb toolkit or an interpreter in its own right & includes: AUTO, DELETE, REDUCE, RENUMBER, FIND, TRACE, XREF, INKEY, LINE, WRAP, IF..THEN..ELSE, REPEAT..UNTIL etc. Extension Basic is relocatable and uses 4K. With 25 page manual, EB costs £15 or £25 in ROM (2\*2716 or 4\*2708, state start address).

**Q-DOS** is a high performance file system for G805 drives. Q-DOS is comparable with CPM, but smaller (4K+4K buffer), faster (11 secs to save 32K), and allows use of existing programs. Q-DOS is £25 or £35 in ROM (2\*2716 or 4\*2708, state start/buffer).

**Missile Defence** is our latest fast action, 'arcade' type game. Fire ARMs from your 3 bases to shoot down ICBMs, cruise missiles & bombers, and defend the population. 2 player WW3 option. 16K mc: £8.

**P&P FREE. NO VAT. FULL DOCUMENTATION.** (Nascom 1s need Nas-Sys & Cotts BJ Send order, questions or a large SAE for our ILLUSTRATED CATALOGUE to:

### LEVEL 9 COMPUTING

229 Hughenden Road, High Wycombe, Bucks. HP13 5PG

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

## GREEN SCREEN C24 Filter Sheet

Reduce glare, particularly for reverse video e.g. ZX 81  
Improve legibility

13" x 12" (up to 16" screen) £ 3.00  
18" x 23" (up to 26" screen) £ 5.00  
trim to size, fixers supplied  
**Mesotec** send sae  
204 Harrogate Road for sample  
Leeds LS7 4QD

**MEMORIES FOR ZX81.** 1K £10.50, 2K £13.95 and 3K £16.50. Simply plug into Expansion Port. Also 16K Games on cassette, Catacombs £3.75, Great Flood £2.50, Formula One £3.50, Fruit Machine £3.50 — SPECIAL OFFER, any two for £5.00. Also 1K Games. S.A.E. please for details. St. Christopher Electronics, 174 Marsh House Lane, Darwen, Lancs. Telephone Darwen 771303.

**MZ-80K STARTRADERS:** Classic Galactic Trading Game. All the family can play. £8. T. Garden, 23 Whitehill Court, Berkhamsted, Herts.

**ZX80/81 OWNERS.** Tired of all that lead changing between load and save. Then our switch unit allows you to cue, record, load and save. At the turn of a switch. Comes complete with ear plug for cueing and microphone for recording your titles. Prices £8.95 complete, £6.95 without mic. Plus 50p P&P. Send cheque or PO to HAF Products, 585 Tong Rd, Leeds 12, Yorkshire.

**NASCOM 1.** Graphics, RAM, ROM, BASIC, software, fully cased with sockets £200. Ring: 0889 271084 evenings.

**AS NEW ACULAB FLOPPY TAPE** with EXTENDED BASIC and tapes for TRS-80 Level II. Cost £200 will accept £125. Tel: 03596 498.

### Write your own adventure games

using your superbord/UK101 without programming. The TIKVA suite of programs enables you to enter an adventure which you have designed and to produce a complete working adventure program. Uses special text handling to make the most of your RAM. Supplied on cassette with full instructions for 8K or 16K RAM (state which) £10

TIKVA, 46 Cottage Rake Avenue,  
Cheltenham, Glos. GL50 4RH.

## APPLE II 48K

incl software £625. Monitor £55.  
Tel. Bedford (0234) 866716 after 7.

### Commodore 3032 Computer.

3022 printer, 3040 drive floppy disc. Less than 12 months old. All instruction books & spare discs included £1950 ono.  
Ring 0527 46525 day 0527 33021 night.  
Worcs.

**CENTURION BURGLAR ALARM EQUIPMENT** Send SAE for free list or a cheque/PO for £5.95 for our special offer of a full sized Decoy Bell Cover. To Centurion Dept C.T. 265 Wakefield Rd., Huddersfield, W. Yorkshire. Access & Barclay-card Telephone orders on 0484-35527.

**FORTH IMPLEMENT** fig-forth (similar to MMS forth) on your 8080/Z80 system with our assembly language listing only £12.50. Lambert Printers, 9 Newfield Drive, Moorends, Thorne, Yorkshire.

## SALE

Paper Tape Punches and Readers, Cassette Drives, Printers, Voltage Stabilisers, VDU's, PDP8M, PDP8E, Memory and Modules.

Send S.A.E. for list or call and see.

**GILINSKY**  
15 THORNHILL PARK,  
SUNDERLAND SR2 7LA  
Tel: 0783 44770

**VIDEO GENIE** 16K sound, joysticks, VU meter, extra keys, 2nd class, crofton monitor, editor assembler, full set manuals. Many books, Adventure, Chess and many other programs £500.00. 0234 741169.

**25% ROYALTIES OFFERED** for your original Acorn Atom programs. Send SAE for details. I. Rothwell, 39 Bramlyn Close, Clowne, Derbys.

**VIDEO GENIE** — load system tapes from cassette no. 2. Usually overcomes loading problems on internal cassette. Short program occupies no free memory, and is itself loaded from either cassette by 'CLOAD' commands. £5.85. Tel. 0491-681398.

**NASCOM SOFTWARE.** Position independent 2K disassembler. Requires NAS-SYS. Tape £8.00. I.R. Lowman, 6 Victoria Avenue, North Humberstone HU5 3DR.

**QUALITY 3-RING BINDERS.** Ideal for software manuals (e.g. CP/M). £3.50 (£5 for two). M. Hughes, 27 Hayes Close, Chelmsford, Essex.

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

### EPROM PROGRAMMER

for 2516/2716/2532/2732

Program any single, multiple location or complete. Eprom in under 2 mins. Uses 6 cheap TTL ICs, for complete reliability.

Software supplied for 6502, 6800, Z80 plus flowcharts, circuit, full instructions and fibreglass PCB only £13.75

#### 6809 Editor Assembler.

Superb 2 pass assembler written in position independent machine code. Supports all MOTOROLA mnemonics plus directives.

Many advanced features (see catalogue) Supplied on 2732 Eprom with Users manual at £34.50

Software available for 6800, 6502, Z80 send 50p for catalogue. All prices are inclusive.

**J. MORRISON (MICROS).**

2, GLENSDALE STREET,  
LEEDS LS9 9JJ.  
TEL. (0532) 480 987.

## VIDEO GENIE-TANDY OWNERS



**JOYSTICKS** Atari Joystick interfaced for your computer. Will work with all the Big 5 Joystick Games. Tandy Model 1 Level 2 £22.50  
Video Genie £22.50 Single Joystick

### LE STICK



The ultimate Joystick. Real Home Arcade Action. Brings those Joystick games to life. Tandy Model 1 Level 2 £32  
Video Genie £32  
Tandy Colour Computer £25  
Single Joystick

## JOYSTICK GAMES

For use with above  
Galaxy Invasion  
Attack Force Robot Attack  
Cosmic Fighter Meteor Mission ALL £9.95

### TANDY COLOUR COMPUTER OWNERS

Now available - Chromasette Magazine. A monthly tape of at least 6 programs. Single copy £5.95. 6 month sub. £32. 12 month £55

### VIDEO GENIE & TANDY MODEL 1 & 3

Now available in UK—Cloud Magazine.

America's monthly program tape for games orientated people. Why pay high prices when each month you can receive a cassette with at least 6 programs. Latest issue includes:-

**SPACE WAR** Fight the enemy as he flies at you.

**CATERPILLAR** Similar to the arcade game "Centipede".

**ELEPHANT ADVENTURE** Full length Safari adventure program. Plus 4 other programs.

Single cassette £5.75 6 month subscription £28.50  
12 month subscription £52.00 All programs for Model 1 Level 2. Most for Model 3. Over 44 back issues available plus many programs for Level 1. Post your order to MICRODEAL, Deal House, Bridges, Bodmin, Cornwall.  
ALL PRICES INCLUDE TAX & POSTAGE

## ATOM OWNERS!

### THIS IS WHAT YOU'VE BEEN WAITING FOR!

A single card **EPROM PROGRAMMER** for 2K and 4K EPROMs (2716's, 2532's, etc) Plugs directly into the ATOM extension socket. Copies, Dumps and compares programs from any part of memory. **ON BOARD** +25V **INVERTOR** (Software Controlled) plus powerful M/C software in ROM.

Why keep all your software on slow cassettes? — Join the **EPROM SET** today.

Board completely built and tested £99.95

Chipset (IC's 1-5) for within Atom £15.50

PL6 indirect plug for Atom £2.50

2716 EPROMS £2.50

2532 EPROMS £4.50

All prices are fully inclusive.

S.A.E. for more details to:

**CUSTOM MICRO, RUSSELL HOUSE,  
RUSSELL PLACE, EDINBURGH EH6 3HA**

## ATOM MICRO HEARING IS BELIEVING ZX81 GENIE

**TELE SOUND 82** combines with most home computers allowing full spectrum sound effects to be heard through an unmodified television set. Incredible but true, the Telesound 82 unit fits SINCLAIR's ZX81 to get realistic sound effects even with animated graphic games. Connections are made easy by leads fitted with alligator clips. The Telesound 82 ready built, complete with program for the above computers, costs only £9.95 incl.

===== **COMPUSOUND** =====  
32 Langley Close, Redditch, Worcs B96 0ET

**ZX81 AS NEW**, complete with all leads and manual. Real value at £55. Tel. R. Rashleigh, Plymouth 812020 weekdays.

**NASCOM-COMPATIBLE GRAPHICS EPROMS.** 1) Reverse alphanumeric; high resolution multifont bargraph pixels (BASIC listing included). 2) Aliens; military; dungeon pixels. £13.80 each. SAE details. Unicorn and Mortar, 11 FREETH RD, Brownhills, Walsall, West Midlands.



CLASSIFIED ADVERTISING PAYS,  
A MESSAGE LIKE THIS WILL  
ONLY COST YOU £4.50 FOR  
100,000 READERS.

**ZX81 REVISION EXERCISES.** Maths (including algebra, averages, percentages, number-games), French, German, (16K), ages 9-14, cassettes £4.00 each. Listing of 12 (1K) games £2.00, cassette £2.50. SAE for other details. K.Judson, Chiltern Haven, Pednor, Chesham, Bucks.

## ZX81 1K

20 EXCELLENT GAMES PROGRAMS  
FOR ONLY £2.75

All recorded on high quality tapes.

Including fast graphics games:  
METEORS, LAZER, DEMON-DRIVER,  
DEMOLITION, SKI-RUN, SQUASH,  
and 14 others. Superb value!  
All-inclusive price. Send to:

**B. Rao, 12 Parkstone Close,  
Bedford, Beds. MK41 8BD.  
Tel: Bedford 46248.**

## ZX81 16K RAM EXPANSION PACK

Quite simply good value for money at £34.50 including VAT plus £1.50 P. & P. Contained in a neat specially designed case.

Junior Maths Pack One to run on 1K RAM ZX81 — five helpful programmes on cassette for £5.75 inclusive. Logic, Sums, Nimb, Division & Money.

### VIC 20 domestic cassette interface

Why purchase a special cassette deck at twice the price when you may use our interface on your existing home cassette player? £19.55 inclusive of VAT plus £1.50 P. & P.

**VIC 20 3K, 8K and 16K RAM expansion packs** £24.50, £40.25 and £63.25 respectively, including VAT plus £1.50 P. & P. each.

The 3K attaches to the enhanced 16K RAM pack costing £74.75 to give 19K RAM.

The 8K RAM pack may easily be expanded to the 16K by the simple insertion of additional I.C.'s, as the sockets are provided on board in the price. £5.75 for each 2K.

Battery RAM backup is available.

ALL CONTAINED IN NEAT SPECIALLY  
DESIGNED CASES.

**CEL Customised Electronics Limited,  
Winkler Green Mills, Stanningley Road,  
Armley, Leeds, LS12 3BB.**

— telephone 0532 792332.

**155 Marton Road, Middlesbrough,**

**Cleveland, TS4 2EN.**

— telephone 0642 247727.

**ZX81.** Permanently displayed digital clock keeps accurate time while your programs are running. Listing £1.20. Claxton, 16, Sherborne Avenue, Wigston, Leicester.

## ZX81

Useful engineering programs 16K. Tape 1 continuous beams and bolt groups. £5, or SAE for details to:

**Stress Consultants Ltd.,  
30 Sunnybank Rd.,  
Farnborough, Hants GU14 9NX**

**VIDEO GENIE AND TRS80 (16K/2) programmers!** 'Auto-Graphics '82' is the new, easy way to draw spaceships...monsters...mazes...diagrams...in fact **any** mixed/graphic designs, straight onto the screen, and then lock them permanently into **your** programme. Beginners can produce impressive graphic displays immediately — even animation. 22 commands include many special functions that allow typically **fifty-fold** time saving. Send for free data sheet, or order cassette/booklet (£6.95) for prompt despatch. ButterCraft Software, 14, Western Ave, Riddlesden, Keighley, Yorks.

## ZX80 & ZX81

Two books by Robin Norman  
for anyone learning BASIC  
with a Sinclair ZX Computer  
**Learning BASIC with  
your Sinclair ZX80**

To enable you to use the ZX80 (in its original form or modified with 8K ROM) to the full plus 14 specially written programs.

0408 011017 160 pages **£4.50**

### ZX81 Basic Book

Covers the 1K version, the expanded 16K version and the use of the Sinclair ZX Printer. 14 original programs and a glossary of technical terms round off a most useful book.

0408 011785 176 pages **£4.95**

ORDER NOW from your local bookseller  
In case of difficulty from Patricia Davies

**Newnes Technical Books**  
Borough Green, Sevenoaks, Kent TN15 8PH

**CLOCK/CALENDER** with battery backup, uses 16 memory locations of 4118, S.A.E. for details. PSU 5V6A:- 5VIA, +12VIA, -12VIA, kit £38.00. Eprom erasing £0.50/chip, 2708, 2716 (5V) blowing from Nascom 2 tapes £1.00/K, also N2 repair service. Microtek Electronics, Buckholt Road, Broughton, Hampshire SO20 8DA.

## ATOM DOODLES

will release the artist within you! Basic shapes & line drawing, airbrush, rubout plus save & load of finished doodle on black or white screen. 3½ K using graphics 2 or 4 only £4.95 on cassette from:

**Hamster Productions, 39 Lilian Rd.,  
Spixworth, Norwich NR10 3PZ.**

## VIC 3K PROGRAMS

WORD PERFECT — a learning game for all ages; full use of colour; a total of 360 words.  
BEETLE DRIVE — family game, sound & colour.  
HANGMAN — spelling game, learning with fun; a total of 150 words with sound & colour.  
EACH TAPE £6 inc. or £15 for all three.

**VICGRAMS, 62 Copythorne Rd, Brixham, Devon.**

**TRS-80 L2/GENIE SOFTWARE** Space invaders, Mastermind (can find your code), Apollo, m/c writer, Defuse and Rate (details in CT classified last month). All six programs on one cassette for only £4.75 from: K.Meeran, 32 Lismore Rd., S.Croydon, Surrey CR2 7QA.

## SUPER GRAPHICS

pre-programmed in 2716 for **NASCOM 2**. Includes: space invaders, space ships, tanks, aeroplanes, missiles, geometric shapes, etc. £10.75. **ALSO** your custom graphics or software programmed into proms — S.A.E. for details.

**B. Williams, 16 Tilston Close,  
Liverpool L9 6DZ.**

## BERKHAMSTED'S

New Computer Store  
for:

**GENIE 1 & 2  
NASCOM  
Vic-20**

and others...

Software, Components,  
Disks  
Friendly HELP and ADVICE

**Chrisalid, 13, High Street,  
BERKHAMSTED, Herts.  
(Tel: 74569).**

## intro

MAESTRO turns your Video Genie/Tandy TRS80 or Pet 3020 (sound box required) into an impressive music synthesizer!

MAESTRO is not a toy or just another keyboard bleeper program, but a real instrument providing hours of fun for everyone.

Send only £14.95 for your copy of MAESTRO. 24 hour service.

TRADE ENQUIRIES WELCOMED.

**INTRO SOFTWARE LTD.  
6 WOODBINE AVENUE, LEICESTER.**  
Please state machine when ordering.

## FRUSTRATED WITH MYSTERY HOUSE?

— send £2 for complete solution to H. Clark,  
12 Ingham Grove, Lenton, Nottingham.

## ZX81-1K starter pack

TWELVE PROGRAMMES ON CASSETTE WRITTEN FOR THE NEW USER TO DEMONSTRATE THE VERSATILITY OF THE ZX81. SEVEN EXCITING MOVING GRAPHIC GAMES INCLUDING: INVADERS, TANK-SHOOT, SUBSEARCH AND ROAD RACE: A SOUND GENERATION PROGRAMME IS ALSO INCLUDED.

Orders despatched on high quality cassette by return. £3.90 with order to:

**Second Foundation**

22 Bramber, Belgrave  
Tamworth, Staffs. B77 2LL

**ZX81 SOFTWARE.** 10 superb 1K games, including; Astro Smash, Docker, etc. On high quality cassette; £2.95. To: I.B. Software, 17 Danesway, Westwood Estate, Pendlebury, Lancs.

## PET 32K

New ROM, cassette deck, speech output (infinite), superchip, toolkit, picchip, reset switch. 3040 disks (DOS 2.1), disk safety device, hundreds of games & utilities, 30 + disks, IEEE to Centronics interface. Only £1100.

**Tel: 0442 49762.**

**ZX81 16K CASSETTES.** 1. GCE O level Algebra. Quadratic and simultaneous equations. 2. Statistical Programmes and Rubik Cube. £3.50 each. Cheque/P.O. R.Oswald, 11 Pen Lon, Menai Bridge, Gwynedd.

## NASCOM 2 PCG.

Create your own characters. Simulate high res displays. Simple plug in unit using graphics socket kit £33.50.

**Tuff, Sharbrook, High-Ham,  
Somerset.**

CLASSIFIED ADVERTISING PAYS,  
A MESSAGE LIKE THIS WILL  
ONLY COST YOU £4.50 FOR  
100,000 READERS.

## ZX81 16K

Maze, Drag-racer, Machine-code, incredible graphics, Score, 6 levels, £4.  
S.A.E. for information:

**C.P. Cullen,  
Girton College, Cambridge.**

**ZX81 ADAPTOR**, manual, still under guarantee — for sale £50. Phone: Manchester (061) 225 9167.

**VIC PROGRAMS!** 5 fantastic games for £6.50 or SAE for details and free game to: SOFT TOYS, 14 Lockharton Ave., EDINBURGH.



ABC LTD	90
ACULAB LTD	43
A & F SOFTWARE	102
APPLECASTLE	102
AUDIO COMPUTERS	49
BUG BYTE	98
BUSINESS & MICRO LEISURE	103
BYTE SHOP COMPUTERLAND	4
CAAP LTD	50
CAMBRIDGE LEARNING	67
CATRONICS	42
CHROMASONICS	16
CLEVER COMPUTING CONTROL	32
COMMODORE PET	14 & 15
COMP SHOP	114
COMPUTER CONCEPTS	100
COMPUTER PLUS	25
CONTROL TECHNOLOGY	82
CROFTON ELECTRONICS	82
CROYDON COMPUTER CENTRE	82
CSL MICRODATA	42
DATA EFFICIENCY LTD	5
DATAMAN DESIGN	68
DDP RESEARCH & MARKETING	101
DK TRONICS LTD	70
THE ESSENTIAL SOFTWARE	25
FRONTREALM	50
GENERAL NORTHERN MICRO	43
G.P. INDUSTRIAL	67
HAPPY MEMORIES	108
A.J. HARDING	84 & 85
HENRYS RADIO	96
HEWSON CONSULTANTS	102
IKON COMPUTER PRODUCTIONS	44
INTERFACE	7
I.O. SYSTEMS	103
J.K. GREYE SOFTWARE	103
KAYDE	19

KRAM ELECTRONICS	48
KNIGHTS T.V. & COMPUTER	43
LIVERPOOL COMPUTER CENTRE	69
LOWE ELECTRONICS	2 & 76
MDR INTERFACE	100
MICHAEL ORWIN	100
MICROCOMPUTER SPACEDROME	10
MICROGEN	44
MICROSTYLE	115
MICROVALUE	88 & 89
MIDWICH LTD	50
MONOLITH ELECTRONICS	27
MUTEK	32
PREMIER PUBLICATIONS	78 & 79
PRENTICE HALL INTERNATIONAL	6
PROGRAM INTERCHANGE	100
PROGRAM POWER	96 & 97
QUICKSILVA	108
SILICA SHOP	105
SILVERSOFT	104
SINCLAIR RESEARCH	37, 38, 39, 40 & 45
STIRLING MICROSYSTEM	108
STRIPELAND LTD	75
SUPERIOR SYSTEMS	25
SUPERSOFT	104
SWANLEY ELECTRONICS	104
TECHNOMATIC	20
TELEPHONE	47
TEXAS INSTRUMENTS	30 & 31
TEX MICROSYSTEMS	108
TIMEDATA	24
U-MICROCOMPUTERS	7 & 32
VIC	116
VIDEO SOFTWARE LTD	27
WARD ELECTRONICS	32
JOHN WILEY & SONS	83
WILKES P.C.A.	25
WOLVERHAMPTON CIVIL CENTRE	30

**TRS-80 L2 16K**, TR225 cassette recorder, £40 worth software and books, manuals. £315 the lot. Phone after 6pm, Paul, (01) 691 4387.

**TRS-80 16K LEVEL II**, monitor, recorder and centronics printer with interface. Manuals, books and many programs £650 ono. Telephone Preston 35319.

**VIC 20!!!** Games/Educational programs on cassette (from £5.50). Also user characters/high resolution package. All for 5K VIC! Details from 0634 814118.

CLASSIFIED ADVERTISING PAYS, A MESSAGE LIKE THIS WILL ONLY COST YOU £4.50 FOR 100,000 READERS.

**ZX81 UNDERWATER** adventure (13½ K). Full instructions on cassette only £4.95. R. Shepherd, 22 Green Leys, Maidenhead, Berks SL6 7EZ.

**TRS-80 LEVEL 2** Software Alien Attack Force £9, Space Trek £7, Home Finance £7. Many more send for lists, PC Services, 5 Turbill Gdns, Plympton Plymouth.

**Please mention CT  
when replying  
to advertisers**

**DON'T MISS  
THE NEXT ISSUE  
OF  
COMPUTING  
TODAY  
PHONE JENNY ON  
01-437 1002  
FOR ALL YOUR  
ADVERTISING  
REQUIREMENTS.  
DEADLINE  
FRIDAY 12TH  
MARCH.**

## COMPUTING TODAY — CLASSIFIED ADVERTISEMENT — ORDER FORM


Advertise nationally in these columns to over 100,000 readers for only 30p per word (minimum charge 15 words). Simply print your message in the coupon and send with your cheque or postal order made payable to Argus Specialist Publications Ltd to:

**JENNY NARAIN** COMPUTING TODAY  
145 Charing Cross Rd, London WC2H 0EE.  
Tel 01-437 1002

Name .....

Address .....

.....

.....

Tel.No.(Day) .....

Please place my advert in Computing Today



**NOW IN STOCK**

## THE NEW & EXCITING TRS80 MODEL III




**48K**  
**£599** + VAT  
EXTENDED GUARANTEE BY COMPUKARE

The Radio Shack TRS 80™ Model III is a ROM based computer system consisting of:

- A 12 inch screen to display results and other information
- A 65 key console keyboard for inputting programs and data to the Computer
- A 2.80 Microprocessor, the brains of the system
- A Real Time Clock
- Read Only Memory (ROM) containing the Model III BASIC Language (fully compatible with most Model I BASIC programs)
- Random Access Memory (RAM) for storage of programs and data while the Computer is in use (amount is expandable from 16K to 48K - optional extra)
- A Cassette Interface for long term storage of programs and data (requires a separate cassette recorder, optional extra)
- A Printer Interface for hard copy output of programs and data (requires a separate line printer, optional extra)
- Expansion area for upgrading to a disk based system (optional extra)
- Expansion area for an RS 232 C serial communications interface (optional extra)

All these components are contained in a single moulded case and all are powered via one power cord.

Disc Drives Kit with 2x40 Track Drives **£599** + VAT  
Disc Drives Kit with 2x80 Track Drives **£729** + VAT



**MICROLINE 80** **£289** + VAT

- 80 cps Uni-directional
- Small size: 342 (W) x 254 (D) x 108 (H) mm
- 160 Characters, 96 ASCII and 64 graphics
- 3 Character sizes: 40, 80 or 132 chars line
- Friction and Pin Feed
- Low noise: 65 dB
- Low weight: 6.5 kg

## INTRODUCING THE NEW SHARP MZ-80B



**£999** + VAT

- 4 Mhz Z-80 CPU
- Dynamic RAM
- 2K ROM
- BASIC is provided
- High Resolution Graphics
- 9" High Focus Green Display
- Upper and Lower Case
- 80,40 Characters x 25 line display
- Electro Magnetic Cassette Deck included
- ASCII Keyboard
- Numeric Keypad
- Sound Output
- Built in Clock and Music

Available Soon-Discs, Printers and other Accessories.

## COMPUKIT UK101

- 6502 based system - best value for money on the market
- Powerful 8K Basic - Fastest around
- Full Qwerty Keyboard
- 1K RAM Expandable to 8K on board
- Power supply and RF Modulator on board
- No Extras needed
- Plug in and go
- Kansas City Tape Interface on board
- Free Sampler Tape including powerful Disassembler and Monitor with each Kit
- If you want to learn about Micros, but didn't know which machine to buy then this is the machine for you.

KIT ONLY **£99.95** + VAT  
Fully Assembled - **£149** + VAT

PLUS **£4.60**  
Post & Packing

## WE ARE NOW STOCKING THE APPLE II AT REDUCED PRICES

### AUTOSTART EURO PLUS



**48K**  
**£649** + VAT  
EXTENDED GUARANTEE BY COMPUKARE

**Getting Started** APPLE II is faster, smaller, and more powerful than its predecessors. And it's more fun to use too because of built in features like:

- BASIC - The Language that Makes Programming Fun
- High Resolution Graphics (in a 54,000 Point Array) for finely Detailed Displays
- Sound Capability that Brings Programs to Life
- Hand Controls for Games and Other Human Input Applications
- Internal Memory Capacity of 48K Bytes of RAM, 12K Bytes of ROM for Big System Performance in a Small Package
- Eight Accessory Expansion Slots to let the System Grow With Your Needs


You don't need to be an expert to enjoy APPLE II. It is a complete, ready to run computer. Just connect it to a video display and start using programs (or writing your own) the first day. You'll find that its tutorial manuals help you make it your own personal problem solver.

## INTRODUCING THE NEW GENIE

Ideal for small businesses, schools, colleges, homes, etc. Suitable for the experienced, inexperienced, hobbyist, teacher, etc.

### GENIE I

EXTENDED GUARANTEE BY COMPUKARE



**STILL ONLY £279** + VAT

**NOW INCLUDED:** Sound, Upper and lower case, Extended BASIC and Machine Code enabling the Writing and Execution of Machine Codes Programming direct from Keyboard.

- 16K RAM, 12K Microsoft BASIC
- Extensive Software Range
- Self-Contained PSU UHF Modulator Cassette
- External Cassette Interface. Simply plugs into TV or Monitor.
- Complete and Ready to Go. Display is 6 lines by 32 or 64 Characters Switchable. 3 Manuals included. Users Guide, Beginners Programming and BASIC Reference Manual.
- BASIC Program Tape Supplied. Pixel Graphics

### GENIE II

EXTENDED GUARANTEE BY COMPUKARE



**£299** + VAT

The **NEW GENIE II** an ideal Business Machine. 13K Microsoft BASIC in ROM. 71 Keyboard. Numeric Keypad. Upper & Lower Case. Standard Flashing Cursor. Cassette Interface. 16K RAM Expanded externally to 48K.

## GENIE I & II EXPANSION UNIT WITH 32K RAM

**£199** + VAT

PARALLEL PRINTER INTERFACE CARD **£35.00** + VAT

**NEW**

## ACORN ATOM

UNIQUE IN CONCEPT - THE HOME COMPUTER THAT GROWS AS YOU DO



Fully Assembled **£157.50** + VAT inc. PSU

EXTENDED GUARANTEE BY COMPUKARE

- Special features include:
- Full Sized Keyboard
  - Assembler and Basic
  - Top Quality Moulded Case
  - Optional High Resolution Colour Graphics
  - 6502 Microprocessor


## THE EPSON MX SERIES



**MX80T** **£339** + VAT  
**MX80F/T** **£389** + VAT

- 80-132 Column
- Centronics Parallel
- Bi-directional
- Upper & lower case
- True Descenders
- 9x9 Dot Matrix
- Condensed and Enlarged Characters
- Interfaces and Ribbons available

## TEAC DISK DRIVES



EXTENDED GUARANTEE BY COMPUKARE

- TEAC FD-50A has 40 tracks giving 125K Bytes unformatted single density capacity
- The FD-50A can be used in double density recording mode
- The FD-50A is Shugart SA400 interface compatible
- Directly compatible with Tandy TRS80 expansion interface
- Also interfaces with Video Genie, SWTP, TRS80, North Star Horizon, Superbrain, Nascom, etc. etc.
- Address selection for Daisy chaining up to 4 Disks
- Disks plus power supply housed in an attractive grey case

**40 TRACK**  
Single Disk Drive **£225** + VAT Double Disk Drive **£389** + VAT  
**77 TRACK**  
Single Disk Drive **£299** + VAT Double Disk Drive **£499** + VAT



"Europe's Largest Discount Personal Computer Stores"

Delivery is added at cost. Please make cheques and postal orders payable to **COMPSHOP LTD.**, or phone your order quoting **BARCLAYCARD, ACCESS, DINERS CLUB** or **AMERICAN EXPRESS** number.

### MAIL ORDER AND SHOP:

14 Station Road, New Barnet, Hertfordshire, EN5 1QW (Close to New Barnet BR Station - Moorgate Line). Telephone: 01-441 2922 (Sales) 01-449 6596 Telex: 298755 TELCOM G

**OPEN (BARNET) - 10am - 7pm - Monday to Saturday**

### NEW WEST END SHOWROOM:

311 Edgware Road, London W2. Telephone: 01 262 0387

**OPEN (LONDON) - 10am - 6pm - Monday to Saturday**

★ **IRELAND:** 19 Herbert Street, Dublin 2. Telephone: Dublin 604165

### CREDIT FACILITIES ARRANGED

send S.A.E. for application form.

### TELEPHONE SALES

**OPEN 24 hrs. 7 days a week**

**01-449 6596**





## INGENIOUS Genie I

All the features of the EG3003 system  
plus: \* Machine Language Monitor  
\* Fitted Sound \* Renumbr Command  
\* Full Lower Case \* Screen Print



16K

**£295** + VAT

## The Second Generation Personal Computer

**Highest performance  
lowest price**

- \* 48K
- \* 16 Colours
- \* Multiple Resolution Graphics
- \* Split screen modes



**DAI**  
**£595**  
+ VAT

## Genie II

The MacroComputer

Offering all the advantages of the  
Genie I system, with the benefit  
of advanced design for the  
professional user.


- \* 4 Defineable Function Keys
- \* Full Upper & Lower Case
- \* Terminal Routines
- \* Facility to upload & Download
- \* Screen Print
- \* Includes T.V. Modulator

**£310** + VAT

## Acorn Atom

Special features include

- \* FULL SIZED KEYBOARD
- \* ASSEMBLER AND BASIC
- \* HIGH RESOLUTION COLOUR  
GRAPHICS



from:

**£120**  
+ VAT



*watch this space*

## VIC 20

Comprehensive  
facilities at a  
realistic price.



8 Col. modulator  
Plugs into T.V.  
3.5K User Ram  
Uses Pet Basic  
Includes Power  
supply ready to  
use.

**£165.00**  
VIC cassette  
**£39.00** + VAT

## TANTEL

'PRESTEL'  
adaptor

Converts any black  
and white or  
colour T.V.  
for 'PRESTEL'  
reception.

**£160** + VAT

## Printers

The most compact 80 column  
impact graphic-dot printer available  
AT A VERY COMPACT PRICE

**seikosha GP80**  
**£195** + VAT

ALSO

EPSON MX80\*EPSON MX100  
ANADEx\*PAPER TIGER\*TEC  
SCRIPTA\*MICROLINE 80

## EG3023

Special adaptor to  
allow connection of  
TRS 80 to GENIE  
peripherals

## EG3014

GENIE low cost 16K  
expander

FOR

BLANK  
TAPES  
C12

DISK -  
ETTES

BITS

RIBBONS  
for most  
printers  
LABELS

BOOKS

LISTING  
PAPER

(9½ x 11)  
£10.00 per box  
2000 sheets

SOFT-  
WARE

MONITORS

all this and  
much much  
more . . .

**MicroStyle**

29 Belvedere, Lansdown Road, Bath.  
Telephone: (0225) 334659.







# “Give me one good reason why I should choose a VIC 20 home computer.”

**1.** VIC is outstanding value for money. No other colour home computer can give so much for under £200.

**2.** Total standard memory 25K made up of 20K ROM and 5K RAM.

**3.** Fully expandable to 32K of user RAM.

**4.** Microsoft Basic interpreter as standard.

**5.** Accessible machine language as standard.

**6.** Connects direct to monitor or standard television.

**7.** Full size typewriter-style keyboard.

**8.** Full colour and sound.

**9.** All colours directly controllable from the keyboard.

**10.** 62 predefined graphic characters direct from the keyboard.

**11.** Full set of upper and lower case characters.

**12.** 512 displayable characters direct from the keyboard.

**13.** High resolution graphics capability built into the machine.

**14.** Programmable function keys.

**15.** Automatic repeat on cursor function keys.

**16.** User-definable input/output port.

**17.** Machine bus port for memory expansion and ROM software.

**18.** Standard interfaces for hardware peripherals.

**19.** VIC 20 is truly expandable into a highly sophisticated computer system with a comprehensive list of accessories (see panel below).

**20.** Full range of software for home, education, business and entertainment on disk, cassette and cartridge.

**21.** Books, manuals and learning aids from Teach Yourself Basic to the VIC programmers' reference guide (a must for advanced programmers).

**22.** Full support for VIC owners – their own magazine 'VIC Computing' as well as a national network of VIC user groups.

**23.** National dealer network providing full service and support to VIC owners.

**24.** Expertise and experience – Commodore are world leaders in microcomputer and silicon chip technology.

**25.** Commodore is the leading supplier of micro-computers in the UK to business, schools, industry and the home.

**26.** VIC 20 is the best-selling colour home computer in the UK.

How many reasons was it you wanted?

#### Accessories include:

- Cassette tape unit.
- Single drive 5¼" floppy disk unit (170 K bytes capacity).
- 80-column dot matrix printer.
- 3K, 8K and 16K RAM expansion cartridges.
- Programming aid packs; machine code monitor cartridge; programmers' aid cartridge; high resolution graphics cartridge.

• Plug-in conversion box for a full 32K, 40-column x 25 lines VIC including Prestel compatibility.

- Prestel/Tantel interface package.
- RS 232C communication cartridge.
- Memory expansion board
- IEEE/488 interface cartridge.
- Joysticks, light pens, paddles and motor controllers.

**commodore**

**VIC 20**

**The best home computer in the world.**

FOR MORE INFORMATION ON THE VIC 20, TELEPHONE OR WRITE TO: COMMODORE INFORMATION CENTRE, BAKER STREET, HIGH WYCOMBE, BUCKS, OR TEL: SLOUGH 79292.